SEATING & OCCASIONAL TABLES

Price and Specification Guide **USA**



krug

TABLE OF CONTENTS

GEN	ERAL INFORMATION		
2	General Information	219	Benches
4	Finishes & Laminates	220	Tate
5	Krug Textiles - Upholstery Fabrics Leather	226	Zola
6	Krug Textiles Luxe Faux Leather	235	Carlyle
6	Graded-In Upholstery Programs		
7	C.O.M.	237	Occasional Tables
8	KrugExpress Program	238	Chit Chat
9	Base Styles	241	Avatar
	,	243	Karma
PRIC	CING & SPECIFICATIONS	248	Cressida
		251	Leyton
10	Management & Task Seating	253	Zola
11	Callisto	258	Sutton
15	C5	260	Virtu
24	Aqua	263	Millennium
30	Dorso E	264	Prado
37	Dorso T	266	Carlyle
42	Dorso Weave		
48	Dorso		
55	Me		
61	Pan Am		

Cadence 72 **Guest Seating**

- 73 Addison
- 76 Blake
- 79 Dorso
- 82 Bali

66

- 84 Kita
- 86 Spence
- 88 Cadence

90 **Multi-Purpose Seating**

- Mobi 91
- 95 Karma
- 105 Corfu
- Capri 111
- 113 Bank of England

115 **Barstools & Counter Height Seating**

- 116 Manolo
- 119 Karma
- Capri 121

Lounge Seating 123

- Avatar 124
- 128 Cressida
- 138 Leyton
- 149 Zola
- Zola Privacy 167
- 211 Sutton
- 213 Carlyle
- 215 Brio
- 217 Sloane

GENERAL INFORMATION

Terms and Conditions

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

Customer Service Hours

Please note customer service hours are: 8:30 am to 5:00 pm est 1.888.578.KRUG 1.519.748.5177 fax

Order Acknowledgements

Each order will be acknowledged via e-mail or fax. This acknowledgement is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgements for accuracy, and advise Krug of any discrepancies with a purchase order.

Cancellation

A cancellation can be made only by expressed agreement with Krug. A cancellation fee may be incurred for restocking.

Dimensions

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

Blanket Wrapping

Krug will blanket wrap larger seating orders at customer's request. Please indicate on your purchase order and contact Customer Service.

Storage Charges

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

Contact Information

Phone: 1.888.578.KRUG (5784)

Fax: 1.519.748.5177

Purchase Order Fax: 1.888.236.4783 Purchase Order E-mail: orders@krug.ca

Web: www.krug.ca E-mail: solutions@krug.ca

Installation Support

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

Pricing

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

Warranty

Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for a period of 10 years from the date of purchase. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers, if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug. Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COMspecified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- · damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climatecontrolled conditions)

Export Packaging

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage.

Export packaging is provided at an upcharge of 5% of the net selling price per item.

Export Packaging is STRONGLY RECOMMENDED for:

(A) all shipments outside of the lower 48 states and Cana

(B) all shipments that will be held in storage for an extended period prior to installation.

Important: Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions but where export packaging has not been utilized.

Please contact Customer Service for specifications or any other assistance regarding export packaging.

Freight Terms and Conditions

- 1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination (dealer's dock or territorial warehouse, where available) or not pre-paid, depending on established customer specific freight terms.
- 2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.
- 3. When a Krug territorial warehouse (where available) is selected as the default delivery location, it is understood that Krug pays freight cost to the territorial warehouse only, and no further. The Customer is responsible for all charges from this point.

GENERAL INFORMATION

Freight Terms and Conditions, con't.

4. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.

5. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled. For deliveries requested Monday to Thursday after 5:00 pm, please apply a surcharge of \$250/shipment. For deliveries requested Monday to Friday before 7:00 am, please apply a surcharge of \$250/shipment. For deliveries requested Friday (after 3:00 pm) or weekends, please apply a surcharge of \$500/shipment. (local times).

6. For all deliveries - whether to the Customer location or drop shipment - any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$75/hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is \$75/hour. If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is \$75/hour. Direct deliveries to site for large orders are possible, (must exceed \$60,000 net), and accommodate 48 - 53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer.

Product Strength and Durability Testing

All management seating meets or exceeds the testing requirements of ANSI/BIFMA X5.1-2011. All lounge seating meets or exceeds the testing requirements of FNAE-80-214A. Specific test results and documentation are available on request.



Customer Satisfaction

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

Damaged Shipments

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or

damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

Field Product Report Authorization

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for field repairs and replacements, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

Returns

No merchandise may be returned without Krug's prior written consent. In the event of an authorized return, a Field Product Report (FPR) number will be issued, and a restocking charge will apply. Return transportation charges must be prepaid. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packaged in its original or comparable replacement packaging to ensure protection of the product during handling and transportation. Returns on orders duplicated by the customer must be received in their original packaging to be accepted. Product being returned where Krug has authorized its liability for replacement or repair will be thoroughly inspected on its return, and the results compared to the reason for the return stated on the FPR. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

Custom Capabilities

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities.

These include:

- 1) Dimensional customization of standard size products
- 2) Custom finishes
- For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.

Custom orders may require additional production lead times. Contact Engineering at the e-mail address engquotes@krug.ca.

Care and Maintenance Leather

Leather is a natural product and requires very little care during use. Most stains can be removed with a clean dry cloth. For stubborn spots and stains, use a mild non-detergent cleaner, rinse well and let air dry naturally. Do not use saddle soap, cleaning solvents, furniture polish, oils, varnish, abrasive cleaners, soaps or ammonia waters.

Fabric Upholstery

Professional upholstery cleaning is recommended.

Flammability Standards for Krug Fabric Program

 Passes State of California Technical Bulletin CAL 117-2013

FINISHES & LAMINATES

WOOD FINISHES

Standard wood finishes are:

Finishes on Beech

Appalachian Cherry American Cherry Imperial Cherry Light Cherry Medium Cherry Natural Cherry Sable Cherry Standard Cherry Light Oak Harvest Oak Mahogany Mellow Oak Espresso Cordovan Walnut Natural Walnut Regular Walnut Dark Walnut Clear Beech Medium Anigre

Finishes on Maple

Clear Maple Honey Maple Wheat Maple

Natural Characteristics of Wood

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

Custom Wood Finishes

Add 10% list to your order for special finishes a minimum upcharge is \$500 list per finish per order. (For example, on all orders up to \$5000 list an upcharge of \$500 will apply, on orders \$5000 and up add 10% list to order.)

Special finish upcharges on seating products are calculated on a grade 1 value. For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

Dual Finishes

Add 10% list per item if specifying dual finish.

Standard Wood Finishes

No upcharge will be applied when specifying a finish available as standard on one species onto maple seating and occasional tables. Clear finishes are not available on other species since they are a clear finish on top of the natural veneer color.

LAMINATES

Krug's in-stock Laminates are available in 17 different laminate selections. Please note that 4 of the colors (Gingerbread, Portobello, Ash and Willow) have textured finishes and may not be appropriate for use in patient areas due to infection control concerns. Minimum order quantities and extended lead times may apply for exotic laminate colors, please check with customer service. Polymer Edge will be selected to match the worksurface. Krug's previous laminate in-stock program will be phased out as in-stock supply depletes. Please contact customer service for availability.

IN-STOCK LAMINATES

Wood Grain Laminates	High Pressure Laminate Supplier	Textured Wood Grain Laminates	High Pressure Laminate Supplier		
Champagne	Tafisa T492CR	Gingerbread	Tafisa T556UR		
Hardrock Maple	Formica 86992-58	Portobello	Tafisa T557UR		
Dune	Tafisa T491CR	Ash	Tafisa T535AT		
Copper	Tafisa T521CR	Willow	Tafisa T543AT		
Shiraz Cherry	Tafisa T472CR	Calid Laminates			
Park Avenue Walnut	Wilsonart 7984-38	Solid Laminates			
Chocolate	Tafisa T498CR	Designer White	Wilsonart D354-60		
Nutmeg	Tafisa T477CR	Platinum	Tafisa T202CR		
Dark Walnut	Tafisa T469CR	Earth	Tafisa T767CR		
		Charcoal	Tafisa T228CR		

PHASE OUT LAMINATES

Mocha Cherry - Almond - Black- Shadows - Edgewood Sycamore - Gunstock Walnut

NON-STOCKED LAMINATES

For specific lead time and application questions, please contact Krug Customer Service for your requirement. Upcharges will be applicable for non-stocked laminates, depending on their cost. Non-stock laminates may require a minimum order quantity, please contact customer service. Stocked polymer edges only can be specified for use with non-stocked laminates or tops will be self-edged.



KRUG TEXTILES - UPHOLSTERY FABRICS

Krug Textiles - Fabric Program

Krug Grade 1, 2 and 3 fabrics are also available on a cut yardage basis.

Grade 1

Perk	Vox	Fuse	Expo	
Auburn	Bark	Azurean	Festive	
Cabana	Black	Carmine	Fog	
Cedar	Cocoa	Cress	Latte	
Crimson	Downpour	Ginger	Leaf	
Dijon	Eco	Iris	Lemon	
Ebony	Frothe	Lunar	Oasis	
Flint	Goldenrod	Malted	Raspberry	
Patriot	Honest	Morel	Sky	
Pewter	Hot	Pepper	Spirit	
Regal	Limelight	Pimento	Sprout	
Sesame	Morel	Pristine	Tuxedo	
Walnut	Mystic	Saffron	Viola	
	Navy	Walnut	Zest	
	Oat			
	Par			
	Ruby			
	Snap			
	Turquoise			

Grade 2

Epic	Knack	Bangle	Lineup	
Azure	Berry	Baltic	Baltic	
Capri	Brisk	Cork	Fern	
Espresso	Carbon	Granite	Pewter	
Flare	Dark Roast	Orchid	Sandstone	
Granite	Filament	Sable	Shadow	
Jute	Fresco	Suede	Spice	
Kiwi	Glaze	Teak	Tranquil	
Limestone	Reed		·	
Pearl	Sax			
Porcini	Teak			
Regal	Wave			
Slice	Zest			
Steel	Zing			

Grade 3

Solace	Current	Clang	Kinney	
Almond	Birch	Amber	Coffee	
Azul	Cadet	Claret	Frappe	
Blaze	Eclipse	Clove	Glacier	
Carmine	Espresso	Cress	Mineral	
Celadon	Moss	Flint	Nectar	
Cinder	Pecan	Malt	Steel	
Earth	Plum	Raven	Valentine	
Ebony				
Fossil				
Gilded				
Indigo				
Ivory				
Mineral				
Pear				
Peony				

Krug Textiles - Cut fabric per yard

Grade 1	\$53
Grade 2	\$63
Grade 3	\$73

KRUG TEXTILES | LEATHER & LUXE FAUX LEATHER



Krug Textiles - Leather Program Grade 8

Black	K13.1000	Graphite	K13.4000
Stone	K13.3000	Espresso	K13.8000
Sand	K13.5000	White	K13.9000

Please contact Customer Service for specific information on leathers, available colors and lead times.

Krug Textiles - Faux Leather Program

Grade 2

White Bisque Sprig Chinchilla Cream Chocolate Parchment Black Steel Sandstone Farth Grey Vanilla Brick Lagoon Taupe Wine Pacific Blue Mocha Garnet Navv Tan Rust Plum Chestnut Citron

GRADED-IN UPHOLSTERY PROGRAMS

Krug has partnered with several textile brands to grade in their offerings, designed to provide a wide range of upholstery selections for our seating products.

Upholstery pricing and availability is subject to change without notice. We grade this upholstery according to the pricing of the fabric suppliers - when their pricing changes, the Krug grade may change.

When placing an order, a Krug customer must specify the complete upholstery number, along with the appropriate Krug model number and finish. Krug will supply the complete product at the prices listed. Orders specifying graded-in upholstery cannot be cancelled once the upholstery has been ordered.

Upholstery Grades

To determine the price of a product for graded-in upholstery, use the reference lists located on Krug's website under - Products - Textiles, to view the upholstery grade (1-9). Krug is not responsible for the discontinuation of this upholstery. Please contact Customer Service for information on upholstery not listed.

When two upholstery selections are specified for use on seating, the higher grade upholstery price will apply to the order.

High Performance upholstery; Polyurethane, Vinyl or Crypton, is particularly suitable for healthcare and other intensive-use environments.

Upholstery Samples

If you require additional samples or memos for presentation, please contact fabric supplier directly.

Flammability Standards

- Tunnel Test Surface Ratings Class A rating
- Class 1 UFAC
- Passes State of California Technical Bulletin CAL 117-2013

Please contact fabric supplier directly for further flammability information pertaining to specific upholstery.

Special Conditions

Acknowledgements will give the estimated delivery date of the finished product. Some upholstery is imported, and availability may affect estimated delivery time. For large projects, please contact fabric supplier directly for availability of yardage.

CUSTOMER'S OWN MATERIAL - C.O.M.

Customer's Own Material (COM/COL)

COM/COL must be received three weeks prior to the acknowledged ship date. Orders with COM/COL not received by the required deadline will be delayed.

A description of the upholstery cover, including supplier name, pattern name, upholstery cover name and color number must be included with the purchase order.

COM/COL testing requires 3 business days and samples are to be directed to Customer Service. The customer has the option of providing the sample COM/COL before, at time of order, or once the sample COM/COL is received. If the customer does not send a sample for approval in advance of sending actual material, Krug will not be responsible for the cost of any upholstery cover or other material that it determines to be unsuitable for the product or our process.

When the COM/COL upholstery cover is received at Krug, it must be clearly identified with the upholstery cover name and color, and tagged with name of the Krug customer and purchase order number. Krug will inspect all COM/COL upholstery covers when received to determine if it will be suitable for upholstery. Where Krug feels that the upholstery cover or leather specified will compromise the quality or integrity of our products, customers will be contacted to direct these concerns. Further, Krug reserves the right to refuse to accept and use any COM upholstery covers or leathers that will compromise our products in any way that is unacceptable to Krug. Krug cannot assume responsibility for the durability or tailoring quality of customer's own material.

Yardage specified in this price guide is approximate. In the case of multiple product orders, multiply the number of items by the COM yardage specified to determine upholstery cover required, unless otherwise indicated. Additional yardage may be needed if the material is less than 54" wide, or patterned or striped and requires matching. All COMs are cut "up the roll" unless otherwise stated by the customer. All striped upholstery covers will be applied vertically unless otherwise stated by the customer and after approval by Krug. Krug will not be responsible for directional or positional problems with its application of COM material, unless it has been provided with explicit instructions by the customer. Special instructions should be sent to Krug Customer Service, including a sample (or photocopy) of the upholstery cover. Krug is not responsible for instructions sent with the upholstery cover rolls, or for the method of upholstery if no instructions have been provided.

Price increases and freight charges to COM/COL acquired on the customer's behalf will be passed onto the customer.

Application of Directional Upholstery cover

Some COM upholstery covers will be considered directional by Krug even though they are not considered directional by the supplier. All COMs are automatically cut "up the roll" unless otherwise stated by the customer (please see below).







Standard-Cut Non-Standard-Cut across the roll "railroad" "up the roll"

COM/COL Shipping Procedures

For seating COM/COL upholstery covers, please send upholstery covers to:

Krug Inc. 111 Ahrens Street Kitchener, Ontario Canada N2H 4C2 Attention: RECEIVER COM/COL orders cannot be scheduled into production until the upholstery cover has arrived and inspection is complete.

All packages must be clearly marked "For Customs Clearance by Willson International Custom Brokers".

According to the North American Free Trade Agreement (NAFTA), goods shipped between the United States and Canada can qualify for exemption from all duties, or for a reduction in duties, if the goods can be proven to originate in either the United States, Canada or Mexico.

Canada Customs requires that a NAFTA Certificate of Origin and a Commercial Invoice be completed and sent with the upholstery cover shipment. The Commercial Invoice must clearly state the description of the upholstery cover, the selling price, the make-up or content, and the purchaser. The absence of these two documents will delay the shipments at the U.S./Canada border, thereby potentially delaying the customer order. If the total value of the shipment is less than \$1200 U.S., Customs will accept a Low Value Statement of Origin in place of the NAFTA Certificate of Origin. The Low Value Statement must be signed by a representative of the exporting company. This statement may either be included on the commercial invoice or attached to the invoice.

Krug is happy to answer any questions or concerns about COM/COL shipping procedures and the required documents. Please contact our Customs Specialist at 1.888.578.5784.

CAL 133 & Moisture Barrier

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$700 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

C.O.L. Yardage

To calculate C.O.L. yardage required, please use the following conversions based on COM yardage: Leather must be ordered in square footage.

- 17 square feet in a yard
- Approx. 3 yards in a hide
- Approx. 51 square feet in a hide
- Please use grade 3 pricing for COL

COM APPROVAL PROCESS:

The approval process is as follows:

- 1. A sample of the COM fabric must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric will be inspected when received at the factory to identify any further concerns with its suitability.

CUSTOMER'S OWN MATERIAL - C.O.M.

Upholstery Cover Yardage Calculation

To calculate yardage required for COM and other non-standard upholstery cover orders, please contact Krug Customer Service at 1.888.578.5784.

Unless otherwise stated, upholstery cover rolls are assumed to be a minimum 54" wide. Please use the guide below to calculate the percentage of extra upholstery cover required to cover large repeats. The repeat is calculated by adding both the vertical and horizontal measurements together and then referring to the chart below for extra yardage required.

		2"-14"	15"-19"	20"-27"	28"-36"
FABRIC	Plain	Repeat	Repeat	Repeat	Repeat
54	0%	10%	15%	20%	25%
53-50	16%	20%	25%	30%	35%
48	16%	25%	30%	35%	40%
45	40%	50%	55%	60%	65%
36	50%	60%	65%	70%	75%

KRUG EXPRESS PROGRAM

PROGRAM DETAILS

KrugExpress orders are ready to ship by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of KrugExpress orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized.

Available factory capacity for *KrugExpress* is filled by orders received on a "first serve" basis. If the normal KrugExpress lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a *KrugExpress* order.

Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received.

KrugExpress orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean".

Changes to KrugExpress orders are not allowed under any circumstances.

Orders for product on KrugExpress must clearly state: "KrugExpress".

COM and graded-in upholstery is available on Krug Express. Orders are scheduled on Krug Express, and given the best available date, when the upholstery is received at Krug. Some conditions apply.

SEATING & OCCASIONAL TABLES PROGRAM

Orders for seating products on the KrugExpress program may be subject to quantity maximums. Please contact Krug Customer Service for more information.

Quantity maximums are dependent upon available capacity, in order to insure that we ship all orders on time. Please note that the CAL 133 option is <u>not</u> available on *KrugExpress*.

Only standard wood finishes are available for KrugExpress orders. Laminates are not available on KrugExpress.

Krug Express includes all Krug seating and occasional tables as well as Krug conference and casegood products to complement this seating offering.

Base Styles	Description
Black Nylon	5 blade glass reinforced molded nylon base with 2 1/4" hooded dual wheel casters.
Polished Aluminum	5 blade polished cast aluminum base with 2 1/4" dual wheel casters (upcharge of \$115 applies.)
Seat Slider	Seat slider mechanism featuring a 2" range of adjustment front to back when seated. The lever to activate this feature is located under the seat of the user's left side and is activated by a simple twist of the knob.
Wood	5 blade steel bar stock base with finished wood caps and 2" black hooded dual wheel casters
Chrome	5 blade polished chrome base with 2 1/4" dual wheel casters.
Jury Bases	Jury Bases assembly consists of a black 9" diameter conical/cast base for permanently mounting a chair to the floo. Into the base is inserted a black pneumatic gas cylinder with self returning action from rotation, and self returning height feature when exiting the chair. Allows for full 360 degree rotation. Limited degrees of rotation are not available.

Jury Bases

Pan Am Pan1-M11<u>J</u>



Bank of England 177-<u>J</u> 178-<u>J</u> 179-<u>J</u>



Cadence CAD1-HW12<u>J</u>




MANAGEMENT & TASK SEATING

- 11 Callisto
- 15 C5
- 24 Aqua
- 30 Dorso E
- 37 Dorso T
- 42 Dorso Weave
- 48 Dorso
- 55 Me
- 61 Pan Am
- 66 Cadence

CALLISTO



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 28.83%

POST-CONSUMER
RECYCLED CONTENT = 21.67%

Up to 70.56% of this Callisto product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Callisto products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



AIR EMISSIONS

All Callisto products are supplied air-emissions certified. Contact customer service for information.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CALLISTO | FEATURES



BREATHABLE MESH

Mesh Seats and Backs are available in 2 colors: Black and Grey.



UPHOLSTERED CUSHIONING

Upholstered Seats and Backs are available in a wide range of textiles, and seat features molded foam that is supportive for extended periods of sitting.



ADJUSTABLE LUMBAR SUPPORT

This optional feature provides enhanced support in the lower lumbar area of the back with 3" of adjustment range.



FIXED CANTILEVER ARM

This arm features Polished Aluminum with an integrated urethane pad surface.



ADJUSTABLE ARM

Height adjustment range of 2.5". Arm pad forward/backward adjustment of 1.5". Arm pad has a 3 position swivel of 20 degrees inward and 15 degrees outwards.



ARMLESS

Callisto models are available armless.



SELF-ADJUSTING SYNCHRO MECHANISM

The tilt feature adjusts automatically to the user's weight. It includes a standard seat slider feature adding an adjustment range of 2", and 4 position tilt lock with anti-kickback, and height adjustability.



BASES

Base options include Polished Aluminum and Black Polymer, and a soft wheel caster option.



STOOL BASE

A stool version is available on all Callisto models. It has a standard height adjustment range of 7.5". Foot ring is Polished Chrome, and standard gas lift is Black.

The Seat Slider and Seat Slider Plus option is not available with the Stool base. Stool base is only available with a swivel mechanism.

WEIGHT CAPACITIES

Callisto has been tested and complies with ANSI/BIFMA x5.1-2011 standards.
Callisto has been load tested to 300lbs

OPTIONS



ADJUSTABLE ARMS PLUS

Height adjustment range of 2.5". Arm pad forward/backward adjustment of 1.5". Arm pad has a 3 position swivel of 20 degrees inward and 15 degrees outwards. Adjustable Arms Plus provides a width adjustment range of 3". The upcharge for this option is \$72 list.

SEAT SLIDER PLUS

The optional enhanced seat slider, has an adjustment range of 3". When the 3" seat slider option is selected a larger chair base is included. This option is priced at an upcharge of \$55 list

Seat Slider Plus option is not available with the Stool base.

REPLACEABLE COMPONENTS

Callisto is uniquely designed to allow major components to be field replaced, providing a very cost effective means to significally extend the life of the product.

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with nonflammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge of \$49 list per yard.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$700 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

CALLISTO | DIMENSIONS & COM REQUIREMENTS

							Height	Height					
				Overall	Seat	Seat	Arms From	Arms From	Width				
	Overall	Overall	Overall	Height	Height	Height -Stool	Floor	Floor-Stool	Between	Seat	Shipping		COM
	Width	Depth	Height	-Stool	Min/Max	Min/Max	Min/Max	Min/Max	Arms	Depth	Weight	Cubes	YRD
CAL1M10	20	26	38.75	44.75	17-21	23-30.5	n/a	n/a	n/a	19	39	14.5	-
CAL1M11	25	26	38.75	44.75	17-21	23-30.5	25.5-30	31.5-39	21	19	45	14.5	-
CAL1M12	24	26	38.75	44.75	17-21	23-30.5	25.5-30	31.5-39	17	19	45	14.5	-
CAL1M20	20	26	38.75	44.75	17-21	23-30.5	n/a	n/a	n/a	19	39	14.5	.85
CAL1M21	27	26	38.75	44.75	17-21	23-30.5	25.5-30	31.5-39	21	19	45	14.5	.85
CAL1M22	26	26	38.75	44.75	17-21	23-30.5	25.5-30	31.5-39	19	19	45	14.5	.85
CAL1M30	20	26	38.75	44.75	17-21	23-30.5	n/a	n/a	n/a	19	39	14.5	1.68
CAL1M31	27	26	38.75	44.75	17-21	23-30.5	25.5-30	31.5-39	21	19	45	14.5	1.68
CAL1M32	26	26	38.75	44.75	17-21	23-30.5	25.5-30	31.5-39	19	19	45	14.5	1.68

CALLISTO

	COM		COL	COL FABRIC GRADES			LEATHER			
DESCRIPTION/MODEL	1	2	3	4	5	6	7	8	9	



Mesh Back & Seat, Armless with Black Base

CAL1M10B 659

Mesh Back & Seat, Armless with Polished Aluminum Base

CAL1M10P 678



Mesh Back & Seat, Adjustable T-Arm with Black Base

CAL1M12B 738

Mesh Back & Seat, Adjustable T-Arm with Polished Aluminum Base

CAL1M12P 750



Mesh Back & Seat, Fixed Cantilever Arm with Black Base

CAL1M11B 756

Mesh Back & Seat, Fixed Cantilever Arm with Polished Aluminum Base

CAL1M11P 775

ORDERING NOTES: To add Adjustable Lumbar Support option add "L" to the model number above, "W" for Adjustable Arms Plus, "S" for Seat Slider Plus and upcharge below.

gg	
Callisto Option Upcharges	\$ List
CAL 133 & Moisture Barrier (per yard)	49
Soft Wheel Casters	49
Adjustable Lumbar Support (L)	45
Adjustable Arms Plus (W)	72
Stool Base	82
Seat Slider Plus (S)	55

PRODUCT CODE I	XL I					
Line	Series	Back Style	Chair Style	Arm Style	Base Style	
CAL Callisto	1 Management, Task & Conference Seating	M Mid Back	1 Mesh Back & Seat	0 Armless	B Black Polymer	
CAT			2	1	Р	
Callisto Stool			Mesh Back, Upholstered Seat	Fixed Cantilever Arm	Polished Aluminum	
			3 Fully Upholstered	2 Adjustable T-Arm		

CALLISTO

COM COL FABRIC GRADES		S LEATHER		LEATHER						
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Mesh Back & Uphoster	ed Seat,	Armless wi	th Black E	Base					
	CAL1M20B	709	725	743	775	809	842	876	910	975
	Mesh Back & Uphoster									
	CAL1M20P	728	745	762	794	828	863	895	928	996
5 No. 10										
	Mesh back & Uphoster	ad Caat	A divistable	T Arm wit	h Plack Pr	200				
	CAL1M22B	eu Seat, . 790	806	823	856	889	922	957	990	1056
	OALTWILLD	700	000	020	000	000	OLL	001	000	1000
	Mesh back & Uphoster	ed Seat,	Adjustable	T-Arm wit	h Polished	d Aluminum	Base			
	CAL1M22P	809	826	842	875	910	942	975	1008	1076
	Mesh Back & Uphoster					k Base				
	CAL1M21B	809	825	842	875	909	942	975	1008	1075
r)7	Mach Pack & Linhagton	od Coot	Eivad Cant	ilovar Arm	with Dolin	shad Alumii	num Paga			
	Mesh Back & Uphoster CAL1M21P	eu Seat, 828	845	.liever Arm 861	895	928	961	995	1027	1095
	OALTWEIT	020	040	001	090	320	301	333	1021	1033
	Fully Upholstered Back	& Seat	Armless wi	th Black B	ase					
	CAL1M30B	743	776	810	875	941	1008	1073	1140	1271
	Fully Upholstered Back						1006	1004	1150	1001
-	CAL1M30P	764	795	828	895	961	1026	1094	1159	1291
	Fully Upholstered Back						1000	4450	1000	105.
1 \	CAL1M32B	824	857	890	955	1021	1088	1153	1220	1351
	Fully Upholstered Back	& Seat.	Adiustable	T-Arm witl	n Polished	l Aluminum	Base			
	CAL1M32P	844	876	910		1042	1107	1173	1238	1371
	Fully Upholstered Back	& Seat	Fixed Cant	ilever Arm	with Black	k Base				
	CAL1M31B	843	876	910		1041	1107	1173	1238	1371
							_			
	Fully Upholstered Back	& Seat, I 864	Fixed Cant 896	ilever Arm 928		shed Alumir 1061	num Base 1126	1192	1259	1391
	CAL1M31P	004	090	320	330	1001	1120	1192	1209	1391


ORDERING NOTES: To add Adjustable Lumbar Support option add "L" to the model number above, "W" for Adjustable Arms Plus, "S" for Seat Slider Plus and upcharge below.

Callisto Option Upcharges	\$ List
CAL 133 & Moisture Barrier (per yard)	49
Soft Wheel Casters	49
Adjustable Lumbar Support (L)	45
Adjustable Arms Plus (W)	72
Stool Base	82
Seat Slider Plus (S)	55

PRODUCT CODE	KET					
Line	Series	Back Style	Chair Style	Arm Style	Base Style	
CAL Callisto	1 Management, Task & Conference Seating	M Mid Back	1 Mesh Back & Seat	0 Armless	B Black Polymer	
CAT	Š		2	1	Р	
Callisto Stool			Mesh Back, Upholstered Seat	Fixed Cantilever Arm	Polished Aluminum	
			3	2		
			Fully Upholstered	Adjustable T-Arm		



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 24.5%

POST-CONSUMER RECYCLED CONTENT = 19.4%

Up to 60.1% of this C5 product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. C5 products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



The mark of responsible forestry

AIR EMISSIONS

All C5 products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

C5 | FEATURES & OPTIONS

ARM OPTIONS

C5 features four styles of fixed arms; polished aluminum with polymer pad, polished aluminum with upholstered pad, full black polymer arm, and fully upholstered arm.



Polished Aluminum Arm with Polymer Pad



Polished Aluminum Arm with Upholstered Pad



Black Polymer Arm



Fully Upholstered - Leather or Fabric wrapped upholstered arm with detailed top stitching.



MECHANISM OPTIONS

Swivel-Tilt - Provides excellent value, durability and simplicity: forward and backward tilt, tilt lock, and 360 degree swivel, as well as vertical adjustment. Right side activated tension control. Available in black only.



Knee Tilt - Right side activated tension control and vertical adjustment. Left side 4 position activated tilt lock. Available in black powdercoat or polished aluminum.

BASE STYLES

C5 seating is available in two base options. Choose from a black nylon, or a polished aluminum.



Polished Aluminum



Black Glass Reinforced Nylon



Jury Base

The C5 series is available with a jury base. Jury base assembly consists of a black 9" diameter conical/cast base for permanently mounting a chair to the floor. Into the base is inserted a black pneumatic gas cylinder with self returning action from rotation, and self returning height feature when exiting the chair. Allows for full 360 degree rotation. Limited degrees of rotation are not available.

SEAT

The seat has been carefully researched and shaped to provide extended sitting comfort, with a foam density that provides an optimal combination of softness and firmness.

REPLACEABLE COMPONENTS

C5 chairs are uniquely designed to allow virtually all major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs, mechanisms, arms, base and casters are field replaceable. Pricing and model numbers can be viewed online at www.krug.ca.

OPTIONS

COMBINATION UPHOLSTERY

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$25 list per unit. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge of \$49 list per yard.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$700 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

C5 | DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height min/max	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	_	COM Yardage
Mid Back										
Polished Aluminum Arm with Polymer pad	25	23.8	43.9	18.9 - 22.8	26.5 - 30.4	21	17.8	43	17.4	1.7
Polished Aluminum Arm with Uph. Pad	25	23.8	43.9	18.9 - 22.8	26.5 - 30.4	21	17.8	43	17.4	1.9
Black Polymer Arm	25	23.8	43.9	18.9 - 22.8	26.5 - 30.4	21	17.8	43	17.4	1.7
Upholstered Arm	25	23.8	43.9	18.9 - 22.8	26.5 - 30.4	21	17.8	43	17.4	2.5
High Back										
Polished Aluminum Arm with Polymer Pad	25	23.8	49.9	18.9 - 22.8	26.5 - 30.4	21	17.8	46	20.0	2.1
Polished Aluminum Arm with Uph. Pad	25	23.8	49.9	18.9 - 22.8	26.5 - 30.4	21	17.8	46	20.0	2.3
Black Polymer Arm	25	23.8	49.9	18.9 - 22.8	26.5 - 30.4	21	17.8	46	20.0	2.1
Upholstered Arm	25	23.8	49.9	18.9 - 22.8	26.5 - 30.4	21	17.8	46	20.0	2.9

MULTIPLE YARDAGE REQUIREMENTS

	Yardage Seat & Back Rest	Yardage Seat only	Yardage Back rest only	Yardage Upholstered Arm Pad (2)	Yardage Full Upholstered Arm (2)	
Mid Back						
1 Chair	1.7	.9	1.5	.19	.8	
2 Chairs	3.3	1.14	2.4	.19	1.06	
3 Chairs	5	2.04	3.2	.19	1.5	
4 Chairs	6.6	2.28	4	.19	2.19	
High Back						
1 Chair	2.1	.9	1.95	.19	.8	
2 Chairs	3.4	1.14	3.1	.19	1.06	
3 Chairs	5.5	2.04	4.2	.19	1.5	
4 Chairs	7.4	2.28	5.8	.19	2.19	

DIMENSIONS:

Height measurements of C5 tilter are taken with the pneumatic lift in the lowest position and with a standard height range gas lift. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

COM APPROVAL PROCESS:

The approval process is as follows:

- 1. A sample of the COM fabric must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric will be inspected when received at the factory to identify any further concerns with its suitability.

WEIGHT CAPACITY:

C5 has been tested to ANSI BIFMA.

C5 is load rated to 300lbs

C5 EXECUTIVE | MID BACK

		COM		COL	FAB	BRIC GRA	DES	LEATHER			
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9	
	FULLY UPHOLSTERI	ED ARM									
	C5E1MB41A	1053	1103	1154	1225	1308	1379	1461	1563	1666	
	Polished Aluminum k	nee tilt, Po	olished A	luminum b	ase						
	C5E1MB42B	1023	1075	1126	1196	1278	1351	1432	1535	1635	
	Black Aluminum knee	e tilt, Blacl	k base								
	POLISHED ALUMINUM ARM WITH POLYMER PAD										
	C5E1MB11A	918	963	1007	1070	1142	1204	1276	1365	1455	
	Polished Aluminum knee tilt, Polished Aluminum base										
	C5E1MB12B	890	935	979	1041	1113	1174	1246	1335	1425	
	Black Aluminum knee	e tilt, Blacl	k base								
	BLACK POLYMER A	RM									
	C5E1MB32B	824	868	913	1002	1091	1181	1270	1359	1538	
	Black Aluminum knee	e tilt, Blacl	k base								
	BLACK POLYMER AI	RM									
	0.5.4.45000	700	000	004	0.44	1010	4070	4450	1000	1000	
	C5E1MB33C	792	836	881	944	1016	1079	1150	1239	1329	
	Black Swivel tilt, Poli	sileu Alum	iiriurn bas	5 C							
	C5E1MB33D	771	815	859	921	994	1056	1128	1217	1307	
	Black Swivel tilt, Blac	k base									



ORDERING NOTES:

For jury base, please add a 'J' for the base style at the end of the model number and add \$59 list. Hard casters are the standard and soft wheel casters can be ordered for \$49 list per chair. For **Upholstered Arm Cap** on polished arm versions only select arm style 2 and add upcharge below.

1	2	3	4	5	6	7	8	9
87	92	96	103	112	118	125	135	145

IODOOT OODE KET					
Line	Series	Back Style	Arm Style	Mechanism	Base Style
C5E C5 Executive (Horizontal Ribbed)	1 Tilter	MB Mid Back	1 Polished Aluminum Arm with Polymer Pad	1 Polished Aluminum Knee Tilt	A Polished Aluminum Base for Knee Tilt
		HB High Back	Polished Aluminum Arm with Uph. Pad 3 Black Polymer Arm	Black Aluminum Knee Tilt 3 Black Swivel Tilt	B Black Base for Knee Tilt C Polished Aluminum Base
			4 Fully Uph. Arm		for Swivel Tilt D Black Base for Swivel Tilt

C5 EXECUTIVE | HIGH BACK

DESCRIPTION/MODEL		COI 1	M 2	CO 3	L	FAE	BRIC GRADI 5	ES 6	7	LEATHER 8	9
	FULLY UPH	OLSTERED AR	RM								
	C5E1HB41A Polished Alu	. 10 ıminum knee til				1287 e	1378	1460	1551	1666	1781
	C5E1HB42E Black Alumi	3 10 num knee tilt, E			3 -	1258	1350	1430	1522	1636	1752
<u> </u>	POLISHED ALUMINUM ARM WITH POLYMER PAD										
	. 02.022										
	C5E1HB11A Polished Alu	v 95 Iminum knee til				1130 e	1213	1284	1365	1468	1570
	C5E1HB12E				1 -	1102	1184	1255	1336	1439	1541
	Black Alumii	num knee tilt, E	DIACK DAS	e							
	BLACK POL	YMER ARM									
	C5E1HB32E Black Alumi	86 num knee tilt, E			4 -	1035	1117	1189	1270	1373	1474
	BLACK POL	YMER ARM									
										40.40	
	C5E1HB33C) 83 I tilt, Polished /			4 -	1005	1086	1158	1241	1343	1444
	Diddit GWIVE	r tilt, i olloriou i	uammam	baoo							
	C5E1HB33E			9 912	2	982	1064	1137	1217	1320	1422
	Black Swive	l tilt, Black bas	е								
a	ORDERING	NOTES:									
	For jury base Hard casters	, please add a are the standa	rd and so	ft wheel ca	asters (can be	ordered for	\$49 list pe	er chair.		
	For Upholste	ered Arm Cap	on polish	ed arm ver	sions o	only sele	ect arm style	e 2 and ad	d upcha	rge below.	
	1 2 87 92	<u>3</u> 96	103	5 112	6 118	7 12	8 5 135	9 145	_		
		- -			-						

PRODUCT CODE KEY					
Line	Series	Back Style	Arm Style	Mechanism	Base Style
C5E C5 Executive (Horizontal Ribbed)	1 Tilter	MB Mid Back	1 Polished Aluminum Arm with Polymer Pad	1 Polished Aluminum Knee Tilt	A Polished Aluminum Base for Knee Tilt
		HB High Back	2 Polished Aluminum Arm with Uph. Pad	2 Black Aluminum Knee Tilt	B Black Base for Knee Tilt
			3 Black Polymer Arm	3 Black Swivel Tilt	C Polished Aluminum Base
			4 Fully Uph. Arm		for Swivel Tilt D Black Base for Swivel Tilt

J Jury Base

C5 CONTEMPORARY | MID BACK

DECODIDITION/MODEL		COM	0	COL		RIC GRAI			LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FULLY UPHOLSTERED	ARM								
	C5C1MB41A	949	1001	1052	1124	1206	1276	1358	1461	1563
	Polished Aluminum kne	e tilt, P	olished Alu	ıminum ba	ase					
	C5C1MB42B	927	978	1029	1101	1184	1254	1335	1438	1540
	Black Aluminum knee t	ilt, Blaci	k base							
of the paper of th										
	POLISHED ALUMINUM	I ARM V	VITH POLY	MER PAD)					
\										
	C5C1MB11A	815	859	905	968	1038	1102	1172	1263	1352
	Polished Aluminum kne	e tilt, Po	olished Alu	ıminum ba	ase					
	C5C1MB12B	794	838	882	944	1017	1079	1151	1241	1330
	Black Aluminum knee t	iit, Biaci	k base							
H P 40										
	BLACK POLYMER ARM	1								
	C5C1MB32B	720	764	809	872	943	1006	1078	1167	1256
	Black Aluminum knee t	ilt, Blacl	k base							
o *										
	BLACK POLYMER ARM	1								
	C5C1MB33C	690	734	780	842	914	976	1048	1138	1226
	Black Swivel tilt, Polish	ed Alum	ninum base	Э						
	C5C1MB33D	667	712	756	819	891	954	1025	1115	1204
	Black Swivel tilt, Black	base								
5										
	ODDEDING NOTES									



ORDERING NOTES:

For jury base, please add a 'J' for the base style at the end of the model number and add **\$59 list**. Hard casters are the standard and soft wheel casters can be ordered for **\$49 list** per chair. For **Upholstered Arm Cap** on polished arm versions only select arm style 2 and add upcharge below.

1	2	3	4	5	6	7	8	9
87	92	96	103	112	118	125	135	145

ODUCT CODE KEY					
Line	Series	Back Style	Arm Style	Mechanism	Base Style
C5C C5 Contemporary	1 Tilter	MB Mid Back	1 Polished Aluminum Arm with Polymer Pad	1 Polished Aluminum Knee Tilt	A Polished Aluminum Base for Knee Tilt
		HB High Back	2 Polished Aluminum Arm with Uph. Pad	2 Black Aluminum Knee Tilt	Black Base for Knee Tilt
			3	3	С
			Black Polymer Arm	Black Swivel Tilt	Polished Aluminum Base for Swivel Tilt
			<u>4</u> Fully Uph. Arm		D Black Base for Swivel Tilt

C5 CONTEMPORARY | HIGH BACK

			СОМ		COL	FAE	BRIC GRAD	DES		LEATHER	
DESCRIPTION/MODEL	-		1	2	3	4	5	6	7	8	9
	FULLY UF	HOLSTERE) ARM								
	C5C1HB4	1 Λ	985	1042	1100	1180	1272	1353	1444	1560	1674
		Aluminum kne					1272	1333	1444	1300	1074
			,								
	C5C1HB4		962	1019	1078	1158	1249	1330	1422	1538	1652
	Black Alui	minum knee t	tilt, Black	base							
	POLISHE	D ALUMINUN	/I ARM W	ITH POLY	MER PAD)					
	C5C1HB1	1A	851	901	953	1025	1106	1178	1259	1361	1464
		Aluminum kn	ee tilt, Pol	lished Alu	ıminum ba	ise					
			000	070	000	1000	1000	4455	1007	1000	4444
	C5C1HB1	2B minum knee t	828	879	932	1002	1083	1155	1237	1338	1441
	DIACK AIUI	minum knee	iii, Diack	Dase							
	BLACK P	OLYMER ARI	M								
	C5C1HB3	200	755	806	057	000	1011	1000	1164	1066	1260
		minum knee t			857	928	1011	1082	1164	1266	1369
	BLACK P	OLYMER ARI	M								
	C5C1HB3	30	725	776	000	909	980	1052	1100	1236	1007
		vel tilt, Polish			828 e	898	960	1053	1133	1230	1337
		·									
	C5C1HB3		703	753	805	876	959	1029	1110	1213	1316
	DIACK SWI	vel tilt, Black	base								
6											
	ORDERING		d a (1) £-		obile -+ ''		اداد حمد مط	aala	ط مطط ۴۲ ۰	liat	
		se, please ad rs are the sta								iiSt.	
	For Uphols	tered Arm C	ap on po	lished arr	n versions	only selec	ct arm style	e 2 and add	d upcharg	e below.	
	1 2	3	4	5	6	7	8	9			
⇔	87 92		103	112			135	145			
DDODUGT CODE KEY											

PRODUCT CODE KEY

RODUCT CODE KEY					
Line	Series	Back Style	Arm Style	Mechanism	Base Style
C5C C5 Contemporary	1 Tilter	MB Mid Back	1 Polished Aluminum Arm with Polymer Pad	1 Polished Aluminum Knee Tilt	A Polished Aluminum Base for Knee Tilt
		HB High Back	2 Polished Aluminum Arm with Uph. Pad	2 Black Aluminum Knee Tilt	Black Base for Knee Tilt
			3	3	С
			Black Polymer Arm	Black Swivel Tilt	Polished Aluminum Base for Swivel Tilt
			4		D
			Fully Uph. Arm		Black Base for Swivel Tilt

J Jury Base

C5 PULLS | MID BACK

DESCRIPTION/MODEL		COM 1	2	COL 3	FABI 4	RIC GRAD	ES 6	ا 7	LEATHER 8	9
	FULLY UPHOLSTERED	D ARM								
	C5P1MB41A Polished Aluminum kn	965 ee tilt, Po	1017 blished Alu	1068 ıminum ba	1140 se	1221	1292	1375	1477	1579
	C5P1MB42B	937	987	1038	1109	1192	1264	1346	1447	1550
	Black Aluminum knee	тііт, Віаск	Dase							
	POLISHED ALUMINUM	M ARM W	/ITH POLY	MER PAD						
	C5P1MB11A Polished Aluminum kn	831 ee tilt, Po	876 olished Alu	920 ıminum ba	983 se	1055	1118	1189	1278	1369
	C5P1MB12B Black Aluminum knee	803 tilt. Black	847 base	892	955	1026	1088	1161	1249	1338
		, 2.00								
	BLACK POLYMER ARI	M								
	C5P1MB32B Black Aluminum knee	735 tilt, Black	781 base	826	889	960	1023	1095	1184	1272
	BLACK POLYMER ARI	М								
	C5P1MB33C Black Swivel tilt, Polish	706 ned Alum	751 inum base	796 e	857	931	992	1063	1153	1243
	C5P1MB33D Black Swivel tilt, Black	683 base	728	773	835	908	970	1041	1130	1220
o 4										



ORDERING NOTES:

For jury base, please add a 'J' for the base style at the end of the model number and add \$59 list. Hard casters are the standard and soft wheel casters can be ordered for \$49 list per chair. For **Upholstered Arm Cap** on polished arm versions only select arm style 2 and add upcharge below.

1	2	3	4	5	6	7	8	9
87	92	96	103	112	118	125	135	145

Line	Series	Back Style	Arm Style	Mechanism	Base Style
C5P C5 Pulls	1 Tilter	MB Mid Back	1 Polished Aluminum Arm with Polymer Pad	1 Polished Aluminum Knee Tilt	A Polished Aluminum Base for Knee Tilt
		HB High Back	2 Polished Aluminum Arm with Uph. Pad	2 Black Aluminum Knee Tilt	Black Base for Knee Tilt
			3 Black Polymer Arm	3 Black Swivel Tilt	C Polished Aluminum Base
			4 Fully Uph. Arm		for Swivel Tilt D Black Base for Swivel Tilt

C5 PULLS | HIGH BACK

D=00DID=1011/140D=1		COM		COL		BRIC GRA		_	LEATHER	
DESCRIPTION/MODEL	=::::::::::::::::::::::::::::::::::::::	1	2	3	4	5	6	7	8	9
	FULLY UPHOLSTERE	D ARM								
	C5P1HB41A	1008	1065	1124	1204	1297	1377	1468	1583	1698
	Polished Aluminum kn	ee tilt, P	olished Al							
	C5P1HB42B Black Aluminum knee	980	1037	1096	1174	1267	1348	1440	1554	1670
	DIACK AIGITIITIGHT KITEE	tiit, biaci	k base							
	POLISHED ALUMINUI	M ARM V	NITH POL	YMER PAI)					
	C5P1HB11A	874	926	977	1048	1130	1201	1283	1385	1488
	Polished Aluminum kn	ee tilt, P	olished Al	uminum ba	ase					
	C5P1HB12B	846	896	948	1019	1101	1172	1254	1356	1459
	Black Aluminum knee	tilt, Blac	k base							
· · · · · · · · · · · · · · · · · · ·										
	BLACK POLYMER AR	M								
	C5P1HB32B	780	830	881	953	1034	1106	1188	1290	1392
	Black Aluminum knee			001	955	1054	1100	1100	1290	1092
		,								
	D. 101/ D01/4/55 : 5									
	BLACK POLYMER AR	M								
	C5P1HB33C	734	785	836	909	991	1061	1143	1245	1349
	Black Swivel tilt, Polish	ned Alum	ninum bas							
		=		0.10						4000
	C5P1HB33D	712	763	813	887	968	1038	1122	1223	1326
	Black Swivel tilt, Black	base								





PRODUCT CODE KEY

For jury base, please add a 'J' for the base style at the end of the model number and add **\$59 list**. Hard casters are the standard and soft wheel casters can be ordered for **\$49 list** per chair. For **Upholstered Arm Cap** on polished arm versions only select arm style 2 and add upcharge below.

Fully Uph. Arm

1	2	3	4	5	6	7	8	9
87	92	96	103	112	118	125	135	145

Line	Series	Back Style	Arm Style	Mechanism	Base Style
C5P C5 Pulls	1 Tilter	MB Mid Back	1 Polished Aluminum Arm with Polymer Pad	1 Polished Aluminum Knee Tilt	A Polished Aluminum Base for Knee Tilt
		HB High Back	2 Polished Aluminum Arm with Uph. Pad	2 Black Aluminum Knee Tilt	B Black Base for Knee Tilt
			3 Black Polymer Arm	3 Black Swivel Tilt	C Polished Aluminum Base
			, 		for Swivel Tilt

Jury Base


Black Base for Swivel Tilt

AQUA | LEED CI CREDIT SUMMARY

AQUA



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 11.5%

POST-CONSUMER
RECYCLE CONTENT = 21.91%

Up to 47.7% of Aqua product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Aqua products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



The mark of responsible forestry

AIR EMISSIONS

All Aqua products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

AQUA | FEATURES & OPTIONS

ARM STYLE

Four arm styles are available on Aqua - Armless, T-Arm, Height Adjustable T-Arm and Fixed Cantilever Arm.



T-Arm - A comfortable and supportive urethane pad, 10" in length by 3.5" wide, which can be field replaced if damaged, as can the entire



Height Adjustable T-Arm - In addition to the same features as the T-Arm version, the arm pad has a 3-position rotation horizontally: center, left and right. The arm pad also adjusts forward and rearward in 5 positions, and is heightadjustable in 9 positions ranging over 4".



Cantilever Arm - The top surface of this arm has been proportioned to provide comfortable arm support, with a resting surface of 10" x 2".



ARM WIDTH ADJUSTMENT

Width adjustment is a standard feature on Aqua arm styles. T-Arms, and Height Adjustable T-Arms, can be width adjusted, operated by the handwheel located under the seat. The T-Arms are width adjustable in a range of 1.5" per arm, or 3" per chair. Cantilever arms can be width adjusted with tools instead of a handwheel, with adjustment range of 1" per arm, or 2" per chair.



MECHANISM OPTIONS

Synchro-Tilt Mechanism - There are 5 recline/lock positions, in addition to a full range of free-flowing movement. The forward position of the pivot point allows the back and seat to adjust in a 2:1 ratio synchronously, providing comfortable recline of the back with minimal incline of the seat.



Swivel-Tilt Mechanism - Provides excellent value, durability and simplicity: forward and backward tilt, tilt lock, and 360 degree swivel, as well as vertical adjustment - ideal for short-term use environments, such as meeting rooms, where numerous adjustability features may not be desirable or necessary. Aqua Stools are only available with a Swivel Mechanism.



Seat-Slider Option - Available on the Synchro-Tilt Mechanism, this offers a 2" range of forward and rearward adjustment of the seat, with a locking feature. The addition of the seat slider adds 1/2" to the height of the seat and arms.



BASE STYLE

Agua seating is available with Black five star base and black gas cylinder, or optional Polished Aluminum five star base and chrome cylinder for an upcharge of \$32 list. Both bases come standard with dual wheel black casters. Hard casters are the standard and soft wheel casters can be ordered for \$49 list per chair. Aqua bases are also available with a fixed height option for an upcharge of \$32 list per chair.



JURY BASE

The Aqua series is available with a jury base. Jury base assembly consists of a black 9" diameter conical/cast base for permanently mounting a chair to the floor. Into the base is inserted a black pneumatic gas cylinder with self returning action from rotation, and self returning height feature when exiting the chair. Allows for full 360 degree rotation. Limited degrees of rotation are not available.



MESH BACKS

Mesh Backs are made of breathable polyester elastomers, the Mesh Back has an ideal tension that provides comfortable lumbar and thoracic support for extended use and healthy sitting enhanced further with the air circulation provided by the mesh's unique design, and an easy-to-clean surface. The mesh back is also replaceable. Mesh colors available:

• White • Warm Grey • Black • Sky• Clay • Neo

Sunset • Cardinal

UPHOLSTERED BACKS



BACK TENSION

Back tension on the mechanism is controlled with an adjustment knob under the seat. It has been designed to provide a range of back tension adjustment suitable for users of varying sizes and preferences.

REPLACEABLE COMPONENTS

Aqua chairs are uniquely designed to allow virtually all major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs, mechanisms, arms, base and casters are field replaceable. Pricing and model numbers can be viewed online at www.krug.ca.

COMBINATION UPHOLSTERY

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$25 list per unit. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge of \$49 list

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$700 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

AQUA | DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height min/max	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
Standard Height										
Mesh Back										
Armless	20	23	38.3	17.3-21.7	N/A	N/A	17.4	40	18	0.75
T-Arm	26.5	23	38.3	17.3-21.7	25.5-30	17-20	17.4	40	18	0.75
Height Adjustable T-Arm	26.5	23	38.3	17.3-21.7	25.5-30	17-20	17.4	40	18	0.75
Cantilever	25.8	23	38.3	17.3-21.7	25.5-30	21-23	17.4	40	18	0.75
Upholstered Back										
Armless	20	23	38.3	17.3-21.7	N/A	N/A	17.4	41	18	1.4
T-Arm	26.5	23	38.3	17.3-21.7	25.5-30	17-20	17.4	41	18	1.4
Height Adjustable T-Arm	26.5	23	38.3	17.3-21.7	25.5-30	17-20	17.4	41	18	1.4
Cantilever	25.8	23	38.3	17.3-21.7	25.5-30	21-23	17.4	41	18	1.4
Stool Height										
Mesh Back										
Armless	20	23	43.8	24-31	N/A	N/A	17.4	40	20	0.75
T-Arm	26.5	23	43.8	24-31	32.5-36.75	17-20	17.4	40	20	0.75
Height Adjustable T-Arm	26.5	23	43.8	24-31	32.5-36.75	17-20	17.4	40	20	0.75
Cantilever	25.8	23	43.8	24-31	32.5-36.75	21-23	17.4	40	20	0.75
Upholstered Back										
Armless	20	23	43.8	24-31	N/A	N/A	17.4	41	20	1.4
T-Arm	26.5	23	43.8	24-31	32.5-36.75	17-20	17.4	41	20	1.4
Height Adjustable T-Arm	26.5	23	43.8	24-31	32.5-36.75	17-20	17.4	41	20	1.4
Cantilever	25.8	23	43.8	24-31	32.5-36.75	21-23	17.4	41	20	1.4

MULTIPLE YARDAGE REQUIREMENTS

	Yardage MESH BACK Seats Only	Yardage UPHOLSTERED BACK Back Only	Yardage UPHOLSTERED Full Chair
1 Chair	.75	.94	1.28
2 Chairs	.75	1.8	2.53
3 Chairs	1.5	2.74	3.81
4 Chairs	1.5	3.6	5.06

Height measurements of Aqua tilter and teller chairs are taken with the pneumatic lift in the lowest position and with a standard height range gas lift.

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

The approval process is as follows:

- 1. A sample of the COM fabric must be provided to Krug Customer Service prior to or at time of order.
- $2. \ \mbox{The sample}$ will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric will be inspected when received at the factory to identify any further concerns with its suitability.

Aqua Standard Height



Fixed T- Arms







WEIGHT CAPACITY:

Aqua has been tested to 300lbs.

AQUA | MESH BACK

DESCRIPTION/MODEL		COM 1	2	COL 3	FABI 4	RIC GRAD 5	ES 6	7	_EATHER 8	9
	Aqua Mesh Back, Armless AQU1M03B	with Swive	el Tilt, 5 st 642	ar base in 651	black 672	695	717	738	760	802
	Aqua Mesh Back, Armless AQU1M01B	with Sync 649	hro Tilt, 5 661	star base 671	in black 693	716	735	756	779	823
	Aqua Mesh Back, Armless AQU1M02B	with Sync 686	hro Tilt/Se 697	eat Slider, 707	5 star base 729	in black 751	772	792	814	858
	Aqua Mesh Back, T-Arm ir AQU1M13B	n black with 743	n Swivel T 752	ilt, 5 star b 763	pase in blac 785	k 807	828	850	870	914
	Aqua Mesh Back, T-Arm ir AQU1M11B	n black with 762	n Synchro 773	Tilt, 5 star 784	base in bla 804	ack 826	847	869	891	933
	Aqua Mesh Back, T-Arm ir AQU1M12B	n black, wit 798	th Synchro 809	Tilt/Seat 819	Slider, 5 sta 839	ar base in I 861	olack 884	906	927	969
	Aqua Mesh Back, Height A AQU1M23B	Adjustable 777	T-Arm in b	olack with 800	Swivel Tilt, 822	5 star bas 843	e in black 863	885	907	950
	Aqua Mesh Back, Height A AQU1M21B	Adjustable 797	T-Arm in b 808	olack, with 818	Synchro Ti 839	lt, 5 star b 861	ase in blac 884	k 906	926	969
	Aqua Mesh Back, Height A AQU1M22B	Adjustable 833	T-Arm in b 844	plack with 855	Synchro Til 877	t/Seat Slid 897	ler, 5 star b 919	ase in blad 941	ok 962	1004
	Aqua Mesh Back, Cantilev AQU1M33B	ver Arm in b	olack with 689	Swivel Til	t, 5 star bas 720	se in black 742	763	785	807	849
	Aqua Mesh Back, Cantilev AQU1M31B	er Arm in b 697	olack, with 707	Synchro 719	Tilt, 5 star b 741	ase in bla 762	ck 783	804	826	869
	Aqua Mesh Back, Cantilev AQU1M32B	rer Arm in b 732	olack with 744	Synchro T 754	ilt/Seat Slic 776	der, 5 star 798	base in bla 818	ck 839	861	906

ORDERING NOTES

For jury base version, please add a 'J' for the base style at the end of the model number and add \$59 list.

For Polished Aluminum base please change the last letter in the model number from "B" to a "C" and add \$32 list.

Hard casters are the standard and **soft wheel casters** can be ordered for **\$49 list** per chair.

Mesh Colors available are listed on page 25.









viesti Colors avaliable are listed off page 2

Line	Series	Back Style	Arm Style	Mechanism	Base Style
AQU	1	М	0	1	В
Aqua	Management, Task & Conference Seating	Mesh Back	Armless	Synchro Tilt	Black (5 Star Base)
		U	1	2	J
		Upholstered	T-Arm	Synchro Tilt/ Seat Slider	(Jury Base)
			2	3	С
			Height Adjustable T-Arm	Swivel Tilt	Polished Aluminum
			3		
			Cantilever		

AQUA | UPHOLSTERED BACK

		COM		COL	FAB	RIC GRAD			LEATHER	
DESCRIPTION/MO	ODEL	1	2	3	4	5	6	7	8	9
	Aqua Upholstered Back, Arr AQU1U03B	nless with 720	n Swivel Ti 756	ilt, 5 star k 795	pase in blac 870	944	1020	1096	1170	1320
	Aqua Upholstered Back, Arr AQU1U01B	nless with 740	Synchro 776	Tilt, 5 star 814	base in bla 890	ack 964	1040	1115	1189	1340
T T T T T T T T T T T T T T T T T T T	Aqua Upholstered Back, Arr AQU1U02B	nless with 775	Synchro 812	Tilt/Seat 9 851	Slider, 5 sta 926	r base in t 1000	olack 1077	1151	1225	1376
	Aqua Upholstered Back, T-A AQU1U13B	rm in blad 832	ck, with Si 869	wivel Tilt, 907	5 star base 980	in black 1057	1131	1208	1281	1433
	Aqua Upholstered Back, T-AAQU1U11B	rm in blad 851	ck, with S 889	ynchro Til 926	t, 5 star bas 1001	se in black 1077	1152	1226	1301	1453
	Aqua Upholstered Back, T-A AQU1U12B	rm in blad 887	ck, with S 924	ynchro Til [.] 962	t/Seat Slide 1037	er, 5 star b 1112	ase in blac 1188	k 1263	1337	1488
	Aqua Upholstered Back, He AQU1U23B	ight Adjus	stable T-Ai	rm in blac 942	k with Swiv	el Tilt, 5 s	tar base in	black 1221	1010	1467
	AQ01023B	007	905	942	1016	1091	1107	1221	1318	1407
	Aqua Upholstered Back, He AQU1U21B	ight Adjus 887	stable T-Ai 924	rm in blac 962	k with Sync 1036	hro Tilt, 5 1112	star base 1187	in black 1263	1337	1488
	Aqua Upholstered Back, He AQU1U22B	ight Adjus 923	stable T-Ai 961	rm in blac 998	k, with Synd 1073	chro Tilt/S 1149	eat Slider, 1223	5 star bas 1298	e in black 1374	1524
	Aqua Upholstered Back, Ca AQU1U33B	ntilever A 767	rm in blac 804	k with Sw 842	ivel Tilt, 5 s 917	tar base ir 992	n black 1067	1142	1217	1368
	Aqua Upholstered Back, Ca AQU1U31B	ntilever A 786	rm in blac 824	k with Syr 861	nchro Tilt, 5 937	star base 1011	in black 1086	1162	1236	1386
	Aqua Upholstered Back, Ca AQU1U32B	ntilever A 823	rm in blac 859	k, with Sy 897	nchro Tilt/S 973	Seat Slider 1047	; 5 star bas 1124	se in black 1197	1272	1423

ORDERING NOTES

For jury base version, please add a 'J' for the base style at the end of the model number and add \$59 list.

For Polished Aluminum base please change the last letter in the model number from "B" to a "C" and add \$32 list.

Hard casters are the standard and **soft wheel casters** can be ordered for **\$49 list** per chair.









Line	Series	Back Style	Arm Style	Mechanism	Base Style
AQU	1	М	0	1	В
Aqua	Management, Task	Mesh Back	Armless	Synchro Tilt	Black
	& Conference Seating				(5 Star Base)
		U	1	2	J
		Upholstered	T-Arm	Synchro Tilt/ Seat Slider	(Jury Base)
			2	3	С
			Height Adjustable T-Arm	Swivel Tilt	Polished Aluminum
			3		
			Cantilever		

DECODIDITION /MODE		COM	0	COL 3		BRIC GRA		7	LEATHE	
DESCRIPTION/MODEL		1	2		4	5	6	7	8	9
	Aqua Stool Mesh Ba AQT1M0G (glides) AQT1M0B (casters)	ck, Armle 682	ess, 5 star 693	in black v	vith glides 726	or casters 748	768	789	811	855
	Aqua Stool Upholste AQT1U0G (glides) AQT1U0B (casters)	red Back 772	, Armless 809	, 5 star ba 847	se in black 921	with glide 997	s or caste 1073	rs 1147	1223	1373
	Aqua Stool Mesh Ba AQT1M1G (glides) AQT1M1B (casters)	ck, T-Arm 795	in black, 805	with 5 sta 815	ar base in b 837	olack with 9	glides or c 880	asters 901	923	966
	Aqua Stool Upholste AQT1U1G (glides) AQT1U1B (casters)	red Back 884	, T-Arm in 920	black, 5 s 958	star base ir 1034	n black wit 1108	h glides or 1185	casters 1259	1333	1484
	Aqua Stool Mesh Ba AQT1M2G (glides) AQT1M2B (casters)	ck, Heigh 831	t Adjustal 839	ble T-Arm 851	in black, 5 872	star base 894	in black w 916	rith glides o	or casters 958	1001
	Aqua Stool Upholste AQT1U2G (glides) AQT1U2B (casters)	red Back 919	, Height A 956	djustable 995	T-Arm in b 1069	olack, 5 sta 1144	r base in t 1220	olack with o	glides or d 1371	casters 1520
	Aqua Stool Mesh Ba AQT1M3G (glides) AQT1M3B (casters)	ck, Cantil 729	ever Arm 741	in black, { 751	5 star base 773	e in black v 795	vith glides 814	or casters 836	858	901
	Aqua Stool Upholste AQT1U3G (glides) AQT1U3B (casters)	red Back 818	, Cantilevo 856	er Arm in I 894	olack, 5 sta 969	ar base in l 1044	black with 1119	glides or o	asters 1270	1419

ORDERING NOTES

Hard casters are the standard and **soft wheel casters** can be ordered for **\$49 list** per chair.

Mesh Colors available are listed on page 25.

Aqua Stools are only available with a Swivel Mechanism.


ODUCT COL	DE KEY				
Line	Series	Back Style	Arm Style	Base Style	
AQT	1	М	0	В	
Aqua	Management, Task	Mesh Back	Armless	Black	
Stool	& Conference Seating			(Casters)	
		U	1	G	
		Upholstered	T-Arm	(Glides)	
			2		
			Height Adjustable T-Arm		
			3		
			Cantilever		

LEED CI CREDIT SUMMARY | DORSO E-LINE

DORSO E-LINE



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 17.95%

POST-CONSUMER
RECYCLED CONTENT = 17.72%

Up to 61.36% of Dorso E product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Dorso products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



The mark of responsible forestry

AIR EMISSIONS

All Dorso products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

DORSO E & T | FEATURES



ARM STYLES

Optional fixed cantilever or an adjustable black arm constructed of die cast metal with textured plastic arm pads. The adjustable arms feature seven height adjustment positions, with a total adjustment range of 2.75". All Dorso models are also available in armless versions.

E-LINE

Fixed cantilever and adjustable arms are available in Black, Silver Metallic or Polished Chrome accent finishes to match metal base. The fixed arm is also available in black textured plastic and upholstered fabric/leather version.

T-LINE

Fixed cantilever and adjustable arms are available in black textured plastic.



BASE STYLES

E-LINE & T-LINE

Dorso seating features optional Silver Metallic, polished Chrome or Black finish and dual wheel casters.



DORSO CONTROLS

All Dorso E-Line and T-Line come with synchro tilt mechanism. The tilt adjustment range offers five recline-lock positions, as well as free flowing movement. The forward pivot mechanism allows the back and the seat to articulate synchronously in a 2:1 ratio, so that upward tilt of the seat is minimized as the back reclines.

SEAT HEIGHT

In the seated position, a pull upwards on the height adjustment lever located under the seat of the user's right side adjusts the height up or down with a total height range of 4.5".

BACK TENSION

Back tension on the mechanism is controlled with an adjustment knob under the seat. It has been designed to provide a range of back tension adjustment suitable for users of varying sizes and preferences.

SEAT SLIDER

All Dorso tilters are available with an optional seat slider mechanism featuring a 2" range of adjustment front to back when seated. The lever to activate this feature is located under the seat of the user's right side and is activated by an upward pull of the lever.



BACK HEIGHT

Back height adjustment is an option on Dorso E & T Line. It offers an adjustment range of 11 positions, over a 2" range of movement. Back height adjustment is operated while in the seated position, by placing the right hand on the right bottom of the chair back, and the left hand on the left bottom of the chair back. The back is lifted and clicked into the desired height. Raising the back to the highest position releases the back height lock so it can be lowered.

DORSO E-LINE | DIMENSIONS & COM REQUIREMENTS

Dorso E features a generous seat & back that provides unparalleled comfort and support.

Model Number		Overall Width		Overall Height	Seat Height Min/Max	Height of Arms from Floor		_		Shipping Weight		COM Yardage
DEC1-HB/DES1-HB	Fixed	25.25	25	50	17.5-22.125	25.6875-30.25	21	47-52	18	44	19	2.2
DEB1-HB	Fixed Upholstered	25.5	25	50	17.5-22.125	25.6875-30.25	20.5	47-52	18	44	19	2.5
	Adjustable	25.5	25	50	17.5-22.125	26-34	21	47-52	18	44	19	2.2
	Armless	20.5	25	50	17.5-22.125	N/A	N/A	47-52	18	40	19	2.2
DEC1-MB/DES1-MB	3 Fixed	25.25	25	43	17.5-22.125	25.6875-30.25	21	40-45	18	41	16	2
DEB1-MB	Fixed Upholstered	25.5	25	43	17.5-22.125	25.6875-30.25	20.5	40-45	18	41	16	2.3
	Adjustable	25.5	25	43	17.5-22.125	26-34	21	40-45	18	41	16	2
	Armless	20.5	25	43	17.5-22.125	N/A	N/A	40-45	18	37	16	2

DORSO | E-LINE



Note: Some vinyls, leathers and upholsteries are not suitable for application on Dorso E seating. For vinyls, please submit a sample to Customer Service for pre-approval process at time of order.

The pre-approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric or leather itself will be inspected when received at the factory, to identify and further concerns with its suitability.

ORDERING NOTES:

Height measurements of Dorso E are taken with the pneumatic lift in the lowest position. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

DORSO T-LINE | DIMENSIONS & COM REQUIREMENTS

Dorso T - a strikingly modern chair design, provides a level of long term sitting comfort and support.

Model Number		Overall Width	Overall Depth		0	Height of Arms from Floor	Width between Arms	Height Range		Shipping Weight	Cube	COM Yardage
DTC1-HB/DTS1-HB/	Fixed	25.25	24	49	16.75-21.375	27.5-30.25	20	46-51	18	44	19	2
	Adjustable	25.5	24	49	16.75-21.375	26-34	20	46-51	18	44	19	2
	Armless	20.5	24	49	16.75-21.375	N/A	N/A	46-51	18	40	19	2
DTB1-HB	Fixed	25.25	24	49	16.75-21.375	27.5-30.25	20	46-51	18	44	19	2
	Adjustable	25.5	24	49	16.75-21.375	26-34	20	46-51	18	44	19	2
	Armless	20.5	24	49	16.75-21.375	N/A	N/A	46-51	18	37	19	2
DTC1-MB/DTS1-MB	Fixed	25.25	24	42	16.75-21.375	27.5-30.25	20	39-44	18	41	16	1.8
DTB1-MB	Adjustable	25.5	24	42	16.75-21.375	26-34	20	39-44	18	41	16	1.8
	Armless	20.5	24	49	16.75-21.375	N/A	N/A	39-44	18	37	16	1.8

DORSO | T-LINE



Note: Some vinyls, leathers and upholsteries are not suitable for application on Dorso T seating. For vinyls, please submit a sample to Customer Service for pre-approval process at time of order.

The pre-approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- The COM fabric or leather itself will be inspected when received at the factory, to identify and further concerns with its suitability.

OPTIONS

Height measurements of Dorso T are taken with the pneumatic lift in the lowest position. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

DORSO E-LINE | MID BACK

		СОМ		COL	FAE	BRIC GRAI	DES		LEATHER			
DESCRIPTION/MODE	L	1	2	3	4	5	6	7	8	9		
	Fixed Back; Fixed Arms -	Synchro										
_	DEC1-M111C	1097	1147	1196	1263	1340	1425	1531	1646	1773		
	DES1-M111S	1048	1097	2019	1210	1289	1382	1481	1595	1720		
	DEB1-M111B	916	964	1014	1078	1155	1140	1349	1462	1589		
	Fixed Back; Fixed Arms - Synchro/Seat Slider											
	DEC1-M112C	1157	1208	1256	1323	1400	1485	1591	1706	1834		
	DES1-M112S	1108	1157	1207	1270	1349	1442	1541	1655	1782		
o a	DEB1-M112B	976	1024	1074	1138	1215	1309	1409	1523	1649		
	Fixed Back; Adjustable A	rms - Syno	chro									
	DEC1-M121C	1253	1301	1352	1417	1495	1579	1685	1799	1928		
	DES1-M121S	1168	1222	1270	1333	1412	1496	1603	1717	1845		
	DEB1-M121B	1036	1084	1133	1197	1276	1371	1468	1583	1709		
	Fired Deals: Adirectable A		- l (O +	O!:-!								
	Fixed Back; Adjustable A	rms - Sync 1314	1361	511der 1412	1478	1554	1641	1746	1860	1988		
9 9	DEC1-M122C	1229	1281	1330	1395	1472	1556	1664	1778	1905		
6.3	DES1-M122S	1097	1144	1194	1258	1336	1431	1528	1644	1770		
	DEB1-M122B	1097	1144	1134	1230	1330	1431	1320	1044	1770		
	Fixed Back; Fixed Arms (I	Leather/Fa	abric Pad)	- Synchro								
	DEC1-M131C	1266	1321	1377	1449	1532	1624	1736	1867	1995		
	DES1-M131S	1217	1271	1327	1397	1481	1580	1685	1817	1943		
	Fixed Back; Fixed Arms (I		,	•								
	DEC1-M132C	1326	1382	1437	1509	1593	1684	1796	1927	2055		
A 9	DES1-M132S	1277	1331	1386	1457	1541	1642	1806	1877	2003		
	Fixed Back; Armless - Sy	nchro										
	DEC1-M101C	1024	1075	1125	1188	1267	1360	1459	1573	1701		
	DES1-M101S	928	977	1027	1090	1170	1262	1360	1477	1602		
	DEB1-M101B	873	923	974	1036	1116	1208	1306	1422	1548		
	Fixed Back; Armless - Sy	nchro/Sea	t Slider									
a Am	DEC1-M102C	1084	1136	1185	1248	1327	1420	1519	1633	1761		
ΘΠΘ	DES1-M102S	989	1037	1088	1151	1231	1321	1420	1537	1662		
	DEB1-M102B	934	983	1034	1097	1176	1268	1365	1482	1608		

Each chair features the Synchro Tilt mechanism

ORDERING NOTES

The upholstered cantilever arm is available for use with leather and upholstery in the polished chrome and silver metal arm only.

PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DEC	1	M	1	0	1	С
Dorso E-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating					
DES		Н	2	1	2	S
Dorso E-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DEB				2		В
Dorso E-Line				Adjustable		Black Base
(Black)						
				3		

Fixed Cantilever (Upholstered)

^{*}The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accen

DORSO E-LINE | MID BACK

		COM		COL	FAB	RIC GRAD	DES		LEATHER				
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9			
	Adjustable Back; Fixed A	ırms - Syn	chro										
	DEC1-M211C	1120	1171	1221	1287	1363	1449	1554	1670	1797			
	DES1-M211S	1073	1120	1170	1234	1313	1406	1505	1620	1746			
		940	989	1037	1102	1180	1273	1373	1486	1613			
	DEB1-M211B	940	909	1037	1102	1100	1273	13/3	1400	1013			
	Adjustable Back: Fixed A	djustable Back; Fixed Arms - Synchro/Seat Slider											
	DEC1-M212C	1181	1232	1280	1348	1424	1509	1615	1730	1857			
& <i>B</i> &	DES1-M212S	1132	1181	1231	1294	1373	1466	1565	1679	1806			
	DEB1-M212B	1000	1048	1098	1162	1239	1333	1433	1547	1673			
	DEBT-IVIZ 12B	1000	1040	1096	1102	1239	1333	1433	1547	1073			
	Adjustable Back; Adjusta												
	DEC1-M221C	1277	1326	1376	1441	1519	1603	1709	1823	1952			
11 12	DES1-M221S	1192	1246	1294	1358	1436	1520	1627	1741	1869			
	DEB1-M221B	1060	1108	1159	1222	1300	1395	1493	1607	1733			
	Adjustable Back; Adjustable Arms - Synchro/Seat Slider												
	DEC1-M222C	1337	1385	1436	1501	1579	1664	1770	1883	2012			
**************************************	DES1-M222S	1253	1306	1354	1418	1496	1580	1688	1801	1929			
bd	DEB1-M222B	1120	1168	1218	1281	1360	1455	1552	1668	1794			
	Adjustable Back; Fixed A	rms (Leath	ner/Fabric	Pad) - Svr	nchro								
	DEC1-M231C	1290	1346	1401	1473	1556	1648	1760	1892	2019			
	DES1-M231S	1242	1295	1351	1420	1505	1605	1700	1841	1966			
		12.12	1200	1001	1 120	1000	1000	1700	1011	1000			
455	Adjustable Back; Fixed A	rms (Leath	ner/Fabric	Pad) - Syr	nchro/Seat	Slider							
	DEC1-M232C	1350	1406	1461	1533	1617	1708	1820	1951	2079			
0 5 pm	DES1-M232S	1301	1355	1411	1481	1565	1665	1770	1901	2028			
9 B													
	Adjustable Back; Armles	s - Synchr	0										
	DEC1-M201C	1048	1099	1149	1212	1291	1384	1483	1598	1726			
U /	DES1-M201S												
	DEB1-M201B	952	1001	1052	1115	1194	1286	1384	1500	1626			
	DED I-IVIZO I D	897	948	998	1060	1140	1232	1330	1445	1572			
	Adjustable Back; Armles	s - Synchr	o/Seat Slic	der									
	DEC1-M202C	1108	1160	1209	1272	1351	1444	1543	1657	1785			
6 - 1	DES1-M202S	1013	1061	1112	1174	1254	1346	1444	1561	1687			
	DEB1-M202B	958	1007	1058	1120	1200	1292	1390	1506	1632			
		000	1001	1000	1120	1200	1202	1000	1000	1002			

Each chair features the Synchro Tilt mechanism

ORDERING NOTES

The upholstered cantilever arm is available for use with leather and upholstery in the polished chrome and silver metal arm only. Optional soft wheel casters are available at an upcharge of \$49 list.

PRODUCT CODE KEY

PRODUCT CODE	EREI					
Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DEC	1	М	1	0	1	С
Dorso E-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating					
DES		Н	2	1	2	S
Dorso E-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DEB				2		В
Dorso E-Line				Adjustable		Black Base
(Black)						
				3		

Fixed Cantilever (Upholstered)

^{*}The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accen

DORSO E-LINE | HIGH BACK

		COM		COL		RIC GRAI			LEATHER	
DESCRIPTION/MODEL	•	1	2	3	4	5	6	7	8	9
	Fixed Back; Fixed Arms -	Synchro								
	DEC1-H111C	1132	1195	1262	1348	1446	1568	1711	1873	2050
	DES1-H111S	1084	1145	1212	1297	1397	1517	1661	1822	2001
	DEB1-H111B	940	1001	1068	1153	1251	1373	1517	1678	1856
45)	Fixed Back; Fixed Arms -	•								
	DEC1-H112C	1192	1255	1321	1407	1507	1629	1771	1934	2111
	DES1-H112S	1144	1207	1272	1358	1457	1577	1720	1882	2061
& <i>H</i>	DEB1-H112B	1000	1061	1128	1213	1313	1433	1577	1738	1917
	Fixed Back; Adjustable Ar	ms - Sync	hro							
	DEC1-H121C	1290	1352	1417	1504	1602	1724	1865	2021	2207
	DES1-H121S	1242	1305	1371	1454	1553	1673	1815	1974	2159
	DEB1-H121B	1097	1161	1225	1308	1410	1528	1671	1830	2013
	Fixed Back; Adjustable Ar									
	DEC1-H122C	1350	1412	1478	1564	1662	1783	1925	2082	2266
	DES1-H122S	1301	1364	1431	1514	1614	1733	1876	2034	2219
& # A	DEB1-H122B	1157	1221	1286	1369	1469	1589	1731	1890	2074
	Fixed Back; Fixed Arms (L	eather/Fa	bric Pad)	- Synchro						
	DEC1-H131C	1301	1369	1442	1533	1641	1767	1916	2094	2272
	DES1-H131S	1253	1320	1392	1484	1589	1715	1866	2044	2222
	===:::::::	50	. 520	.502		. 500		. 500		
	Fixed Back; Fixed Arms (L	_eather/Fa	bric Pad)	- Synchro	Seat Slide	er				
	DEC1-H132C	1361	1430	1502	1594	1700	1826	1976	2154	2331
	DES1-H132S	1314	1380	1454	1544	1649	1775	1926	2105	2282
~// b// b/										

Each chair features the Synchro Tilt mechanism

ORDERING NOTES

The upholstered cantilever arm is available for use with leather and upholstery in the polished chrome and silver metal arm only. Optional soft wheel casters are available at an upcharge of \$49 list.

PRODUCT CODE KEY

PRODUCT CODE	EREI					
Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DEC	1	M	1	0	1	С
Dorso E-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating					
DES		Н	2	1	2	S
Dorso E-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DEB				2		В
Dorso E-Line				Adjustable		Black Base
(Black)						
				3		

Fixed Cantilever (Upholstered)

^{*}The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accen

DORSO E-LINE | HIGH BACK

		COM		COL	FAE	BRIC GRA	DES	LEATHER		
DESCRIPTION/MODE	L	1	2	3	4	5	6	7	8	9
	Adjustable Back; Fixed A	rms - Syn	chro							
	DEC1-H211C	1157	1220	1286	1372	1470	1593	1735	1897	2074
	DES1-H211S	1108	1170	1236	1321	1420	1541	1685	1846	2025
	DEB1-H211B	964	1025	1091	1178	1276	1397	1541	1703	1880
	Adjustable Back; Fixed A	rms - Syn	chro/Seat	Slider						
	DEC1-H212C	1217	1279	1346	1432	1531	1653	1795	1958	2135
	DES1-H212S	1168	1231	1296	1382	1481	1601	1746	1906	2085
8	DEB1-H212B	1024	1085	1152	1237	1336	1457	1601	1762	1941
60										
	Adjustable Back; Adjusta	hla Δrms .	- Synchro							
	DEC1-H221C	1314	1376	1441	1527	1626	1747	1889	2045	2231
	DES1-H221S	1266	1329	1395	1478	1578	1697	1840	1999	2182
	DEB1-H221B	1120	1185	1249	1332	1434	1552	1695	1854	2037
	DEBT TIZZ IB	1120	1100	12.10	1002	1101	1002	1000	1001	2001
	Adjustable Back; Adjusta	hle Arms .	- Synchro/	Seat Slide	r					
	DEC1-H222C	1374	1436	1501	1588	1687	1808	1949	2106	2291
	DES1-H222S	1326	1389	1455	1538	1637	1758	1900	2058	2243
	DEB1-H222B	1181	1245	1309	1392	1494	1613	1755	1915	2098
• a	DEBT TIZZZB									
	Adjustable Back; Fixed A	rms (Leath	her/Fabric	Pad) - Syr	nchro					
	DEC1-H231C	1326	1395	1466	1559	1664	1791	1939	2118	2296
	DES1-H231S	1277	1344	1417	1508	1613	1739	1890	2068	2246
	Adjustable Back; Fixed Arms (Leather/Fabric Pad) - Synchro/Seat Slider									
	DEC1-H232C	1385	1455	1526	1619	1725	1852	2000	2178	2356
	DES1-H232S	1337	1405	1478	1568	1673	1799	1950	2128	2306
& <i>H</i>										

Each chair features the Synchro Tilt mechanism

*The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accen

ORDERING NOTES

The upholstered cantilever arm is available for use with leather and upholstery in the polished chrome and silver metal arm only. Optional soft wheel casters are available at an upcharge of \$49 list.

PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DEC	1	М	1	0	1	С
Dorso E-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating					
DES		Н	2	1	2	S
Dorso E-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DEB				2		В
Dorso E-Line				Adjustable		Black Base
(Black)						
				3		


Fixed Cantilever (Upholstered)

DORSO T-LINE | LEED CI CREDIT SUMMARY

DORSO T-LINE

MATERIAL CONTENT:





PRE-CONSUMER
RECYCLED CONTENT = 7.91%

POST-CONSUMER RECYCLED CONTENT = 18.91%

Up to 63.75% of this Dorso T product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Dorso products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



AIR EMISSIONS

All Dorso products are supplied air-emissions certified. Contact customer service for information.

DORSO T-LINE | MID BACK

		COM		COL	FAE	FABRIC GRADES			LEATHER		
DESCRIPTION/MODEL	-	1	2	3	4	5	6	7	8	9	
	Fixed Back; Fixed Arms -	Synchro									
	DTC1-M111C	1008	1056	1102	1162	1233	1311	1409	1515	1631	
	DTS1-M111S	964	1008	1055	1113	1185	1271	1362	1467	1584	
	DTB1-M111B	843	887	933	991	1062	1150	1239	1346	1461	
	Fixed Back; Fixed Arms -	Synchro/9	Spat Slida	r							
	DTC1-M112C	1069	1116	1162	1222	1293	1372	1468	1574	1691	
	DTS1-M112S	1024	1069	1115	1173	1245	1331	1423	1527	1645	
6 B	DTB1-M112B	903	948	993	1050	1124	1210	1300	1406	1521	
	Fixed Back; Adjustable A	rms - Svno	chro								
	DTC1-M121C	1153	1197	1244	1304	1376	1454	1550	1655	1774	
	DTS1-M121S	1075	1125	1168	1226	1298	1377	1477	1580	1697	
	DTB1-M121B	953	998	1044	1102	1173	1260	1351	1457	1572	
	Fixed Back; Adjustable A	rms - Synd	chro/Seat	Slider							
6 A P	DTC1-M122C	1213	1258	1304	1363	1436	1514	1610	1715	1835	
& // @	DTS1-M122S	1136	1185	1229	1287	1359	1437	1537	1642	1758	
	DTB1-M122B	1014	1058	1104	1162	1234	1320	1411	1517	1632	
	Fixed Back; Armless - Sy	nchro									
	DTC1-M101C	942	990	1034	1092	1165	1251	1342	1447	1565	
1	DTS1-M101S	854	898	945	1003	1077	1161	1251	1358	1474	
	DTB1-M101B	804	850	895	953	1026	1111	1201	1308	1424	
	Fixed Back; Armless - Sy	nchro/Sea	t Slider								
	DTC1-M102C	1002	1049	1095	1153	1225	1313	1402	1508	1614	
8 /	DTS1-M102S	914	960	1006	1064	1137	1221	1313	1418	1536	
	DTB1-M102B	864	910	955	1014	1086	1171	1262	1369	1484	

Each chair features the Synchro Tilt mechanism

ORDERING NOTES

Dorso T-Line versions are available without back metal accent detail. Please contact Customer Service for ordering information. Optional soft wheel casters are available at an upcharge of **\$49 list**. See page 31 for features and options.

The upholstered cantilever arm is available for use with leather and upholstery in the polished chrome and silver metal arm only. Upcharge for Fixed Cantilever Upholstered cap:

GR1/COM	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9
170	176	182	187	194	200	206	222	220

Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DTC	1	М	1	0	1	С
Dorso T-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating					
DTS		Н	2	1	2	S
Dorso T-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DTB				2		В
Dorso T-Line				Adjustable		Black Base
(Black)				3		
				Fixed Cantilever		
				Upholstered		

^{*}The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accen

DORSO T-LINE | MID BACK

		COM		COL	FAB	RIC GRAD	ES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Adjustable Back; Fixed Ar	ms - Sync	hro							
	DTC1-M211C	1032	1078	1124	1185	1254	1333	1432	1537	1654
	DTS1-M211S	987	1032	1077	1136	1208	1294	1384	1489	1606
	DTB1-M211B	866	909	954	1014	1085	1171	1263	1368	1484
	Adjustable Back; Fixed Ar	ms - Svnc	hro/Seat S	Slider						
	DTC1-M212C	1091	1138	1184	1245	1315	1395	1491	1596	1714
	DTS1-M212S	1047	1091	1137	1195	1268	1354	1444	1549	1666
b b	DTB1-M212B	926	969	1015	1074	1145	1232	1323	1427	1544
-	Adjustable Back; Adjustab	ole Arms -	Svnchro							
	DTC1-M221C	1174	1220	1267	1326	1398	1477	1572	1678	1796
	DTS1-M221S	1098	1145	1190	1249	1321	1399	1497	1602	1719
	DTB1-M221B	976	1020	1065	1125	1196	1281	1374	1479	1595
	Adjustable Back; Adjustab	ola Arme -	Synchro/9	Spat Slida	•					
	DTC1-M222C	1235	1279	1327	1385	1458	1537	1632	1738	1856
	DTS1-M222S	1159	1207	1250	1309	1382	1459	1559	1662	1780
	DTB1-M222B	1036	1080	1126	1185	1256	1342	1434	1539	1655
	Adjustable Back; Armless	- Svnchro)							
	DTC1-M201C	966	1014	1058	1117	1189	1276	1365	1472	1589
	DTS1-M201S	878	923	971	1027	1101	1185	1276	1382	1499
	DTB1-M201B	828	873	919	977	1050	1136	1225	1332	1447
	Adjustable Back; Armless	- Synchro	/Seat Slid	er						
	DTC1-M202C	1026	1074	1118	1178	1249	1336	1426	1532	1659
- u	DTS1-M202S	938	983	1031	1088	1161	1245	1336	1442	1560
	DTB1-M202B	889	934	979	1037	1111	1195	1286	1392	1508

Each chair features the Synchro Tilt mechanism

*The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accen

ORDERING NOTES

Dorso T-Line versions are available without back metal accent detail. Please contact Customer Service for ordering information. Optional soft wheel casters are available at an upcharge of **\$49 list**. See page 31 for features and options.

The upholstered cantilever arm is available for use with leather and upholstery in the polished chrome and silver metal arm only. Upcharge for Fixed Cantilever Upholstered cap:

GR1/COM	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9
170	176	182	187	194	200	206	222	229

PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DTC	1	M	1	0	1	С
Dorso T-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating					
DTS		Н	2	1	2	S
Dorso T-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DTB				2		В
Dorso T-Line				Adjustable		Black Base
(Black)						
				3		

Fixed Cantilever Upholstered

DORSO T-LINE | HIGH BACK

		COM		COL	FAB	FABRIC GRADES			LEATHER		
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9	
	Fixed Back; Fixed Arms -	Synchro									
	DTC1-H111C	1043	1101	1161	1239	1331	1443	1573	1725	1887	
	DTS1-H111S	998	1055	1116	1194	1284	1396	1528	1677	1841	
	DTB1-H111B	866	921	982	1060	1152	1263	1396	1544	1708	
	Fixed Back; Fixed Arms -	Synchro/S	Seat Slide	r							
	DTC1-H112C	1103	1161	1221	1300	1391	1504	1633	1784	1947	
	DTS1-H112S	1058	1115	1176	1254	1344	1456	1589	1737	1901	
	DTB1-H112B	926	982	1043	1120	1212	1323	1456	1605	1768	
- Q											
	Fixed Back; Adjustable A	rms - Svno	chro								
	DTC1-H121C	1186	1244	1304	1383	1474	1586	1715	1860	2030	
	DTS1-H121S	1142	1200	1260	1337	1431	1540	1670	1817	1986	
	DTB1-H121B	1008	1068	1128	1204	1296	1406	1538	1683	1853	
	Fixed Back; Adjustable A	rms - Synd	chro/Seat	Slider							
	DTC1-H122C	1246	1304	1363	1443	1536	1646	1775	1920	2090	
	DTS1-H122S	1202	1260	1320	1398	1490	1600	1730	1877	2046	
	DTB1-H122B	1069	1128	1188	1265	1356	1466	1609	1742	1914	
- Q											
	Fixed Back; Armless - Sy	nchro									
	DTC1-H101C	971	1027	1088	1167	1259	1372	1501	1652	1814	
	DTS1-H101S	878	934	996	1074	1164	1274	1409	1556	1719	
	DTB1-H101B	824	880	940	1019	1109	1221	1353	1502	1666	
		OL I	000	0.10	1010	1100		1000	1002	1000	
	Fixed Back; Armless - Sy	nchro/Sea	t Slider								
	DTC1-H102C	1031	1088	1149	1227	1319	1432	1562	1712	1874	
0 0	DTS1-H102S	938	995	1056	1133	1224	1335	1468	1617	1780	
b b	DTB1-H102B	884	940	1000	1079	1170	1280	1413	1563	1727	

Each chair features the Synchro Tilt mechanism

ORDERING NOTES

Dorso T-Line versions are available without back metal accent detail. Please contact Customer Service for ordering information. Optional soft wheel casters are available at an upcharge of **\$49 list**. See page 31 for features and options.

The upholstered cantilever arm is available for use with leather and upholstery in the polished chrome and silver metal arm only. Upcharge for Fixed Cantilever Upholstered cap:

GR1/COM	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9
170	176	182	187	194	200	206	222	229

Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DTC	1	М	1	0	1	С
Dorso T-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating					
DTS		Н	2	1	2	S
Dorso T-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DTB				2		В
Dorso T-Line				Adjustable		Black Base
(Black)				3		
				Fixed Cantilever		
				Upholstered		

^{*}The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accen

DORSO T-LINE | HIGH BACK

		СОМ		COL	FABI	RIC GRAD	ES	1	LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Adjustable Back; Fixed Arı	ns - Sync	hro							
	DTC1-H211C	1064	1122	1184	1262	1353	1465	1596	1746	1907
	DTS1-H211S	1020	1077	1138	1215	1307	1418	1550	1699	1864
	DTB1-H211B	950	1006	1067	1144	1236	1348	1480	1629	1793
	Adianah Dani Einah An		(0 0	NP at a co						
	Adjustable Back; Fixed Ari	•			1001	4.440	4505	4050	4000	4000
	DTC1-H212C DTS1-H212S	1125 1080	1183 1137	1244	1321	1413	1525 1479	1656 1610	1806	1968
		1080	1067	1197 1127	1276 1206	1368	1479	1540	1759	1924 1853
Ø B	DTB1-H212B	1010	1067	1127	1200	1296	1407	1540	1689	1000
	Adjustable Back; Adjustab	le Arms -	Synchro							
	DTC1-H221C	1209	1267	1326	1406	1496	1607	1738	1881	2053
	DTS1-H221S	1164	1223	1281	1359	1453	1562	1692	1838	2008
	DTB1-H221B	1033	1091	1152	1227	1320	1431	1562	1707	1877
	Adjustable Back; Adjustab		•							
	DTC1-H222C	1269	1327	1385	1466	1556	1668	1798	1942	2113
0 6 P	DTS1-H222S	1224	1283	1342	1419	1512	1622	1753	1899	2068
9 H	DTB1-H222B	1092	1152	1212	1289	1380	1490	1622	1767	1937
	Adjustable Back; Armless	- Synchro								
	DTC1-H201C	995	1052	1112	1191	1283	1396	1525	1676	1838
	DTS1-H201S	901	958	1020	1098	1188	1298	1433	1580	1743
	DTB1-H201B	847	905	964	1043	1133	1245	1377	1526	1690
	Adjustable Back; Armless	- Synchro	/Seat Slide	er						
	DTC1-H202C	1055	1112	1172	1251	1343	1456	1586	1736	1899
	DTS1-H202S	962	1019	1080	1159	1248	1359	1493	1642	1805
\$\begin{align*} \text{\$\begin{align*} \text{\$\exi\text{\$\begin{align*} \text{\$\begin{align*} \$\begin{ali	DTB1-H202B	908	964	1024	1103	1194	1305	1437	1587	1751
8 11	D1B1-H202B	908	964	1024	1103	1194	1305	1437	1587	1/51

Each chair features the Synchro Tilt mechanism

*The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accen

ORDERING NOTES

Dorso T-Line versions are available without back metal accent detail. Please contact Customer Service for ordering information. Optional soft wheel casters are available at an upcharge of **\$49** list. See page 31 for features and options.

The upholstered cantilever arm is available for use with leather and upholstery in the polished chrome and silver metal arm only. Upcharge for Fixed Cantilever Upholstered cap:

GR1/COM	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9
170	176	182	187	194	200	206	222	229

PRODUCT CODE KEY


Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DTC	1	М	1	0	1	С
Dorso T-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating					
DTS		Н	2	1	2	S
Dorso T-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DTB				2		В
Dorso T-Line				Adjustable		Black Base
(Black)						
				3		
				Fixed Cantilever		

Upholstered

DORSO WEAVE | LEED CI CREDIT SUMMARY

DORSO WEAVE





6% Fabric 65% Metal PRE-CONSUMER
RECYCLED CONTENT = 11.32%

POST-CONSUMER RECYCLED CONTENT = 21.48%

Up to 74.04% of this Dorso Weave product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Dorso products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



AIR EMISSIONS

All Dorso products are supplied air-emissions certified. Contact customer service for information.

DORSO WEAVE | FEATURES

In the seated position, a pull upwards on the

height adjustment lever located under the seat of

the user's right side adjusts the height up or down

Back tension on the mechanism is controlled with

an adjustment knob under the seat. It has been

designed to provide a range of back tension

adjustment suitable for users of varying sizes and

All Dorso tilters are available with an optional seat slider mechanism featuring a 2" range of adjustment

front to back when seated. The lever to

activate this feature is located under the seat of the user's right side and is activated by an upward

with a total height range of 4.5".



ARM STYLES

Optional fixed cantilever or an adjustable black arm constructed of die cast metal with textured plastic arm pads. The adjustable arms feature seven height adjustment positions, with a total adjustment range of 2.75". All Dorso models are also available in armless versions.

S-LINE

Fixed cantilever and adjustable arms are available in Black, Silver Metallic or Polished Chrome accent finishes to match metal base. The fixed arm is also available in black textured plastic and upholstered fabric/leather version.

N-LINE

Fixed cantilever and adjustable arms are available in black textured plastic only.



BASE STYLES

Dorso seating features injection molded, glass reinforced black nylon bases with dual wheel casters. Dorso seating features optional Silver Metallic or Polished Chrome finish. S-Line models feature steel upper and lower seat back exposed frame rail available in Silver Metallic or Polished Chrome finish.



pull of the lever. **BACK HEIGHT**

SEAT HEIGHT

BACK TENSION

preferences.

SEAT SLIDER

Back height adjustment is a standard feature on S-Line chairs, and an option on N-Line chairs. It offers an adjustment range of 11 positions, over a 2" range of movement. Back height adjustment is operated while in the seated position, by placing the right hand on the right bottom of the chair back, and the left hand on the left bottom of the chair back. The back is lifted and clicked into the desired height. Raising the back to the highest position releases the back height lock so it can be lowered.



Black • Warm Grey • Tan • Soft Beige • Winter White



DORSO CONTROLS

All Dorso S-Line and N-Line tilters come with a synchro tilt mechanism. The tilt adjustment range offers five recline-lock positions, as well as free flowing movement. The forward pivot of the mechanism allows the back and the seat to articulate synchronously in a 2:1 ratio, so that upward tilt of the seat is minimized as the back reclines.

DIMENSIONS & COM REQUIREMENTS

		Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
S-LINE MID BACK	Fixed	24.5	22.5	42.5	18-22	27-30.5	20	18	51	15	0.75
	Adjustable	25	22.5	42.5	18-22	25.5-32	19.5	18	51	15	0.75
	Armless	19.5	22.5	42.5	18-22	N/A	N/A	18	46	15	0.75
S-LINE HIGH BACK	Fixed	24.5	22.5	47	18-22	27-30.5	20	18	52	18	0.75
	Adjustable	25	22.5	47	18-22	25.5-32	19.5	18	52	18	0.75
	Armless	19.5	22.5	47	18-22	N/A	N/A	18	47	18	0.75
S-LINE HIGH BACK	Fixed	24.5	22.5	50.5	18-22	27-30.5	20	18	54	18	0.75
with Headrest	Adjustable	25	22.5	50.5	18-22	25.5-32	19.5	18	54	18	0.75
N-LINE MID BACK	Fixed	24.5	21.5	41	18-22	27-30.5	20	18	50	15	0.75
	Adjustable	25	21.5	41	18-22	25.5-32	19.5	18	50	15	0.75
	Armless	19.5	21.5	41	18-22	N/A	N/A	18	45	15	0.75
N-LINE HIGH BACK	Fixed	24.5	21.5	45.5	18-22	27-30.5	20	18	51	18	0.75
	Adjustable	25	21.5	45.5	18-22	25.5-32	19.5	18	51	18	0.75
N-LINE HIGH BACK	Fixed	24.5	21.5	50.5	18-22	27-30.5	20	18	53	19.5	0.75
with Headrest	Adjustable	25	21.5	50.5	18-22	25.5-32	19.5	18	53	19.5	0.75

Note: Some vinyls, leathers and upholsteries are not suitable for application on Dorso seating. For information on COM approval process see page 7.

Height measurements of Dorso are taken with the pneumatic lift in the lowest position.

All dimensions are in inches and approximate and are subject to change without notice.

Contact Customer Service if dimensions are critical.

DORSO WEAVE S-LINE | MID BACK

		COM		COL	FABRIC GRADES		DES	LEATHER		
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS (Black wit	h metal acc	ent)							
(*************************************	DOS1-M2211M	1276	1289	1300	1319	1337	1356	1380	1406	1432
	Silver Metallic									
	DOS1-M2231M	1445	1464	1482	1506	1530	1556	1586	1628	1661
F-15-7	Silver Metallic									
	DOC1-M2211M	1335	1349	1360	1378	1398	1415	1441	1465	1490
	Polished Chrome									
ŭ	DOC1-M2231M	1504	1524	1542	1565	1591	1614	1647	1687	1719
	Polished Chrome									
	ADJUSTABLE ARMS (Black with metal accent)									
(000000) (000000)	DOS1-M2221M	1225	1237	1249	1269	1287	1306	1330	1355	1379
(10000) T	Silver Metallic									
	DOC1-M2221M	1289	1300	1314	1331	1351	1369	1395	1418	1443
	Polished Chrome									
	ARMLESS									
(5000)	DOS1-M2201M	1143	1155	1167	1187	1206	1224	1248	1273	1297
(X € 0 : 0 € 0) (X ∈ 0 : 0 € 0) (X ∈ 0 : 0 € 0)	Silver Metallic									,
)/:::::://	DOC1-M2201M	1197	1210	1223	1242	1259	1278	1304	1328	1353
	Polished Chrome									

ORDERING NOTES

Dorso S-Line versions are available without the back metal accent detail. Please contact Customer Service for ordering information. Seat slider option is available on all armless and adjustable arm versions at an upcharge of **\$61 list**.

Clearly indicate on order fabric selection for seat and weave selection for back.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$59 list.



PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustment	Back Details	Arm Style	Mechanism	Base
DOS	1	M	2	2	0	1	М
Dorso S-Line	Management, Task	Mid Back	Adjustment	No Headrest	Armless	Synchro	Metal Base
(Silver Metallic)	& Conference Seating			Weave			
DOC		Н		3	1		J
Dorso T-Line		High Back		Headrest (No trim)	Fixed Cantilever		Jury Base
(Polished Chrome	e)			(High back only)			
				Weave	2		
					Adjustable (Black)		
					3		

Fixed Cantilever Upholstered

DORSO WEAVE S-LINE | HIGH BACK

		COM		COL	FAB	RIC GRAD	DES	LEATHER		
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS (Black wit	h metal acc	ent)							
(0000) (0000)	DOS1-H2211M	1378	1391	1403	1422	1441	1459	1484	1508	1533
	Silver Metallic									
	DOS1-H2231M	1547	1566	1585	1609	1634	1658	1690	1730	1762
	D004 11004414	4.400	4.450	4.40.4	4.400	4504	4500	4544	4570	4505
	DOC1-H2211M Polished Chrome	1439	1453	1464	1483	1501	1520	1544	1570	1595
8 8	DOC1-H2231M	1608	1628	1646	1670	1694	1719	1750	1792	1824
	DOOT TIZZOTIVI	1000	1020	1040	1070	1034	1713	1750	1732	1024
	ADJUSTABLE ARMS (B	lack with m	etal accer	nt)						
(0000) (0000)	DOS1-H2221M	1330	1342	1355	1374	1392	1411	1436	1460	1485
	Silver Metallic									
	DOC1-H2221M	1392	1405	1417	1436	1455	1473	1497	1523	1547
	Polished Chrome									
000										
							01/11/			- 0-

DORSO WEAVE S-LINE | HIGH BACK WITH HEADREST



FIXED ARMS (Black with	h metal acc	ent)							
DOS1-H2311M	1518	1529	1542	1562	1579	1599	1623	1648	1672
Silver Metallic									
DOS1-H2331M	1687	1705	1724	1749	1772	1798	1829	1869	1901
Silver Metallic									
DOC1-H2311M	1579	1591	1605	1623	1643	1659	1685	1709	1735
Polished Chrome									
DOC1-H2331M	1748	1767	1787	1810	1836	1859	1890	1930	1964
Polished Chrome									
ADJUSTABLE ARMS (BI	lack with me	etal accen	t)						
DOS1-H2321M	1469	1482	1494	1514	1531	1549	1574	1600	1624
Silver Metallic									



DOS1-H2321M 1469 1482 1494 1514 1531 1549 1574 1600 1624
Silver Metallic
DOC1-H2321M 1531 1543 1556 1574 1594 1611 1636 1661 1687
Polished Chrome

ORDERING NOTES

Dorso S-Line versions are available without the back metal accent detail. Please contact Customer Service for ordering information. Seat slider option is available on all armless and adjustable arm versions at an upcharge of \$61 list. Clearly indicate on order fabric selection for seat and weave selection for back.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$59 list.



PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustment	t Back Details	Arm Style	Mechanism	Base
DOS	1	M	2	2	0	1	М
Dorso S-Line	Management, Task	Mid Back	Adjustment	No Headrest	Armless	Synchro	Metal Base
(Silver Metallic)	& Conference Seating			Weave			
DOC	_	Н		3	1		J
Dorso T-Line (Polished Chrome)	High Back		Headrest (No trim) (High back only)	Fixed Cantilever		Jury Base
				Weave	2		
					Adjustable (Black)		

3 Fixed Cantilever Upholstered

DORSO WEAVE N-LINE | MID BACK

		COM		COL	FABRIC GRADES			LEATHER		
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS (Black) DON1-M1211B No back adjustment	1120	1132	1145	1164	1184	1201	1226	1250	1276
	DON1-M2211B With back adjustment	1186	1197	1210	1229	1247	1267	1291	1316	1340
6 6										
	ADJUSTABLE ARMS (BIDON1-M1221B) No back adjustment DON1-M2221B	ack) 1073 1136	1084 1149	1098 1161	1116 1180	1133 1197	1153 1215	1178 1242	1202 1267	1227 1291
	With back adjustment									
	ARMLESS DON1-M1201B No back adjustment	989	1000	1013	1032	1049	1069	1092	1118	1143
	DON1-M2201B With back adjustment	1044	1057	1069	1086	1106	1125	1150	1173	1199
6 70 0										

ORDERING NOTES

Dorso N-Line tilter models feature black bases and are available with an optional chrome base at an upcharge of \$152. Seat slider option is available on all armless and adjustable arm versions at an upcharge of \$61 list. Clearly indicate on order fabric selection for seat. Only black weave is offered on Dorso N. For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$59 to the list price.



11100001 00	DEIXEI						
Line	Series	Back Style	Back Adjustmen	t Back Details	Arm Style	Mechanism	Base
DON	1	M	1	2	0	1	В
Dorso N-Line	Management, Task & Conference Seating	Mid Back	No Adjustment	No Headrest Weave	Armless	Synchro	Black Base
	& Conference Seating	Н	2	3	1		J
		High Back	Adjustment	Headrest (No trim) (High back only) Weave	Fixed (Black) Cantilever		Jury Base
					Adjustable (Black)		

DORSO WEAVE N-LINE | HIGH BACK

DESCRIPTION/MODEL		COM	0	COL		RIC GRAD			LEATHER	
DESCRIPTION/MODEL	FIXED ARMS (Black) DON1-H1211B No back adjustment DON1-H2211B With back adjustment	1 1253 1316	1267 1328	1278 1340	1296 1359	1316 1377	1333 1397	7 1359 1420	1383 1445	9 1409 1470
	ADJUSTABLE ARMS (BI DON1-H1221B No back adjustment DON1-H2221B With back adjustment	ack) 1206 1267	1217 1278	1231 1291	1248 1309	1268 1328	1286 1348	1311 1372	1335 1397	1360 1420
	DC	RSO	WEAV	/E N-I	LINE	HIGH	BAC	K with	Heac	Irest
	FIXED ARMS (Black) DON1-H1311B No back adjustment DON1-H2311B With back adjustment	1392 1456	1405 1467	1417 1481	1436 1499	1455 1518	1473 1537	1497 1562	1523 1586	1547 1610
	ADJUSTABLE ARMS (BI DON1-H1321B No back adjustment DON1-H2321B With back adjustment	ack) 1343 1406	1356 1418	1369 1432	1388 1449	1406 1467	1424 1486	1449 1512	1474 1537	1499 1562

Each chair features the Synchro Tilt mechanism

ORDERING NOTES

Dorso N-Line tilter models feature black bases and are available with an optional chrome base at an upcharge of \$152. Seat slider option is available on all armless and adjustable arm versions at an upcharge of \$61 list. Clearly indicate on order fabric selection for seat. Only black weave is offered on Dorso N.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$59 to the list price.




PRODUCT CO	DEKET						
Line	Series	Back Style	Back Adjustmen	t Back Details	Arm Style	Mechanism	Base
DON	1	M	1	2	0	1	В
Dorso N-Line	Management, Task	Mid Back	No Adjustment	No Headrest	Armless	Synchro	Black Base
	& Conference Seating		-	Weave		•	
	_	Н	2	3	1		J
		High Back	Adjustment	Headrest (No trim) (High back only) Weave	Fixed (Black) Cantilever 2 Adjustable (Black)		Jury Base
					3 Fixed Cantilever Upholstered		

DORSO | LEED CI CREDIT SUMMARY

DORSO







PRE-CONSUMER
RECYCLED CONTENT = 21.68%

POST-CONSUMER
RECYCLED CONTENT = 20.03%

Up to 77.88% of Dorso S product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Dorso products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



AIR EMISSIONS

All Dorso products are supplied air-emissions certified. Contact customer service for information.

DORSO S-LINE & N-LINE | FEATURES



ARM STYLES

Optional fixed cantilever or an adjustable black arm constructed of die cast metal with textured plastic arm pads. The adjustable arms feature seven height adjustment positions, with a total adjustment range of 2.75". All Dorso models are also available in armless versions.

S-I INF

Fixed cantilever and adjustable arms are available in Black, Silver Metallic or Polished Chrome accent finishes to match metal base. The fixed arm is also available in black textured plastic and upholstered fabric/leather version.

N-LINE

Fixed cantilever and adjustable arms are available in black textured plastic.



BASE STYLES

Dorso seating features injection molded, glass reinforced black nylon bases with dual wheel casters. Dorso seating features optional Silver Metallic or Polished Chrome finish. S-Line models feature steel upper and lower seat back exposed frame rail available in Silver Metallic or Polished Chrome finish.



DORSO GUEST SEATING S-LINE

Dorso seating is available in three base styles: Cantilever

4-Leg

4-Leg with twin wheel casters

Each is offered in a Silver Metallic or Polished Chrome steel frame. Cantilever and 4-Leg versions of Guest Seating feature rubber glides.

N-LINE

Dorso seating is available in three base styles: Cantilever

4-Leg

4-Leg with twin wheel casters

Each is offered in a Silver Metallic steel frame.



DORSO CONTROLS

All Dorso S-Line and N-Line tilters come with a synchro tilt mechanism. One of the best engineered and most user-friendly chair controls, the synchro tilt mechanism is unique in providing a single, easy-accessed lever to adjust tilt lock positions and seat height. The tilt adjustment range offers five recline-lock positions, as well as free flowing movement. The forward pivot of the mechanism allows the back and the seat to articulate synchronously in a 2:1 ratio, so that upward tilt of the seat is minimized as the back reclines. The synchro tilt mechanism also features an anti-kickback lock release, providing a smooth transition from locked to unlocked tilt adjustment.

SEAT HEIGHT

In the seated position, a pull upwards on the height adjustment lever located under the seat of the user's right side adjusts the height up or down with a total height range of 4.5".

BACK TENSION

Back tension on the synchro tilt mechanism is controlled with an adjustment knob under the seat. It has been designed to provide a range of back tension adjustment suitable for users of varying sizes and preferences.

SEAT SLIDER

All Dorso tilters are available with an optional seat slider mechanism featuring a 2" range of adjustment front to back when seated. The lever to activate this feature is located under the seat of the user's right side and is activated by an upward pull of the lever.

BACK HEIGHT

Back height adjustment is a standard feature on S-Line chairs, and an option on N-Line chairs. It offers an adjustment range of 11 positions, over a 2" range of movement. Back height adjustment is operated while in the seated position, by placing the right hand on the right bottom of the chair back, and the left hand on the left bottom of the chair back. The back is lifted and clicked into the desired height. Raising the back to the highest position releases the back height lock so it can be lowered.



DORSO S-LINE & N-LINE | DIMENSIONS & COM REQUIREMENTS

Presenting one of the world's most advanced seating concepts: new technology that offers outstanding ergonomics in a strikingly modern chair design, while providing a level of long-term sitting comfort and support that has been the hallmark of European seating. DORSO: Designed by Gabriel Teixidó

		Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
S-LINE MID BACK	Fixed Adjustable Armless	24.5 25 19.5	22.5 22.5 22.5	42.5 42.5 42.5	18-22 18-22 18-22	27-30.5 25.5-32 N/A	20 19.5 N/A	18 18 18	51 51 46	15 15 15	1.7 1.7 1.7
S-LINE HIGH BACK	Fixed Adjustable Armless	24.5 25 19.5	22.5 22.5 22.5	47 47 47	18-22 18-22 18-22	27-30.5 25.5-32 N/A	20 19.5 N/A	18 18 18	52 52 47	18 18 18	1.9 1.9 1.9
S-LINE HIGH BACK with Headrest	Fixed Adjustable	24.5 25	22.5 22.5	50.5 50.5	18-22 18-22	27-30.5 25.5-32	20 19.5	18 18	54 54	18 18	1.9 1.9
N-LINE MID BACK	Fixed Adjustable Armless	24.5 25 19.5	21.5 21.5 21.5	41 41 41	18-22 18-22 18-22	27-30.5 25.5-32 N/A	20 19.5 N/A	18 18 18	50 50 45	15 15 15	1.7 1.7 1.7
N-LINE HIGH BACK	Fixed Adjustable	24.5 25	21.5 21.5	45.5 45.5	18-22 18-22	27-30.5 25.5-32	20 19.5	18 18	51 51	18 18	1.9 1.9
N-LINE HIGH BACK with Headrest	Fixed Adjustable	24.5 25	21.5 21.5	50.5 50.5	18-22 18-22	27-30.5 25.5-32	20 19.5	18 18	53 53	19.5 19.5	1.9 1.9
GUEST		Overall Width	Overall Depth	Seat Height	Heigh Arms fro	nt of Wid m Floor betwee		Height Range	Shipping Weight	Cube	COM Yardage
GUEST S-LINE/4LEG	Armless Fixed				•	m Floor between .5 19	n Arms Depth .5 19.5	_		Cube	
		Width 20.75	Depth 25.50	Height 18.5	Arms fro	m Floor between .5 19 .5 19 .5 19	n Arms Depth .5 19.5 .5 19.5	Range 36	Weight 32	14	Yardage 1.3
S-LINE/4LEG S-LINE/4LEG with Casters S-LINE/ Cantilever Base	Fixed Armless	20.75 24.5 20.75 24.5 20.75 24.5	Depth 25.50 25.50 24.75 24.75 24.75	18.5 18.5 18.5 18.5 18.5 18.5	27 27 27 27 27 27 27	m Floor between .5 19 .5 19 .5 19 .5 19 .5 19 .5 19 .5 19	.5 19.5 .5 19.5 .5 19.5 .5 19.5 .5 19.5 .5 19.5 .5 19.5	36 36 36 36 36 36	32 37 33	14 14	Yardage 1.3 1.3 1.3 1.3 1.3 1.3
S-LINE/4LEG S-LINE/4LEG with Casters S-LINE/ Cantilever Base N-LINE/4LEG	Fixed Armless Fixed Armless Fixed Armless Fixed	Width 20.75 24.5 20.75 24.5 20.75 24.5 20.75 24.5	25.50 25.50 24.75 24.75 24.75 24.75 25.50 25.50	Height 18.5 18.5 18.5 18.5 18.5 18.5 18.5 18.	27 27 27 27 27 27 27 27 27	m Floor between .5 19 .5 19 .5 19 .5 19 .5 19 .5 19 .5 19 .5 19 .5 19	n Arms Depth .5	36 36 36 36 36 36 34.75 34.75	Weight 32 37 33 38 39 44 31 36	14 14 14 14 14 14 14 14	Yardage 1.3 1.3 1.3 1.3 1.3 1.3 1.3 1.3
S-LINE/4LEG S-LINE/4LEG with Casters S-LINE/ Cantilever Base	Fixed Armless Fixed Armless Fixed Armless	Width 20.75 24.5 20.75 24.5 20.75 24.5 20.75 24.5	Depth 25.50 25.50 24.75 24.75 24.75 24.75 25.50	Height 18.5 18.5 18.5 18.5 18.5 18.5 18.5	27 27 27 27 27 27 27 27 27 27	m Floor between .5 19 .5 19 .5 19 .5 19 .5 19 .5 19 .5 19 .5 19 .5 19 .5 19 .5 19	n Arms Depth .5	36 36 36 36 36 36 36 36 36	Weight 32 37 33 38 39 44 31	14 14 14 14 14 14 14	Yardage 1.3 1.3 1.3 1.3 1.3 1.3 1.3 1.3

ORDERING NOTE

Add 0.5 yards for seating with leather wrapped arm option.

Note: Some vinyls are not suitable for application on Dorso seating. For vinyls other than Maharam's Lariat, or Momentum's Cashmere, please submit a sample to Customer Service for an approval process at time of order.

The approval process is as follows:

- 1. A sample of the COM vinyl fabric must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM vinyl will be inspected when received at the factory to identify and further concerns with its suitability.

ORDERING NOTES

All Dorso swivel and tilter models are available with an optional seat slider mechanism at an upcharge of \$61 list.

Height measurements of Dorso are taken with the pneumatic lift in the lowest position. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

DORSO S-LINE | MID BACK

		COM		COL	FAB	RIC GRAI	DES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS (Black wi	th metal acc	ent)							
	DOS1-M2011M	1342	1392	1443	1508	1589	1685	1788	1905	2035
	Silver Metallic									
	DOS1-M2031M	1511	1567	1625	1695	1782	1884	1993	2127	2264
	Silver Metallic									
	DOC1-M2011M	1406	1458	1508	1577	1656	1743	1854	1971	2103
	Polished Chrome									
	DOC1-M2031M	1575	1633	1690	1763	1850	1943	2060	2193	2331
	Polished Chrome									
	ADJUSTABLE ARMS (E	Black with m	etal accer	nt)						
\ _	DOS1-M2021M	1289	1342	1392	1458	1539	1626	1736	1854	1985
	Silver Metallic									
	DOC1-M2021M	1356	1406	1458	1524	1605	1692	1801	1919	2052
	Polished Chrome									
- 6 6										
	ARMLESS									
	DOS1-M2001M	1202	1253	1306	1371	1453	1547	1648	1767	1897
))	Silver Metallic	1000	1010	1000	1407	1500	1005	1707	1004	1050
	DOC1-M2001M	1260	1313	1362	1427	1508	1605	1707	1824	1956
	Polished Chrome									

ORDERING NOTES

Dorso S-Line versions are available without the back metal accent detail. Please contact Customer Service for ordering information. Seat slider option is available on all armless and adjustable arm versions at an upcharge of \$61 list.

The upholstered leather cantilever arm is only available for use with Krug in-stock leathers.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$59 to the list price. See page 79 for Dorso Guest seating.



	7 L IX L I						
Line	Series	Back Style	Back Adjustmer	nt Back Details	Arm Style	Mechanism	Base
DOS	1	M	2	0	0	1	М
Dorso S-Line	Management, Task	Mid Back	Adjustment	No Headrest	Armless	Synchro	Metal Base
(Silver Metallic)	& Conference Seating	Н		1	1		J
Dorso S-Line (Polished Chrome	e)	High Back		Headrest (No trim) (High back only)	Fixed Cantilever		Jury Base
					2		
					Adjustable (Black)		

DORSO S-LINE | HIGH BACK

COM COL FABRIC GI			BRIC GRAI	DES		LEATHER				
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS (Black with	n metal acc	ent)							
	DOS1-H2011M	1453	1516	1583	1672	1773	1897	2045	2211	2396
	Silver Metallic									
	DOS1-H2031M	1622	1691	1764	1859	1966	2096	2251	2432	2624
	Silver Metallic	4540	4500	1010	4700	1010	1000	0440	0070	0.400
	DOC1-H2011M Polished Chrome	1518	1582	1649	1738	1840	1963	2112	2278	2463
. A B	DOC1-H2031M	1687	1757	1831	1925	2033	2162	2318	2499	2692
	Polished Chrome	1001	1707	1001	1020	2000	2102	2010	2400	2002
	ADJUSTABLE ARMS (BI	ack with m	etal accen	t)						
	DOS1-H2021M	1400	1466	1532	1619	1724	1844	1992	2154	2345
	Silver Metallic									
	DOC1-H2021M	1466	1532	1598	1685	1788	1914	2058	2220	2410
	Polished Chrome									
ଖ ଡ										

DORSO S-LINE | HIGH BACK WITH HEADREST



FIXED ARMS (Black with metal accent)										
DOS1-H2111M	1598	1678	1752	1854	1971	2111	2271	2446	2643	
Silver Metallic										
DOS1-H2131M	1767	1854	1934	2041	2165	2310	2476	2667	2872	
Silver Metallic										
DOC1-H2111M	1662	1743	1818	1919	2035	2175	2337	2514	2712	
Polished Chrome								.=		
DOC1-H2131M	1831	1919	2000	2106	2229	2375	2543	2736	2940	
Polished Chrome										
	.									
ADJUSTABLE ARMS (,							
DOS1-H2121M	1547	1619	1698	1801	1919	2058	2211	2396	2593	
Silver Metallic										



DOC1-H2121M 2659 1611 1685 1767 1868 1985 2125 2279 2461 Polished Chrome

ORDERING NOTES

Dorso S-Line versions are available without back metal accent detail. Please contact Customer Service for ordering information. Seat slider option is available on all armless and adjustable arm versions at an upcharge of \$61 list.

The upholstered leather cantilever arm is only available for use with Krug in-stock leathers.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$59 to the list price.



PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustment	Back Details	Arm Style	Mechanism	Base
DOS	1	М	2	0	0	1	М
Dorso S-Line	Management, Task	Mid Back	Adjustment	No Headrest	Armless	Synchro	Metal Base
(Silver Metallic)	& Conference Seating						
DOC		Н		1	1		J
Dorso S-Line		High Back		Headrest (No trim)	Fixed Cantilever		Jury Base
(Polished Chrome	e)			(High back only)			
					2		

Adjustable (Black)

3

Fixed Cantilever Upholstered

DORSO N-LINE | MID BACK

		COM		COL	FAB	RIC GRAD	DES		LEATHER	
DESCRIPTION/MODEL	•	1	2	3	4	5	6	7	8	9
	FIXED ARMS (Black) DON1-M1011B No back adjustment DON1-M2011B With back adjustment	1180 1247	1232 1296	1290 1356	1356 1422	1427 1496	1524 1589	1626 1692	1752 1818	1882 1948
	ADJUSTABLE ARMS (BIDON1-M1021B) No back adjustment DON1-M2021B With back adjustment	ack) 1129 1195	1180 1247	1232 1296	1296 1362	1377 1443	1472 1539	1577 1643	1692 1758	1824 1890
	ARMLESS DON1-M1001B No back adjustment	1040	1091	1150	1215	1290	1385	1488	1611	1743
	DON1-M2001B With back adjustment	1099	1159	1210	1276	1356	1443	1552	1672	1801

Each chair features the Synchro Tilt mechanism

ORDERING NOTES

Dorso N-Line tilter models feature black bases and are available with an optional polished chrome base or silver metallic base at an upcharge of \$152.

Seat slider option is available on all armless and adjustable arm versions at an upcharge of \$61 list.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$59 to the list price.



Line	Series	Back Style	Back Adjustmen	t Back Details	Arm Style	Mechanism	Base
DON	1	M	1	0	0	1	В
Dorso N-Line	Management, Task	Mid Back	No Adjustment	No Headrest	Armless	Synchro	Black
	& Conference Seating						Nylon Base
		Н	2	1	1		J
		High Back	Adjustment	Headrest (No trim) (High back only)	Fixed (Black) Cantilever		Jury Base
					2		
					Adjustable (Black	<)	

DORSO N-LINE | HIGH BACK

		COM		COL	FABRIC GRADES		DES	LEATHER		
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS (Black) DON1-H1011B No back adjustment	1318	1385	1453	1539	1643	1767	1914	2081	2264
	DON1-H2011B With back adjustment	1385	1453	1516	1605	1707	1833	1978	2148	2330
	ADJUSTABLE ARMS (Blad	ck)								
	DON1-H1021B No back adjustment	1268	1332	1400	1488	1589	1715	1861	2021	2211
	DON1-H2021B With back adjustment	1332	1400	1466	1552	1656	1780	1927	2088	2279

DORSO N-LINE | HIGH BACK WITH HEADREST



FIXED ARMS (Black)									
DON1-H1111B	1466	1547	1619	1724	1840	1978	2139	2315	2514
No back adjustment DON1-H2111B	1532	1611	1685	1788	1905	2045	2205	2382	2577
With back adjustment									



ADJUSTABLE ARMS (E	Black)								
DON1-H1121B	1415	1488	1567	1672	1788	1927	2081	2264	2461
No back adjustment									
DON1-H2121B	1481	1552	1634	1736	1854	1992	2148	2330	2527
With back adjustment									

ORDERING NOTES

Dorso N-Line tilter models feature black bases and are available with an optional polished chrome base or silver metallic base at an upcharge of \$152.

Seat slider option is available on all armless and adjustable arm versions at an upcharge of \$61 list.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$59 to the list price. See page 79 for Dorso Guest seating.




PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustment	t Back Details	Arm Style	Mechanism	Base
DON	1	M	1	0	0	1	В
Dorso N-Line	Management, Task & Conference Seating	Mid Back	No Adjustment	No Headrest	Armless	Synchro	Black Nylon Base
	S .	Н	2	1	1		J
		High Back	Adjustment	Headrest (No trim) (High back only)	Fixed (Black) Cantilever		Jury Base
					2		

Adjustable (Black)



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 4.67%

POST-CONSUMER
RECYCLED CONTENT = 17.3%

Up to 26.67% of this Cadence product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Pan Am products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



AIR EMISSIONS

All Me products are supplied air-emissions certified. Contact customer service for information.

FSC

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come.





Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ME | FEATURES

Me brings new meaning to custom seating. Your comfort. Your style. Your chair.

With Me, options, styling and versatility are virtually endless, and comfort is superior. With Me, Krug has created a chair that not only provides unprecedented comfort and natural posture support, but also exceptional styling. Me is an adaptable seating solution for any management, task and conference environment.



ARM STYLES

Four arm styles are available on Me. In addition to the armless version is the urethane over molded steel supported fixed cantilever arm. Also available are two adjustable pad arms: urethane pad arms, and upholstered pad arms. Both adjustable arm versions feature: pivoting arms that adjust 30 degrees inward or outward, 1 1/2" left and right width adjustment control, and a 6 stop position arm height range with a total of 2.6" of height adjustment.

When specifying leather on the upholstered arm pad version, the user has the option of a perforated arm pad (available when specifying Krug's stock leather only). When specifying polished aluminum bases on Me, the arm upright will also be finished in polished aluminum (on adjustable arm versions only).



BASE STYLES

Me seating is available in two base options. Choose from an injection molded, glass reinforced black nylon base or polished cast aluminum base, both with 2 1/4" dual wheel casters.



Me CONTROLS

Me features a standard synchro tilt mechanism that allows the back and the seat to articulate synchronously in a 2:1 ratio. This feature insures that the upward tilt of the seat is minimized as the back reclines. The mechanism that also features a standard tilt lock mechanism that allows the user an infinite number of recline lock positions. Simply push the tilt lock lever downward to lock and upward to free-float the back.

SEAT HEIGHT

In the seated position, a pull upwards on the height adjustment lever located under the seat of the user's right side adjusts the height up or down with a total height range of:

Standard gas lift: 4.25" without seat slider and 4.0" with seat slider.

Low gas lift: 3.5" without seat slider and 3.5" with seat slider.

UPHOLSTERY OPTIONS

With Me comes the ability to choose contrasting fabrics/leathers for the seat, upper and lower back sections, as well as the upholstered arm pads. This option allows for an endless possibility of custom designed seating options (see upcharges on the following pages).

When specifying leather from Krug's in-stock leather program, the option to perforate the leather on the lower back and upholstered pad arms is available (see pricing on the following pages).

BACK TENSION

The back tension adjustment knob is located on the front underside of the seat. A simple turn of the knob provides a range of back tension adjustment suitable for users of varying sizes and preferences.

SEAT SLIDER

All Me adjustable arm versions are available with an optional seat slider mechanism featuring a 2" range of adjustment front to back when seated. The lever to activate this feature is located under the seat of the user's left side and is activated by a simple twist of the knob.



BACK HEIGHT

Me is available in three back heights: low, mid and high.

Back height adjustment is a standard feature on all Me models. This feature offers an adjustment range of 11 positions over a 2 1/2" range of movement. Back height adjustment is operated while in the seated position, by placing the right hand of the right bottom of the chair back, and the left hand on the left bottom of the chair back. The back is lifted and clicked into the desired height. Raising the back to the highest position releases the back height lock so it can be lowered to the first and lowest stop position.

OPTIONAL GAS LIFT HEIGHT RANGES

Me is available with two gas lift ranges. Unless clearly specified on order, Me seating will be provided with the standard gas lift.

The gas lift ranges measured from the seat height are as follows:

Non Seat Slider Versions: Standard gas lifts give a seat height of no greater than 16" when lowered and no less than 20" when extended. Low gas lifts give a seat height of no greater than 15 1/8" when lowered and no less than 18 5/16" when extended.

Seat Slider Versions: Standard gas lifts give a seat height of no greater than 16 1/4" when lowered and no less than 20 5/16" when extended. Low gas lifts give a seat height of no greater than 15 3/8" when lowered and no less than 18 15/16" when extended. If dimensions are critical, please contact Customer Service.

ME | DIMENSIONS & COM REQUIREMENTS

		Overall Width	Overall Depth	Overall Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
LOW BACK	Armless	20	21.75	36.5	N/A	N/A	19	39	16	1.7
	Fixed	23	21.75	36.5	27.13	19	19	46	16	1.7
	Adjustable Urethane	24.75	21.75	36.5	24	17.25	19	46	16	1.7
	Adjustable Upholstered	25.5	21.75	36.5	24.25	16.75	19	46	16	1.7
MID BACK	Armless	20	21.75	39	N/A	N/A	19	43	18	1.8
	Fixed	23	21.75	39	27.13	19	19	48	18	1.8
	Adjustable Urethane	24.75	21.75	39	24	17.25	19	48	18	1.8
	Adjustable Upholstered	25.5	21.75	39	24.25	16.75	19	48	18	1.8
HIGH BACK	Armless	20	21.75	41.6	N/A	N/A	19	45	20	1.9
	Fixed	23	21.75	41.6	27.13	19	19	50	20	1.9
	Adjustable Urethane	24.75	21.75	41.6	24	17.25	19	50	20	1.9
	Adjustable Upholstered	25.5	21.75	41.6	24.25	16.75	19	50	20	1.9

Height measurements of Me are taken with the pneumatic lift in the lowest position and with a standard height range gas lift. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

Note: Some vinyls are not suitable for upholstery on Me seating. For vinyls other than Maharam's Lariat, or Momentum's Cashmere, please submit a sample to Customer Service.

The approval process is as follows:

- 1. A sample of the COM vinyl fabric must be provided to Krug Customer Service prior to or at time of order. For Maharam or Momentum fabric, Krug will obtain the fabric sample.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM vinyl will be inspected when received at the factory to identify and further concerns with its suitability.

COM REQUIREMENTS PER CHAIR SECTION

Upper Back*	Lower Back*	Seat	Arm Pads
0.7	0.5	0.75	0.4

Measurements above are provided in yards.







^{*}Upper and Lower Backs consist of both the inside and outside back.

ME | LOW BACK

DESCRIPTION/MODEL		COM 1	COL 2	F/-3	ABRIC GRA 4	DES 5	6	7	LEATHER 8	9
	FIXED ARMS MTH1 L2 11B Standard back upholstery, MTH1 L2 21B Perforated back upholster			1040	1180	1247	1306	1415	1648 1780	1844
	MTH1 L2 11A Standard back upholstery, MTH1 L2 21A Perforated back upholster			1142 e	1281	1349	1400	1508	1752 1752	1948
	ADJUSTABLE URETHANE MTH1 L2 12B Standard back upholstery, MTH1 L2 22B Perforated back upholster	924 black ba	966 se	1013	1127	1202	1253	1362	1583 1715	1787
& D	MTH1 L2 12A Standard back upholstery, MTH1 L2 22A Perforated back upholster			1106 e	1232	1306	1356	1457	1685 1818	1890
	UPHOLSTERED ADJUSTA MTH1 L2 13B Standard back upholstery, MTH1 L2 23B Perforated back upholster	966 black ba	1013 se	1061	1186	1260	1318	1422	1662 1795	1882
& J. g.	MTH1 L2 13A Standard back upholstery, MTH1 L2 23A Perforated back upholster			1159 e	1290	1362	1422	1523	1758 1890	1978
	ARMLESS MTH1 L2 10B Standard back upholstery, MTH1 L2 20B Perforated back upholster			960	1099	1159	1215	1326	1567 1699	1758
and the second	MTH1 L2 10A Standard back upholstery, MTH1 L2 20A Perforated back upholster			1056 e	1194	1260	1313	1422	1662 1795	1861

ORDERING NOTES

The perforated leather option is not available on the *KrugExpress* program. Perforated leather option is only available with the Krug in stock leather program. Please specify clearly on purchase order if low gas lift is to be applied. Seat slider option is available on all armless and adjustable arm versions at an upcharge of \$61 list. For Jury Base version of this chair, please add a 'J' for the base style at the end of the model number and add \$59 to the list price. Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and reward tilt capability, tilt tension control, and gas lift height adjustable activator.

ODUCT CO	DE KEY Series	Back Style	Back Adjustment	Back Details	Arm Style	Base
MTH	1	L	2	1	0	В
Me	Management, Task & Conference Seating	Low Back	Adjustable	Standard Back Upholstery	Armless	Black Base
		M		2	1	А
		Mid Back		Perforated Back	Fixed Cantilever	Silver Metallio
				Upholstery		Base
		Н			2	J
		High Back			Adjustable Urethane	Jury Base
					Pad Arms	
					3	
					Adjustable Upholstered	
					Pad Arms	

		СОМ	COL	FAE	BRIC GRAD	DES			LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS MTH1 M2 11B Standard back upholstery MTH1 M2 21B Perforated back upholste			1122	1268	1342	1400	1516	1773 1905	1985
	MTH1 M2 11A Standard back upholstery MTH1 M2 21A Perforated back upholste			1224	1362	1437	1496	1619	1876 2008	2081
	ADJUSTABLE URETHAN MTH1 M2 12B Standard back upholstery MTH1 M2 22B Perforated back upholste	990 y, black ba	1040 ase	1085	1215	1290	1349	1457	1699 1833	1919
	MTH1 M2 12A Standard back upholstery MTH1 M2 22A Perforated back upholste			1180	1318	1391	1453	1552	1801 2031	2021
	UPHOLSTERED ADJUST MTH1 M2 13B Standard back upholstery MTH1 M2 23B Perforated back upholste	1040 y, black ba	1091 ase	1137	1276	1362	1415	1532	1787 1919	2021
	MTH1 M2 13A Standard back upholstery MTH1 M2 23A Perforated back upholste			1232	1371	1457	1508	1626	1890 2021	2115
	ARMLESS MTH1 M2 10B Standard back upholstery MTH1 M2 20B Perforated back upholste			1026	1172	1247	1306	1422	1685 1818	1890
& J B	MTH1 M2 10A Standard back upholstery MTH1 M2 20A Perforated back upholste			1127 e	1215	1349	1406	1523	1780 1914	1992

ORDERING NOTES

The perforated leather option is not available on the *KrugExpress* program. Perforated leather option is only available with the Krug in stock leather program. Please specify clearly on purchase order if low gas lift is to be applied. Seat slider option is available on all armless and adjustable arm versions at an upcharge of **\$61 list**. For Jury Base version of this chair, please add a **'J**' for the base style at the end of the model number and **add \$59** to the list price. Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and reward tilt capability, tilt tension control, and gas lift height adjustable activator.

Line	Series	Back Style	Back Adjustment	Back Details	Arm Style	Base
MTH	1	L	2	1	0	В
Me	Management, Task & Conference Seating	Low Back	Adjustable	Standard Back Upholstery	Armless	Black Base
		M		2	1	А
		Mid Back		Perforated Back	Fixed Cantilever	Silver Metall
				Upholstery		Base
		Н			2	J
		High Back			Adjustable Urethane	Jury Base
		-			Pad Arms	
					3	
					Adjustable Upholstered	t
					Pad Arms	

ME | HIGH BACK

		COM	COL	FAE	BRIC GRA	DES			LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS MTH1 H2 11B Standard back upholstery MTH1 H2 21B Perforated back upholster			1232	1400	1481	1547	1685	1971 2103	2205
	MTH1 H2 11A Standard back upholstery MTH1 H2 21A Perforated back upholster				1488	1577	1643	1780	2074 2316	2301
	ADJUSTABLE URETHANE MTH1 H2 12B Standard back upholstery MTH1 H2 22B Perforated back upholster	1079 , black ba	1137 se	1186	1342	112	1488	1619	1897 2035	2130
e A	MTH1 H2 12A Standard back upholstery MTH1 H2 22A Perforated back upholster				1437	1523	1583	1715	2130	2225
	UPHOLSTERED ADJUSTA MTH1 H2 13B Standard back upholstery MTH1 H2 23B Perforated back upholster	1127 , black ba	1194 se	1247	1406	1496	1552	1699	1992 2125	2235
6 J 3	MTH1 H2 13A Standard back upholstery MTH1 H2 23A Perforated back upholster				1502	1598	1656	1794	2095 2225	2337

ORDERING NOTES

The perforated leather option is not available on the $\mathit{KrugExpress}$ program.

Perforated leather option is only available with the Krug in stock leather program.

Please specify clearly on purchase order if low gas lift is to be applied.


Seat slider option is available on all armless and adjustable arm versions at an upcharge of \$61 list.

For Jury Base version of this chair, please add a 'J' for the base style at the end of the model number and add \$59 to the list price. Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and reward tilt capability, tilt tension control, and gas lift height adjustable activator.

DUCT CO Line	Series	Back Style	Back Adjustment	Back Details	Arm Style	Base
MTH	1	L	2	1	0	В
Me	Management, Task	Low Back	Adjustable	Standard Back	Armless	Black Base
	& Conference Seating			Upholstery		
		М		2	1	А
		Mid Back		Perforated Back	Fixed Cantilever	Silver Metallic
				Upholstery		Base
		Н			2	J
		High Back			Adjustable Urethane	Jury Base
					Pad Arms	
					3	
					Adjustable Upholstered	t
					Pad Arms	

PAN AM





PRE-CONSUMER
RECYCLED CONTENT = 6.29%

POST-CONSUMER
RECYCLE CONTENT = 18.32%

Up to 24.19% of Pan Am product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Pan Am products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



AIR EMISSIONS

All Pan Am products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

PAN AM | FEATURES



ARM STYLES

Pan Am features three styles of fixed arms, including open urethane, closed upholstered and open upholstered versions.



BACK STYLES

Available with two different back options, Mid and High, Pan Am is perfect for desk and conference applications.



BASE STYLES

Featuring a five blade caster base with 2 1/4" hooded dual wheel casters, Pan Am bases are available in both Black Nylon, or Polished Aluminum.



In the seated position, a pull upwards on the height adjustment lever located under the seat of the user's right side adjusts the height up or down with a total height range of:

Standard gas lift: 3.5" Low gas lift: 3.0"



PAN AM CONTROLS

Pam Am is available with either a Swivel Tilt of Knee Tilt mechanism. All Pan Am seating features an adjustable tilt tension knob, and height adjustment lever. On the Knee Tilt version of Pan Am, the height adjustment lever also operates a forward tilt lock.



TILT TENSION

A tilt tension knob is located under the seat for all versions of Pan Am. For Knee Tilt versions a push of the height adjustment lever toward the gas lift cylinder activates the tilt lock feature.

DIMENSIONS & COM REQUIREMENTS

Presenting Pan Am, a modern design for Management, Conference and Task seating applications. This exceptionally comfortable and versatile chair is without question one of the best values available in seating.

		Overall Width	Overall Depth	Overall Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
MID BACK	Open Urethane	24.5	24.5	34.5	25	18.5	19	31	15.03	1.8
	Closed Upholstered	27.25	24.5	34.5	26.75	19	19	33	15.03	2.7
	Open Upholstered	24.5	24.5	34.5	25	18.5	19	31	15.03	2.2
HIGH BACK	Open Urethane	24.5	24.5	40	25	18.5	19	35	17.06	1.9
	Closed Upholstered	27.25	24.5	40	26.75	19	19	37	17.06	2.8
	Open Upholstered	24.5	24.5	40	25	18.5	19	35	17.06	2.3
HIGH BACK	Open Urethane	24.5	24.5	46	25	18.5	19	37	18.75	2.5
with Headrest	Closed Upholstered	27.25	24.5	46	26.75	19	19	39	18.75	3.4
	Open Upholstered	24.5	24.5	46	25	18.5	19	37	18.75	2.9

OPTIONAL GAS LIFT HEIGHT RANGES

PAN AM is available with two gas lift ranges. Unless clearly specified on order, PAN AM seating will be provided with the standard gas lift. The gas lift ranges measured from the seat height are as follows:

Pan Am standard gas lift give a seat height no greater than 16.4" when lowered and no less that 20.2" when extended. Low gas lift give a seat height no greater that 15.04" when lowered and no less than 18" when extended.

Note: Some vinyls are not suitable for upholstery on Pan Am seating. For vinyls other than Maharam's Lariat, or Momentum's Cashmere, please submit a sample to Customer Service for a pre-approval process at time of order.

The pre-approval process is as follows:

- 1. A sample of the COM vinyl fabric must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM vinyl will be inspected when received at the factory to identify and further concerns with its suitability.

OPTIONS

Please contact Customer Service for more information on options for the Pan Am series. Height measurements of Pan Am are taken with the pneumatic lift in the lowest position. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

PAN AM | MID BACK

		COM		COL	FABI	FABRIC GRADES			LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
~	OPEN URETHANE ARMS									
\bigcap	PAN1-M11B	832	903	987	1059	1142	1220	1296	1374	1507
	Black base, swivel tilt									
	PAN1-M12B	938	1016	1091	1170	1254	1325	1410	1481	1613
	Black base, knee tilt									
	DANIA MAAAA	000	4040	1001	4404	10.10	4005	4.400	4.404	4040
U	PAN1-M11A	938	1016	1091	1164	1248	1325	1402	1481	1613
	Polished aluminum base, s PAN1-M12A	1043	1120	1199	1276	1360	1431	1515	1586	1719
	Polished aluminum base, k		1120	1199	1270	1300	1431	1313	1300	1719
	Folistied aldiffillulli base, k	ilee ilit								
\sim	CLOSED UPHOLSTERED	ARMS								
() \	PAN1-M21B	1220	1331	1453	1564	1677	1789	1908	2023	2155
1	Black base, swivel tilt									
	PAN1-M22B	1331	1444	1564	1677	1789	1903	2014	2135	2268
	Black base, knee tilt									
9 0	PAN1-M21A	1325	1438	1559	1670	1782	1895	2014	2127	2261
	Polished aluminum base, s									
	PAN1-M22A	1438	1551	1670	1782	1895	2008	2119	2241	2373
	Polished aluminum base, k	nee tilt								
	OPEN UPHOLSTERED AR	MS								
\bigcap	PAN1-M31B	1305	1415	1529	1648	1762	1874	1986	2100	2234
	Black base, swivel tilt			.020				.000		
	PAN1-M32B	1410	1529	1643	1753	1867	1986	2100	2211	2346
THE STATE OF THE S	Black base, knee tilt									
a 9 2	PAN1-M31A	1410	1521	1635	1753	1867	1979	2078	2205	2340
	Polished aluminum base, s									
	PAN1-M32A	1515	1635	1747	1860	1973	2093	2205	2317	2451
	Polished aluminum base, k	nee tilt								

ORDERING NOTES

Please specify clearly on purchase order if low gas lift is to be applied.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$59 to the list price.



Line	Series	Back Style	Arm Style	Mechanism	Base
PAN	1	M	1	1	В
PAN AM	Management, Task & Conference Seating	Mid Back	Open Urethane Arm	Swivel Tilt	Black Base
	a comorones coaming	Н	2	2	А
		High Back	Closed Upholstered Arm	Knee Tilt	Polished Aluminum Base
		HR	3		
		High Back with Headrest	Open Upholstered Arm		

PAN AM | HIGH BACK

		СОМ		COL	FABRIC GRADES			LEATHER			
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9	
	OPEN URETHANE ARMS PAN1-H11B Black base, swivel tilt PAN1-H12B Black base, knee tilt	838 944	917 1031	1000 1115	1085 1199	1164 1276	1248 1360	1325 1438	1410 1521	1542 1656	
Barry To O	PAN1-H11A Polished aluminum base, s	944 wivel tilt	1022	1106	1191	1269	1353	1431	1515	1648	
	PAN1-H12A Polished aluminum base, k	1048 nee tilt	1133	1220	1305	1379	1423	1542	1629	1762	
	CLOSED UPHOLSTERED A PAN1-H21B Black base, swivel tilt PAN1-H22B Black base, knee tilt	ARMS 1226 1338	1348 1458	1465 1579	1586 1697	1704 1818	1818 1930	1944 2052	2057 2169	2191	
	PAN1-H21A Polished aluminum base, s PAN1-H22A	1444	1453 1564	1570 1685	1691 1802	1812 1924	1924 2034	2052 2155	2162 2275	2297 2408	
	Polished aluminum base, k	nee tiit									
	OPEN UPHOLSTERED ARI PAN1-H31B Black base, swivel tilt	1311	1431	1551	1662	1782	1903	2023	2141	2275	
	PAN1-H32B Black base, knee tilt	1423	1542	1662	1775	1895	2014	2135	2255	2388	
and the second	PAN1-H31A Polished aluminum base, se PAN1-H32A	1415 wivel tilt 1529	1537 1648	1656 1770	1770 1880	1888 2001	2008 2119	2127 2241	2246 2360	2382 2493	
	Polished aluminum base, k	nee tilt									

ORDERING NOTES

Please specify clearly on purchase order if low gas lift is to be applied.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$59 to the list price.



Line	Series	Back Style	Arm Style	Mechanism	Base
PAN	1	M	1	1	В
PAN AM	Management, Task & Conference Seating	Mid Back	Open Urethane Arm	Swivel Tilt	Black Base
	ŭ	Н	2	2	Α
		High Back	Closed Upholstered Arm	Knee Tilt	Polished Aluminum Base
		HR	3		
		High Back with Headrest	Open Upholstered Arm		

PAN AM | HIGH BACK WITH HEADREST


		COM		COL	FAB	FABRIC GRADES			LEATHER			
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9		
	OPEN URETHANE ARMS PAN1-HR-11B Black base, swivel tilt	889	966	1049	1136	1213	1297	1374	1459	1591		
	PAN1-HR-12B Black base, knee tilt	995	1080	1164	1248	1326	1410	1488	1571	1706		
ce ve	PAN1-HR-11A Polished aluminum base, s	995 wivel tilt	1071	1155	1242	1318	1402	1480	1564	1697		
	PAN1-HR-12A Polished aluminum base, k	1099 Inee tilt	1185	1270	1354	1431	1473	1591	1679	1812		
	CLOSED UPHOLSTERED		1007	1510	1005	1750	1007	1000	0107	0041		
	Black base, swivel tilt PAN1-HR-22B	1276	1397	1516	1635	1753	1867	1993	2107	2241		
	Black base, knee tilt	1389	1507	1629	1747	1867	1981	2100	2219	2352		
8 8	PAN1-HR-21A Polished aluminum base, s	1380 wivel tilt	1501	1620	1740	1861	1973	2100	2211	2346		
	PAN1-HR-22A Polished aluminum base, k	1494 Inee tilt	1613	1735	1853	1973	2084	2205	2324	2456		
	OPEN UPHOLSTERED AR	MS										
	PAN1-HR-31B Black base, swivel tilt	1360	1480	1601	1712	1832	1952	2071	2191	2324		
	PAN1-HR-32B Black base, knee tilt	1473	1591	1712	1824	1944	2065	2183	2304	2438		
va va	PAN1-HR-31A Polished aluminum base, s	1465 wivel tilt	1586	1706	1819	1937	2057	2177	2297	2430		
	PAN1-HR-32A Polished aluminum base, k	1579 Inee tilt	1697	1819	1930	2052	2170	2289	2409	2544		

Line	Series	Back Style	Arm Style	Mechanism	Base
PAN	1	М	1	1	В
PAN AM	Management, Task & Conference Seating	Mid Back	Open Urethane Arm	Swivel Tilt	Black Base
	a comorono coaling	Н	2	2	Α
		High Back	Closed Upholstered Arm	Knee Tilt	Polished Aluminum Base
		HR	3		
		High Back with Headrest	Open Upholstered Arm		

CADENCE | LEED CI CREDIT SUMMARY

CADENCE





PRE-CONSUMER
RECYCLED CONTENT = 4.67%

POST-CONSUMER RECYCLED CONTENT = 17.3%

Up to 26.67% of this Cadence product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cadence products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



The mark of responsible forestry

All Carlossions

All Cadence products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CADENCE | FEATURES



RECLINE ADJUSTMENT

The recline adjustment on the Cadence series allows a 24 degree range of motion. The foremost lever located on the right-hand side (when you are in a seated position) engages a device to lock the back in any position within the chair's range of movement. Lowering the lever locks the back at any position within the range. Raising the lever releases the lock and the back will move freely through the entire range.



SEAT HEIGHT ADJUSTMENTS

The rear-most lever located in the right-hand side (when you are in the seated position) activates the seat height adjustment. Pull up on the lever to adjust seat height up or down through a range of adjustment of 3 inches.



BACK HEIGHT ADJUSTMENT

(on selected models only)

The back height is adjustable on selected models of Cadence series. The mechanism adjusts the back while in the seated position. The adjustable height back has a 4 inch range of movement with an 8 position stop mechanism. Place both hands on either side of the lower back cushion and lift and click to the desired height. Raise the back to the highest position to release the back height lock and lower to the first and lowest position.




BACK TENSION

A hand wheel centrally located near the front underside of the chair controls the amount of tension applied to the back. Turning the knob clockwise when you are in the seated position lessens the tension. Turning the knob counterclockwise increases the tension.



ARM HEIGHT

(on selected models only)





DIMENSIONS & COM REQUIREMENTS

				Overall Height		Height of Arms from floo	Width r between Arms	Seat Depth	Height Range	Shipping Weight	Cube	COM Yardage
MID BACK	Urethane	24.5	26	36.75	17.75	26.75	19.5	19.75	4	43	18	2.3
Narrow Width	Adjustable	25	26	36.75	17.75	24.25-30.25	19.5	19.75	4	43	18	2.3
	Wood & Urethane	24.5	26	36.75	17.75	26.75	19.5	19.75	4	43	18	2.3
	Wood & Upholstered	24.5	26	36.75	17.75	26.75	19.5	19.75	4	43	18	2.8
	Completely Upholstered	24.5	26	36.75	17.75	26.75	19.5	19.75	4	43	18	3.0
	Armless	19.5	26	36.75	17.75	-	-	19.75	4	41	18	2.3
Wide Width	Urethane	26	26	36.75	17.75	26.75	21	19.75	4	45	18	2.3
	Adjustable	26.5	26	36.75	17.75	24.25-30.25	21	19.75	4	45	18	2.3
	Wood & Urethane	26	26	36.75	17.75	26.75	21	19.75	4	45	18	2.3
	Wood & Upholstered	26	26	36.75	17.75	26.75	21	19.75	4	45	18	2.8
	Completely Upholstered	26	26	36.75	17.75	26.75	21	19.75	4	45	18	3.0
	Armless	21	26	36.75	17.75	-	-	19.75	4	43	18	2.3
HIGH BACK	Urethane	24.5	26	43	17.75	26.75	19.5	19.75	4	46	20	2.5
Narrow Width	ı Adjustable	25	26	43	17.75	24.25-30.25	19.5	19.75	4	46	20	2.5
	Wood & Urethane	24.5	26	43	17.75	26.75	19.5	19.75	4	46	20	2.5
	Wood & Upholstered	24.5	26	43	17.75	26.75	19.5	19.75	4	46	20	3.0
	Completely Upholstered	24.5	26	43	17.75	26.75	19.5	19.75	4	46	20	3.2
Wide Width	Urethane	26	26	43	17.75	26.75	21	19.75	4	48	20	2.5
	Adjustable	26.5	26	43	17.75	24.25-30.25	21	19.75	4	48	20	2.5
	Wood & Urethane	26	26	43	17.75	26.75	21	19.75	4	48	20	2.5
	Wood & Upholstered	26	26	43	17.75	26.75	21	19.75	4	48	20	3.0
	Completely Upholstered	26	26	43	17.75	26.75	21	19.75	4	48	20	3.2
ARM CHAIR		27.25	27	36	18.25	26	18.75	18	-	23	18	1.7

Height measurements are taken with the pneumatic lift (and adjustable arm and back when applicable) in the lowest position. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical. Please specify wood species and finish when ordering. For a complete list of standard wood finishes please see page 4.

CADENCE | MID BACK

		COM		COL	FAB	RIC GRAD	DES		LEATHER	
DESCRIPTION/	MODEL/FINISH	1	2	3	4	5	6	7	8	9
	URETHANE ARMS CAD1-MW11B CAD1-MN11B CAD1-MW21B CAD1-MN21B	1138	1196	1247	1405	1489	1564	1684	1968	2146
	CAD1-MW11W Cherry, Maple, Walnut, Anigre CAD1-MN11W Cherry, Maple, Walnut, Anigre CAD1-MW21W Cherry, Maple,	1352	1410	1458	1617	1705	1768	1897	2182	2351
	Walnut, Anigre CAD1-MN21W Cherry, Maple, Walnut, Anigre									
	ADJUSTABLE ARMS									
	CAD1-MW15B CAD1-MN15B CAD1-MW25B CAD1-MN25B	1095	1150	1199	1355	1435	1497	1622	1893	2074
	CAD1-MW15W Cherry, Maple, Walnut, Anigre	1309	1363	1412	1566	1647	1712	1836	2108	2280
	CAD1-MN15W Cherry, Maple, Walnut, Anigre CAD1-MW25W Cherry, Maple,									
	Walnut, Anigre CAD1-MN25W Cherry, Maple, Walnut, Anigre									
	ORDERING NOTES: CAD-MW25 Specifying seat slider option may more information.									
	WOOD AND URETHANE ARMS	1210	1269	1365	1494	1583	1650	1790	2089	2263

WOOD AND URETHANE ARMS									
CAD1-MW12B	1210	1269	1365	1494	1583	1650	1790	2089	2263
CAD1-MN12B									
CAD1-MW22B									
CAD1-MN22B									
CAD1-MW12W Cherry, Maple,	1422	1483	1538	1708	1796	1867	2005	2303	2468
Walnut, Anigre									
CAD1-MN12W Cherry, Maple,									
Walnut, Anigre									
CAD1-MW22W Cherry, Maple,									
Walnut, Anigre									
CAD1-MN22W Cherry, Maple,									
Walnut, Anigre									

ORDERING NOTES

Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and rearward tilt capability, tilt tension control, and gas lift height adjustment activator.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$59 to the list price. See page 88 for Cadence Guest seating.



Line	Series	Back Style	Back Adjustment	Arm Style	Base Style
CAD	1	MW	1	1	W
Cadence	Management Seating	Mid Back Wide	Fixed Back	Urethane	Wood
		MN	2	2	В
		Mid Back Narrow	Adjustable Back	Wood And Urethane	Black Nylon
				5	J
				Adjustable	Jury Base

CADENCE | MID BACK

DESCRIPTION/	MODEL/FINISH		COM 1	2	COL 3	FABF 4	RIC GRAD 5	ES 6	7	_EATHER 8	9
-	WOOD AND UP	PHOLSTERED ARM									
\Box	CAD1-MW13B		1365	1426	1525	1650	1741	1811	1948	2247	2468
	CAD1-MN13B										
	CAD1-MW23B										
	CAD1-MN23B										
	CAD1-MW13W	Cherry, Maple,	1580	1643	1696	1867	1953	2025	2162	2463	2675
		Walnut, Anigre									
g g	CAD1-MN13W	Cherry, Maple,									
		Walnut, Anigre									
	CAD1-MW23W	Cherry, Maple,									
	0.4.0.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4	Walnut, Anigre									
	CAD1-MN23W										
		Walnut, Anigre									
	COMPLETELY I	UPHOLSTERED									
	CAD1-MW14B		1328	1389	1486	1611	1700	1771	1908	2208	2452
// 7 -	CAD1-MN14B										
	CAD1-MW24B										
	CAD1-MN24B										
	CAD1-MW14W	• • • •	1540	1602	1656	1826	1916	1985	2124	2424	2659
		Walnut, Anigre									
8 8 3	CAD1-MN14W	Cherry, Maple,									
	0.5.	Walnut, Anigre									
	CAD1-MW24W	Cherry, Maple,									
	CAD1 MNIO4W	Walnut, Anigre									
	CAD1-MN24W	Walnut, Anigre									
		Walliut, Arligre									
	ARMLESS										
	CAD1-MW10B		1020	1077	1127	1286	1371	1444	1565	1848	2046
]/ /	CAD1-MN10B										
	CAD1-MW20B										
	CAD1-MN20B										
	CAD1-MW10W		1233	1291	1341	1500	1586	1648	1779	2062	2237
		Walnut, Anigre									
8 2 0	CAD1-MN10W	Cherry, Maple,									
		Walnut, Anigre									
	CAD1-MW20W	Cherry, Maple,									
	OAD4 MNGSW	Walnut, Anigre									
	CAD1-MN20W	Cherry, Maple,									
		Walnut, Anigre									

ORDERING NOTES

Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and rearward tilt capability, tilt tension control, and gas lift height adjustment activator.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$59 to the list price. See page 88 for Cadence Guest seating.



Line	e Series	Back Style	Back Adjustment	Arm Style	Base Style
CAD	1	MW	1	0	W
Caden	ce Management Seating	g Mid Back Wide	Fixed Back	Armless	Wood
		MN Mid Back Narrow	2 Adjustable Back	Wood And Upholstered	B Black Nylon
				4 Completely Upholstered	J Jury Base

CADENCE | HIGH BACK

		COM		COL	FAE	BRIC GRA	DES		LEATHER	i
DESCRIPTION	/MODEL/FINISH	1	2	3	4	5	6	7	8	9
	URETHANE ARMS									
1	CAD1-HW11B	1236	1313	1369	1539	1643	1713	1867	2190	2382
	CAD1-HN11B	1200	1010	1000	1000	1040	17 10	1007	2100	2002
	CAD1-HW21B									
TT17	CAD1-HN21B									
	CAD1-HW11W Cherry,	, Maple, 1453	1525	1583	1754	1856	1927	2081	2402	2587
H	•	t, Anigre	.020				.02.	200.		200.
	CAD1-HN11W Cherry,									
O O		t, Anigre								
	CAD1-HW21W Cherry	, Maple,								
	Walnut	t, Anigre								
	CAD1-HN21W Cherry,	, Maple,								
	Walnut	t, Anigre								
	AD ILICTADI E ADMO									
	ADJUSTABLE ARMS CAD1-HW15B	1188	1260	1317	1483	1579	1648	1796	2108	2302
	CAD1-HW15B	1100	1200	1317	1400	1379	1040	1790	2100	2302
	CAD1-HW25B									
	CAD1-HN25B									
	CAD1-HW15W Cherry,	. Maple. 1403	1474	1531	1696	1794	1865	2011	2319	2506
A	•	t, Anigre			.000		.000			2000
	CAD1-HN15W Cherry									
O O		t, Anigre								
	CAD1-HW25W Cherry									
		t, Anigre								
	CAD1-HN25W Cherry,	, Maple,								
	Walnut	t, Anigre								
	ORDERING NOTES: O Specifying seat slider of more information.									
	WOOD AND URETHAN	IE ARM								
9	CAD1-HW12B	1314	1395	1455	1641	1746	1821	1982	2325	2511
	CAD1-HN12B									
	CAD1-HW22B									
	CAD1-HN22B									
(J	CAD1-HW12W Cherry,	, Maple, 1528	1606	1670	1853	1958	2033	2196	2539	2717



ORDERING NOTES

Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and rearward tilt capability, tilt tension control, and gas lift height adjustment activator.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$59 to the list price. See page 88 for Cadence Guest seating.



Line	Series	Back Style	Back Adjustment	Arm Style	Base Style
CAD Cadence	1 Management Seating	HW High Back Wide	1 Fixed Back	1 Urethane	W
		HN High Back Narrow	2 Adjustable Back	Wood And Urethane	B Black Nylon
				5 Adjustable	J Jury Base

CADENCE | HIGH BACK

			COM		COL	FABI	RIC GRAD	ES	I	EATHER	
DESCRIPTION/	MODEL/FINISH		1	2	3	4	5	6	7	8	9
	WOOD AND UP	PHOLSTERED ARM	1								
	CAD1-HW13B		1472	1551	1611	1796	1904	1978	2140	2483	2717
	CAD1-HN13B										
	CAD1-HW23B										
	CAD1-HN23B										
	CAD1-HW13W	Cherry, Maple,	1685	1764	1826	2011	2116	2194	2354	2699	2925
		Walnut, Anigre									
	CAD1-HN13W	Cherry, Maple,									
9		Walnut, Anigre									
	CAD1-HW23W	Cherry, Maple,									
	0.5.	Walnut, Anigre									
	CAD1-HN23W	Cherry, Maple,									
		Walnut, Anigre									
	COMPLETELY	UPHOLSTERED AF	RM								
\prod	CAD1-HW14B		1434	1512	1571	1756	1865	1938	2100	2444	2702
	CAD1-HN14B										
	CAD1-HW24B										
1717 F (17	CAD1-HN24B										
	CAD1-HW14W	Cherry, Maple,	1646	1726	1788	1971	2078	2154	2315	2659	2907
H		Walnut, Anigre									
	CAD1-HN14W	Cherry, Maple,									
0 0		Walnut, Anigre									
	CAD1-HW24W	Cherry, Maple,									
		Walnut, Anigre									
	CAD1-HN24W	Cherry, Maple,									
		Walnut, Anigre									

ORDERING NOTES

Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and rearward tilt capability, tilt tension control, and gas lift height adjustment activator.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$59 to the list price. See page 88 for Cadence Guest seating.



Line	Series	Back Style	Back Adjustmer	nt Arm Style	Base Style
CAD	1	HW	1	3	W
Cadence	Management Seating	High Back	Fixed Back	Wood and Upholstered	Wood
		Wide			
	2	HN	2	4	В
	Guest Seating	High Back	Adjustable Back	Completely Upholstered	Black Nylon
		Narrow			
		Α			J
		Arm Chair			Jury Base
					,

GUEST SEATING

73 Addison76 Blake

79 Dorso 82 Bali

84 Kita


86 Spence

88 Cadence

ADDISON



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = .69%

POST-CONSUMER RECYCLED CONTENT = 13.10%

Up to 13.79% of this Addison product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Addison products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



The mark of responsible forestry

AIR EMISSIONS

All Addison products are supplied air-emissions certified. Contact customer service for information.

FSC[®]

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ADDISON

			COM		COL	FABRIC GRADES			LEATHER		
DESCRIPTION/	MODEL/FINIS	Н	1	2	3	4	5	6	7	8	9
	OPEN ARM, ADD-2-A-1	OPEN BACK Cherry, Oak,Walnut, Anigre, Beech Maple	714 770	733 789	753 810	792	833 889	872 928	913 968	952	1032
		Ινιαριο	770	769	810	850	669	926	900	1007	1066
	OPEN ARM,	FULLY UPHOLSTERE	D BACK								
	ADD-2-A-2	Cherry, Oak, Walnut, Anigre, Beech	751	786	822	889	956	1025	1092	1162	1297
		Maple	801	835	870	939	1006	1075	1143	1211	1349
	OPEN ARM,	UPPER UPHOLSTERI	ED BACK								
	ADD-2-A-3	Cherry, Oak, Walnut, Anigre, Beech	740	764	790	842	893	943	995	1045	1149
		Maple	795	822	846	897	949	999	1049	1102	1204

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
ADD-2-A-1	23.5	24.5	33	18.5	26	20	19	28	13.7	0.7
ADD-2-A-2	23.5	24.5	33	18.5	26	20	19	28	13.7	1.2
ADD-2-A-3	23.5	24.5	33	18.5	26	20	19	29	13.7	0.9
ADD-2-A-4 ADD-2-A-5	23.5 23.5	24.5 24.5	33 33	18.5 18.5	26 26	20 20	19 19	29 29	13.7 13.7	0.7 0.7

ORDERING NOTES

Addison Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$61 list per chair.

PRODUCT CODE KEY

Line	Series	Chair Type	Chair Style
ADD	2	А	1
Addison	Guest Seating	Arm Chair	Open Arm, Open Back
			2
			Open Arm, Fully Upholstered Back
			3
			Open Arm, Upper Upholstered Back
			4
			Open Arm, Horizontal Slat Back
			5
			Open Arm, Solid Wood Back

ADDISON

		COM		COL	FAI	BRIC GRA	DES	LEATHER		
DESCRIPTION	DESCRIPTION/MODEL/FINISH		2	3	4	5	6	7	8	9
	OPEN ARM, HORIZON ADD-2-A-4 Cherry, O Anigre, Bo Maple	ak,Walnut, 727	746 796	767 815	805 867	845 895	885 936	924 975	964 1015	1044 1092
	OPEN ARM, SOLID WC ADD-2-A-5 Cherry, O Anigre, Bo Maple	ak,Walnut, 732	752 802	773 823	812 861	852 901	892 941	932 980	971 1021	1049 1101

ORDERING NOTES

Addison Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$61 list per chair.

ORDERING PROCEDURE

To order please specify the following:

- 1. Krug product model number
- 2. Select a finish for the chair fram
- 3. Select a textile or leather

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.


GANGING

Ganging is optional on all wood arm and side chairs at an upcharge of **\$61 list** per chair. Please specify at time of order.

BLAKE | LEED CI CREDIT SUMMARY

BLAKE





PRE-CONSUMER
RECYCLED CONTENT = 14%

POST-CONSUMER RECYCLED CONTENT = 86%

Up to 86% of this Blake product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Blake products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



The mark of responsible forestry

AIR EMISSIONS

All Blake products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

BLAKE

			COM		COL	COL FABRIC GRADES		ES	LEATHER		
DESCRIPTION/	MODEL/FINIS	SHES	1	2	3	4	5	6	7	8	9
	OPEN ARM, BLA-2-A-1	OPEN BACK Cherry, Oak,Walnut, Anigre, Beech	651	671	692	731	772	811	851	891	969
		Maple	702	721	742	781	822	860	900	940	1020
	,	FULLY UPHOLSTERE									
	BLA-2-A-2	Cherry, Oak,Walnut, Anigre, Beech		718	752	822	889	956	1025	1092	1231
		Maple	732	768	802	870	939	1006	1075	1143	1279
	OPEN ARM,	UPPER UPHOLSTER	ED BACK								
	BLA-2-A-3	Cherry, Oak, Walnut, Anigre, Beech	677	703	729	780	831	881	933	983	1085
		Maple	727	752	779	830	880	932	982	1033	1136
	OPEN ARM,	VERTICAL SLAT BACI	<								
	BLA-2-A-4	Cherry, Oak, Walnut, Anigre, Beech	705	726	745	785	825	864	905	943	1023
		Maple	751	772	790	831	870	910	950	990	1069

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
BLA-2-A-1	23	24	32	18.5	26	19.75	19	25	12.5	0.7
BLA-2-A-2	23	24	32	18.5	26	19.75	19	29	12.5	1.2
BLA-2-A-3	23	24	32	18.5	26	19.75	19	27	12.5	0.9
BLA-2-A-4	23	24	32	18.5	26	19.75	19	25	12.5	0.7
BLA-2-A-5	23	24	32	18.5	26	19.75	19	26	12.5	1.0
BLA-2-A-6	23	24	32	18.5	26	19.75	19	39	12.5	1.7
BLA-2-A-7	23	24	32	18.5	26	19.75	19	36	12.5	1.8

ORDERING NOTES

Blake Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$61 list per chair.

PRODUCT CODE KEY

Series	Chair Type	Chair Style
2	А	1
Guest Seating	Arm Chair	Open Arm, Open Back
		2
		Open Arm, Fully Upholstered Back
		3
		Open Arm, Upper Upholstered Back
		4
		Open Arm, Vertical Slat Back
		5
		Open Arm, Lower Upholstered Back
		6
		Closed Arm, Lower Upholstered Back
		7
		Closed Arm, Fully Upholstered Back
	2	2 A

BLAKE

			COM		COL	FAB	RIC GRAD	ES	LEATHER		
DESCRIPTION	MODEL/FINIS	SHES	1	2	3	4	5	6	7	8	9
	OPEN ARM,	LOWER UPHOLSTER	ED BACK	,							
	BLA-2-A-5	Cherry, Oak, Walnut,	704	732	761	818	874	933	990	1046	1161
		Anigre, Beech									
		Maple	756	786	814	871	928	986	1043	1101	1213
U											
	CLOSED ARM, LOWER UPHOLSTERED BACK										
	BLA-2-A-6	Cherry, Oak, Walnut,	732	781	830	926	1023	1119	1215	1314	1506
	2212710	Anigre, Beech	102	701	000	320	1020	1113	1210	1014	1300
		Maple	788	836	885	982	1079	1174	1272	1369	1563
U											
	CLOSED AR	M, FULLY UPHOLSTE	RED BAC	K							
	BLA-2-A-7	Cherry, Oak, Walnut,	751	802	854	955	1059	1162	1266	1368	1573
		Anigre, Beech									
		Maple	801	852	903	1004	1108	1211	1315	1417	1623
W W											
Ш											

ORDERING NOTES

Blake Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$61 list per chair.

ORDERING PROCEDURE

To order please specify the following:

- 1. Krug product model number
- 2. Select a finish for the chair fram
- 3. Select a textile or leather

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.


GANGING

Ganging is optional on all wood arm and side chairs at an upcharge of **\$61 list** per chair. Please specify at time of order.

DORSO GUEST | LEED CI CREDIT SUMMARY

DORSO GUEST





PRE-CONSUMER
RECYCLED CONTENT = 9.82%

POST-CONSUMER RECYCLED CONTENT = 19.98%

Up to 73.17% of this Dorso product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Dorso products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.

AIR EMISSIONS

All Dorso products are supplied air-emissions certified. Contact customer service for information.



DORSO S-LINE

		COM		COL	FAB	RIC GRAD	ES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	4 LEG BASE DOS2-10 Silver metallic base, armles	805	844	886	939	1003	1085	1172	1281	1400
	DOC2-10 Polished chrome base, arm	886	924	960	1020	1085	1159	1253	1356	1481
	DOS2-11 Silver metallic base, fixed a	917 arm	960	996	1048	1115	1195	1290	1392	1508
	DOC2-11 Polished chrome base, fixe	1013 d arm	1048	1091	1142	1210	1290	1377	1488	1605
	4 LEG BASE with Casters DOS2-20 Silver metallic base, armles	873	909	953	1003	1070	1150	1237	1349	1466
	DOC2-20 Polished chrome base, arm	909	953	990	1040	1106	1186	1281	1385	1502
1 9 9	DOS2-21 Silver metallic base, fixed a	982 arm	1026	1064	1115	1180	1260	1356	1458	1577
	DOC2-21 Polished chrome base, fixe	1077	1115	1159	1210	1276	1356	1443	1552	1672
	CANTILEVER BASE DOS2-30 Silver metallic base, armles	894	931	966	1026	1091	1166	1260	1362	1488
	DOC2-30 Polished chrome base, arm	976	1020	1056	1106	1172	1253	1349	1453	1567
	DOS2-31 Silver metallic base, fixed a	1115 arm	1159	1195	1247	1313	1392	1488	1589	1707
	DOC2-31 Polished chrome base, fixe	1159 d arm	1202	1237	1290	1356	1437	1532	1634	1752

ORDERING NOTES

Dorso Chairs are available with a removable upholstered seat cover at an upcharge of \$61 list per chair.

PRODUCT CODE KEY

Base Line Series Arm Style DOS 2 1 0 Dorso S-Line **Guest Seating** Four Leg Armless (Silver Metallic) DOC 2 1 Four Leg Dorso S-Line Fixed (Polished Chrome) with Casters Cantilever 3 Cantilever

PRODUCT CODE KEY

Line	Series	Base	Arm Style
DON Dorso N-Line	2 Guest Seating	1 Four Leg	0 Armless
(Silver Metallic) Base		2 Four Leg with Casters	1 Fixed Cantilever
		3 Cantilever	

DORSO N-LINE

		COM		COL	FAB	RIC GRAI	DES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	4 LEG BASE									
	DON2-10	697	733	769	830	894	966	1064	1166	1290
	Silver metallic base, arml									
	DON2-11	. 777	819	857	909	976	1056	1150	1253	1371
	Silver metallic base, fixed	arm								
	4 LEG BASE with Casters	S								
	DON2-20	763	800	836	894	960	1034	1129	1232	1356
	Silver metallic base, arml									
	DON2-21	845	884	924	976	1040	1122	1215	1318	1437
	Silver metallic base, fixed	arm								
	CANTILEVER BASE									
\\\\\	DON2-30	777	819	857	909	976	1056	1150	1253	1371
	Silver metallic base, arml					=				.=
	DON2-31	917	960	996	1048	1115	1195	1290	1392	1508
	Silver metallic base, fixed	d arm								

ORDERING NOTES

Dorso Chairs are available with a removable upholstered seat cover at an upcharge of **\$61** list per chair.

DIMENSIONS & COM REQUIREMENTS


		Overall Width	Overall Depth	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Height Range	Shipping Weight	Cube	COM Yardage
S-LINE/4LEG	Armless	20.75	25.50	18.5	27.5	19.5	19.5	36	32	14	1.3
	Fixed	24.5	25.50	18.5	27.5	19.5	19.5	36	37	14	1.3
S-LINE/4LEG with Casters	Armless	20.75	24.75	18.5	27.5	19.5	19.5	36	33	14	1.3
	Fixed	24.5	24.75	18.5	27.5	19.5	19.5	36	38	14	1.3
S-LINE/	Armless	20.75	24.75	18.5	27.5	19.5	19.5	36	39	14	1.3
Cantilever Base	Fixed	24.5	24.75	18.5	27.5	19.5	19.5	36	44	14	1.3
N-LINE/4LEG	Armless	20.75	25.50	18.5	27.5	19.5	19.5	34.75	31	14	1.3
	Fixed	24.5	25.50	18.5	27.5	19.5	19.5	34.75	36	14	1.3
N-LINE/4LEG with Casters	Armless	20.75	24.75	18.5	27.5	19.5	19.5	34.75	32	14	1.3
	Fixed	24.5	24.75	18.5	27.5	19.5	19.5	34.75	37	14	1.3
N-LINE/	Armless	20.75	24.75	18.5	27.5	19.5	19.5	34.75	38	14	1.3
Cantilever Base	Fixed	24.5	24.75	18.5	27.5	19.5	19.5	34.75	43	14	1.3

BALI | LEED CI CREDIT SUMMARY

BALI







PRE-CONSUMER
RECYCLED CONTENT = 4.68%

POST-CONSUMER
RECYCLED CONTENT = 16.42%

Up to 74.19% of this Bali product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Bali products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



The mark of responsible forestry

AIR EMISSIONS

All Bali products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come.

Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

			COM		COL	FAB	RIC GRAD	DES		LEATHER	
DESCRIPTION/MODE	L		1	2	3	4	5	6	7	8	9
	WOOD SH BAL2A1B Black BAL2A1C Chrome	ELL Cherry, Beech Cherry, Beech									
	UPHOLSTE BAL2A2B Black BAL2A2C Chrome	ERED FRONT Cherry, Beech Cherry, Beech		891 982	932 1019	975 1060	1019 1103	1068 1161	1125 1215	1181 1280	1274 1379
		ERED SEAT/WOO									
h.h	BAL2A3B Black	Cherry, Beech	826	854	882	918	948	982	1019	1074	1131
	BAL2A3C Chrome	Cherry, Beech	882	918	948	982	1024	1082	1125	1187	1246
	Caddie										

DIMENSIONS & COM REQUIREMENTS

DOL6

			Overall Height	Seat Height	Height of Arms from Floor	Width between Arms		Shipping Weight	Cube	COM Yardage
WOOD SHELL	23.25	23	34.25	17.25	26	19.5	18	30	15.3	-
UPHOLSTERED FRONT	23.25	23	34.25	18.11	26	19.5	17	30	15.3	8.0
UPHOLSTERED SEAT/WOOD BACK	23.25	23	34.25	18.25	26	19.5	18	30	15.3	0.4

ORDERING NOTES

Bali Guest Chairs are available with a removable upholstered seat cover at an upcharge of **\$61** list per chair. Bali Guest Chairs are available with a removable upholstered back cover at an upcharge of **\$37** list per chair.

639

Ganging is optional on all wood arm and side chairs at an upcharge of \$61 list per chair. Please specify at time of order.

When used with Caddie (stacking cart), Bali stacks to a maximum of 10 chairs high, and 6 high without Caddie.

PRODUCT CODE KEY

0000.0000				
Line	Series	Style	Chair Style	Back Leg Style
BAL	2	А	1	В
Bali	Guest Seating	Arm Chair	Wood	Black
			2	С
			Upholstered Front	Chrome
			3	


Upholstered Seat Cushion

KITA | LEED CI CREDIT SUMMARY

KITA







PRE-CONSUMER RECYCLED CONTENT = .80%

POST-CONSUMER RECYCLED CONTENT = 15.28%

Up to 16% of this Kita product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Kita products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



AIR EMISSIONS

All Kita products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come.

Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

DESCRIPTION/MODE	=1		COM 1	2	COL 3	FAE	BRIC GRAI	DES 6	7	LEATHER 8	9
		ELILI WIDTILLI	OLIOL OTE			-			-		
	1320-OA	FULL WIDTH UF Oak Cherry, Maple, Walnut, Anigre	939	978 1045	1008 1075	1079 1144	1125 1188	1161 1225	1225 1290	1373 1439	1483 1549
	CLOSED AR	M, FULL WIDTH									
	1320-CA	Oak Cherry, Maple,	1220	1274 1360	1311 1397	1402 1489	1461 1549	1507 1593	1589 1677	1785 1869	1982 2067
		Walnut, Anigre	1307	1300	1391	1409	1343	1393	1077	1009	2007
	3/4 WIDTH U	JPHOLSTERED I	BACK								
	1321-A	Oak Cherry, Maple, Walnut, Anigre	939 1004	978 1045	1008 1075	1079 1144	1125 1188	1161 1225	1225 1290	1373 1439	1483 1549
	SLAT BACK										
	1322-A	Oak Cherry, Maple, Walnut, Anigre	960 1045	996 1084	1024 1106	1086 1171	1124 1209	1147 1233	1202 1286	1320 1403	1407 1493
II ar at at a	SHOJI BACK										
	1323-A	Oak Cherry, Maple, Walnut, Anigre	900 992	938 1027	975 1050	1013 1113	1050 1150	1091 1171	1141 1231	1229 1348	1316 1435

DIMENSIONS & COM REQUIREMENTS

	Overall Width		Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
1320-OA	22	24	32	18.5	26	18.75	19	25	12	1
1320-CA	22	24	32	18.5	26	18.75	19	25	12	1.8
1321-A	22	24	32	18.5	26	18.75	19	25	12	1
1322-A	22	24	32	18.5	26	18.75	19	26	12	0.8*
1323-A	22	24	32	18.5	26	18.75	19	26	12	0.8*

ORDERING NOTES

Kita Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$61 list per chair.

ORDERING PROCEDURE

To order please specify the following:

- 1. Krug product model number
- 2. Fabric name and number
- 3. Wood finis

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

STANDARD FINISHES

For a complete list of standard wood finishes please see page 4

GANGING


Ganging is optional on all wood arm and side chairs at an upcharge of **\$61 list** per chair. Please specify at time of order.

SPENCE | LEED CI CREDIT SUMMARY

SPENCE







PRE-CONSUMER RECYCLED CONTENT = .45%

POST-CONSUMER RECYCLED CONTENT = 17.27%

Up to 18.18% of this Spence product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Spence products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



The mark of responsible forestry

All Spence products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

		COM		COL		RIC GRAI			LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
S	SLAT BACK									
1	400 Oak	908	958	1024	1090	1168	1254	1342	1455	1532
	Cherry, Maple Walnut, Anigr		1069	1133	1200	1274	1360	1449	1559	1634
S	SLAT & UPHOLSTERED B.	ACK								
	401 Oak	937	989	1056	1122	1204	1293	1379	1499	1608
	Cherry, Maple Walnut, Anign		1101	1168	1235	1313	1401	1493	1605	1715
	SPLIT UPHOLSTERED BA 402 Oak Cherry, Maple Walnut, Anigre	953 e, 1067	1004 1122	1075 1188	1144 1259	1225 1340	1317 1426	1407 1521	1528 1635	1664 1773
	FULL UPHOLSTERED BAG 403 Oak Cherry, Maple Walnut, Anigr	961 e, 1075	1019 1132	1085 1204	1155 1270	1236 1350	1329 1442	1422 1536	1540 1649	1706 1817

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
1400	22	24	33	18	27	18	20	21	13	0.7
1401	22	24	33	18	27	18	20	22	13	1.0
1402	22	24	33	18	27	18	20	22	13	1.25
1403	22	24	33	18	27	18	20	23	13	1.5

ORDERING NOTES

Spence Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$61 list per chair.

ORDERING PROCEDURE

To order please specify the following:

- 1. Krug product model number
- 2. Select a finish for the chair fram
- 3. Select a textile or leather

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

STANDARD FINISHES

For a complete list of standard wood finishes please see page 4

GANGING


Ganging is optional on all wood arm and side chairs at an upcharge of **\$61 list** per chair. Please specify at time of order.

CADENCE | LEED CI CREDIT SUMMARY

CADENCE



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = .43%

POST-CONSUMER
RECYCLED CONTENT = 16.46%

Up to 16.91% of this Cadence product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cadence products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



The mark of responsible forestry

AIR EMISSIONS

All Cadence products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

	COM		COL	FAB	RIC GRAD	DES		LEATHER	
DESCRIPTION/MODEL/FINISHES	1	2	3	4	5	6	7	8	9
CAD2A	Cherry, Maple, 1155 Walnut, Anigre	1209	1260	1346	1431	1516	1603	1708	1896



DIMENSIONS & COM REQUIREMENTS

			Overall Height		Height of Arms from Floor	Width between Arms		Shipping Weight		COM Yardage
CAD2A	22.75	27	36	18.25	26	18.75	18	23	18	1.7

ORDERING PROCEDURE

To order please specify the following:

- 1. Krug product model number
- 2. Fabric name and number

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

STANDARD FINISHES

For a complete list of standard wood finishes please see page 4

MULTI-PURPOSE SEATING


91 Mobi95 Karma105 Corfu111 Capri

113 Bank of England

MOBI



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 13.78%

POST-CONSUMER RECYCLED CONTENT = 14.33%

Up to 55.11% of this Mobi product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION & AIR EMISSIONS



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Mobi products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



AIR EMISSIONS

All Mobi products are supplied with air emissions-certified materials. Contact customer service for specifitest results.

MOBI | FEATURES, OPTIONS, DIMENSIONS & COM REQUIREMENTS



ARMS

Arms are available in the full range of polymer colors: Black, White, Grey, Taupe, Yellow, Red, Blue, Green. Please specify when ordering.



CADDIE

The Mobi caddie provides enhanced stackability, along with the ease of movement and storage. It has a durable tubular construction and 4 soft-wheel swivel, locking casters. Its design allows for the stacking and storage of all Krug stackable chairs.



ARMLESS



COMBINATION COLORS

More than one polymer color can be selected in any combination for seats, backs and arms. Please specify when ordering.



POLYMER SEATS & BACKS

Available Polymer colors: Black, White, Grey, Taupe, Yellow, Red, Blue, Green.



UPHOLSTERED SEATS & BACKS

Optional Removable covers can be quickly installed on Mobi products that were originally ordered with the removable cover option.



MESH BACKS

Available mesh colors: Grey, Black & White. Please specify when ordering.



STACKABILITY

Mobi chairs are stackable to a maximum of 8 chairs high on the floor as well as dolly.



LEGS & GLIDES

Mobi legs are structural steel legs in Polished Chrome with non-marring glides.



Mobi has been tested and complies with ANSI/BIFMA x5.1-2011 standards. Mobi has been load tested up to 300lbs.

OPTIONS

REPLACEMENT **AND REMOVABLE** COMPONENTS

Mobi is designed to allow major components to be field replaced, providing a very cost effective means to significally extend the life of the product. Mobi Chairs are available with Removable Seat and Removable Back Covers, see page 93 for upcharges.

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge of \$49 list per yard. The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$700 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Arms From Floor	Between Arms	Seat Depth	Shipping Weight	Cubes	COM YRD
MOB210P	18	21	31	17	n/a	n/a	18.75	21	14	-
MOB211P	21.25	21	31	17	27	20.5	18.75	21	14	-
MOB220P	18	21	31	17	n/a	n/a	18.75	21	14	.63
MOB221P	21.25	21	31	17	27	20.5	18.75	21	14	.63
MOB230P	18	21	31	17	n/a	n/a	18.75	21	14	.63
MOB231P	21.25	21	31	17	27	20.5	18.75	21	14	.63
MOB240P	18	21	31	17	n/a	n/a	18.75	21	14	-
MOB241P	21.25	21	31	17	27	20.5	18.75	21	14	-
MOB250P	18	21	31	17	n/a	n/a	18.75	21	14	1.22
MOB251P	21.25	21	31	17	27	20.5	18.75	21	14	1.22


5		СОМ		COL		RIC GRA			EATHER	
Description	Model Polymer Seat and Back, Armless MOB210P	292	2	3	4	5	6	7	8	9
	Polymer Seat and Back, with Arms MOB211P	322								
	Polymer Back and Upholstered Se MOB220P	eat, Armle: 384	ss 402	420	456	493	529	564	601	674
	Polymer Back and Upholstered Se MOB221P	eat, with A 422	rms 439	457	494	530	566	602	638	710
	Mesh Back and Upholstered Seat, MOB230P	Armless 391	409	428	464	500	536	573	608	681
Mobi Option Upcharge	es \$ List									
CAL 133 & Moisture Ba Removable Seat Covers Removeable Back Covers	rrier (per yard) 49 s 55									
PRODUCT CODE KEY										
Line	Series	Chair S	tyle		Ar	m Style		N	/letal Fini	sh
MOB Mobi	2 Multi-Purpose	Polymer & Bad	Seat		F	0 Armless		Pol	P ished Chr	rome
		2			Γ	1				
		Polymer E Upholstere				Armed				
		Mesh Ba Upholstere								
		Mesh Ba Polymer								
		5 Fully Upho Seat & E								
				ç	SEATING	3 & OCC	CASIONA	I TARI	FS LUS	SA 93

MOBI

Description	Model	COM 1	2	COL 3	FAE 4	BRIC GRA 5	DES 6	7	LEATHEF 8	9
	Mesh Back and Upholstered Seat, MOB231P	with Arms 429	447	465	501	537	574	609	646	719
R	Mesh Back and Polymer Seat, Arm MOB240P	iless 300								
	Mesh Back and Polymer Seat, with MOB241P	a Arms 336								
	Fully Upholstered Seat and Back, MOB250P	Armless 465	494	522	580	639	697	754	812	929
	Fully Upholstered Seat and Back, v MOB251P	vith Arms 495	523	553	611	668	727	785	843	958
	Caddie DOL6	639								
Mobi Option Upcharges	\$ List									
CAL 133 & Moisture Barri Removable Seat Covers Removeable Back Covers	er (per yard) 49 55									
PRODUCT CODE KEY Line	Series	Chair St	yle		A	Arm Style			Metal Fin	sh
MOB Mobi	2 Multi-Purpose	Polymer S & Bacl 2 Polymer Ba	k] ack &			0 Armless 1 Armed		Pe	P olished Ch	rome
		Mesh Bac Upholstered								
		4 Mesh Bac Polymer \$								
		Fully Uphols	」 stered ack							



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 5.51%

POST-CONSUMER
RECYCLED CONTENT = 24.98%

Up to 73.47% of this Karma product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Karma products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



The mark of responsible forestry

AIR EMISSIONS

All Karma products are supplied air-emissions certified. Contact customer service for information.

FSC[®]

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

KARMA | FEATURES & OPTIONS



DESIGNED FOR COMFORT

The seat features an enhanced standard foam thickness, combined with our proprietary webbing suspension system, to provide superior comfort and a longer life cycle. The back is contoured and angled to provide supportive sitting.



WALL SAVER

The angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the facility.



STACKING

Karma stacks 7 high on the floor, and 12 chairs on the Caddie. The optional Underseat Cover can be specified to help prevent indenting of seat upholstery on chairs that will be stacked. Karma chairs with the Sled Base option do not stack.



GLIDES

Karma's black nylon glides are non-adjustable, non-marring, and field-replaceable if damaged or degraded.



POLYMER ARM

Karma arms are durable, comfortable, and long lasting. They are made with injected polymer that is a solid color throughout the arm and are available in three color options: Black, Grey and Taupe.



REPLACEABLE COMPONENTS

Karma is designed to allow major components to be field replaced, providing a very cost effective means to significally extend the life of the product.



TANDEM SEATING

Karma chairs, and in-line tables, are designed to be instantly converted to (or ordered as) tandem seating. Armed and armless chairs can be connected - when joining arm chairs the positioning prevents a pinch point between the arms. In-line tables can be configured between chairs or as end tables. And the tandem components can be easily removed to convert to freestanding.

WEIGHT CAPACITIES

Karma has been laboratory tested to meet a weight capacity of 500 lbs, in all versions: arm and armless, and all widths (including the bariatric size).

ANTI-MICROBIAL FINISH

Karma wood surfaces come with an anti-microbial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria.

OPTIONS

UNDERSEAT COVER

As an alternative to the standard dust cover under the seat, this option, in black polymer, closes off the underside of the chair, functioning as a cleanable Splashguard to protect the interior from moisture. It also assists in chair stacking, by distributing the weight to eliminate any indentations in the seat upholstery.



SLED BASE OPTION

Optional Sled Base frames are available in Silver Metallic and Matte Black. The integrated steel rail spans between the front and rear legs which are fitted with black nylon glides. Karma chairs with the Sled Base option do not stack.



CASTERS OPTION

Karma features durable low profile 1 ½" diameter casters in black nylon offering an impressive 500lb load rating.

REMOVABLE COVERS & REPLACEMENT COMPONENTS

Optional Removeable covers can be quickly installed on Karma products that were originally ordered with the Removable cover option. Replacement covers can also be installed on Karma products that were not originally ordered with the Removable cover option, with some simple staple removal.

COMBINATION UPHOLSTERY COVERS

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$25 list per unit. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge of \$49 list per vard. The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$700 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

KARMA | DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Arms From Floor	Between Arms	Seat Depth	Shipping Weight	COM YRD	Cubes
Leg Base Stac	king Chair l	Jpholstered								
KAR2C-18.5 KAR2C-22	20.2 23.7	21.9 21.9	33.9 33.9	18 18	n/a n/a	n/a n/a	17 17	22.5 24	1 1	18 18
KAR2C-26	27.7	21.9	33.9	18	n/a	n/a	17	25.5	1.7	21
With Arms KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	24	1	18
KAR2C-22 KAR2C-26	28 32	21.9 21.9	33.9 33.9	18 18	26.8 26.8	22 26	17 17	25.5 27	1 1.7	18 21
Leg Base Stac	king Chair V	Wood Back								
Armless KAR2C-18.5	20.2	21.9	33.9	18	n/a	n/a	17	22.5	0.7	18
KAR2C-22	23.7	21.9	33.9	18	n/a	n/a	17	24	0.7	18
KAR2C-26 With Arms	27.7	21.9	33.9	18	n/a	n/a	17	25.5	0.7	21
KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	24	0.7	18
KAR2C-22	28	21.9	33.9	18	26.8	22	17	25.5	0.7	18
KAR2C-26	32	21.9	33.9	18	26.8	26	17	27	0.7	21
Caster Base S With Arms	tacking Cha	ir Upholstere	d							
KAR2C-18.5 KAR2C-22	24.5 28	21.9 21.9	33.9 33.9	18 18	26.8 26.8	18.5 22	17 17	24 25.5	1 1	18 18
Caster Base S				10	20.0	22	17	20.0	'	10
With Arms KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	24	0.7	18
KAR2C-22	28	21.9	33.9	18	26.8	22	17	25.5	0.7	18
Sled Base Cha Armless	air Upholster	red								
KAR2C-18.5	20.2	21.9	33.9	18	n/a	n/a	17	25.5	1	18
KAR2C-22	23.7	21.9	33.9	18	n/a	n/a	17	27	1	18
KAR2C-26 With Arms	27.7	21.9	33.9	18	n/a	n/a	17	28.5	1.7	21
KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	27	1	18
KAR2C-22	28	21.9	33.9	18	26.8	22	17	28.5	1_	18
KAR2C-26	32	21.9	33.9	18	26.8	26	17	30	1.7	21
Sled Base Cha Armless	air Wood Ba	ck								
KAR2C-18.5	20.2	21.9	33.9	18	n/a	n/a	17	25.5	0.7	18
KAR2C-22 KAR2C-26	23.7 27.7	21.9 21.9	33.9 33.9	18 18	n/a n/a	n/a n/a	17 17	27 28.5	0.7 0.7	18 21
With Arms	21.1	21.9	33.9	10	II/a	II/a	17	20.3	0.7	21
KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	27	0.7	18
KAR2C-22 KAR2C-26	28 32	21.9 21.9	33.9 33.9	18 18	26.8 26.8	22 26	17 17	28.5 30	0.7 0.7	18 21
Counter Seat	Upholstered									
Armless KAR2C-18.5	20.2	21.9	39.9	24	n/a	n/a	17	43	1	20
with Arms	20.2	۵۱.5	6.00	24	11/α	11/α	17	70	1	20
KAR2C-18.5	24.5	21.9	39.9	24	32.8	18.5	17	44.5	1	20
Counter Seat \ Armless	Wood Back									
KAR2C-18.5	20.2	21.9	39.9	24	n/a	n/a	17	43	1	20
with Arms KAR2C-18.5	24.5	21.9	39.9	24	32.8	18.5	17	44.5	1	20

DIMENSIONS:

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

KARMA | LEG BASE

		COM		COL	FAE	RIC GRAD	DES	I	LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	18.5" Leg Base, Matte I	Black or Si	ilver Metal	llic - Fullv	Upholstere	d. No Arm	with Stan	dard Dust	Cover	
	KAR2C-18.5L_UNAD	370	391	410	439	472	500	532	572	613
	18.5" Leg Base, Polishe	ed Chrome	- Fully U	pholstered	d, No Arm,	and Stand	lard Dust (Cover		
	KAR2C-18.5LCUNAD	454	475	495	523	556	584	616	656	697
	18.5" Leg Base, Matte E	Black or Sil	ver Metall	ic - Uphols	stered Seat	& Wood b	ack, No Ar	m with Sta	ndard Dus	t Cover
	KAR2C-18.5L_WNAD	396	407	417	431	448	461	478	499	519
	18.5" Leg Base, Polishe	ed Chrome	- Uphols	stered Sea	ıt & Wood b	ack. No A	rm with St	andard Du	st Cover	
	KAR2C-18.5LCWNAD	480	491	501	515	532	545	562	583	604
	18.5" Leg Base, Matte I	Black or Si	ilver Metal	llic - Fully	Upholstere	d. with Arr	m and Stai	ndard Dust	Cover	
	KAR2C-18.5L_U_D	399	419	440	469	500	529	561	601	642
	18.5" Leg Base, Polishe	ed Chrome	- Fully U	pholstered	d. with Arm	and Stand	dard Dust	Cover		
	KAR2C-18.5LCU_D	483	503	524	553	584	613	645	686	726
	18.5" Leg Base, Matte E	Black or Silv	ver Metalli	c - Unhols	stered Seat	& Wood ha	ack with A	rm and Sta	ndard Dus	t Cover
	KAR2C-18.5L_W_D	418	429	439	453	470	483	500	521	541
	18.5" Leg Base, Polishe	ed Chrome	- Uphols	stered Sea	ıt & Wood b	ack, with	Arm and S	Standard D	ust Cover	
	KAR2C-18.5LCW_D	502	513	523	537	554	567	584	605	625
	ORDERING NOTES: W	hen select	tina Frame	e Color an	d Arm Style	e please se	ee Product	t Code Kev	below.	

ORDERING NOTES: When selecting Frame Color and Arm Style please see Product Code Key below. Karma chairs all include the Standard Dust Cover ("D"), for optional Polymer Shroud change "D" to "S" and add upcharge listed below.

\$ List
49
55
55
36

PRODUCT CODE KEY

Line	Series	Frame Size	Frame Color	Style	Arm Style	Underseat Shroud
KAR Karma	2C Stacking Chair	18.5L 18.5" Leg Base	B Matte Black S Silver Metallic C Polished Chrome	Fully Upholstered W Beech Wood Back	NA No Arm AB Black AG Grey AT Taupe	Polymer Shroud D Standard Dust Cover

KARMA | LEG BASE

679

		COM		COL	FAE	BRIC GRAI	DES		LEATHER	1
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	22" Leg Base, Matte B	lack or Silv	ver Metalli	c - Fully U	pholstered.	, No Arm v	with Stand	ard Dust C	over	
	KAR2C-22L_UNAD	402	422	443	471	502	531	563	604	644
	22" Leg Base, Polished	d Chrome	- Fully Up	holstered,	No Arm, a	nd Standa	rd Dust Co	over		
	KAR2C-22LCUNAD	504	524	544	573	605	634	666	706	747
	22" Leg Base, Matte Bl	ack or Silv	er Metallic	: - Upholst	ered Seat 8	Wood ba	ck, No Arm	n with Stan	dard Dust	Cover
	KAR2C-22L_WNAD	432	443	453	468	483	498	514	534	555
	22" Leg Base, Polished	d Chrome	- Upholst	ered Seat	& Wood ba	ck, No Arr	n with Sta	ndard Dust	t Cover	
	KAR2C-22LCWNAD	535	544	556	570	586	600	617	637	658
	22" Leg Base, Matte B	lack or Silv	ver Metalli	c - Fully U	lpholstered.	, with Arm	and Stand	dard Dust (Cover	
	KAR2Č-22L_U_D	430	451	471	499	532	559	592	633	672
	22" Leg Base, Polished	d Chrome	- Fully Up	holstered.	with Arm a	and Standa	ard Dust C	over		
	KAR2C-22LCU_D	533	554	573	601	635	662	695	734	775
	22" Leg Base, Matte B	lack or Silv	ver Metalliv	c- Unholst	ered Seat 8	Wood ba	ck with A	rm and Sta	ndard Du	st Cover
	KAR2C-22L_W_D	454	464	475	489	506	519	536	556	577
	22" Leg Base, Polished	d Chrome	- Upholst	ered Seat	& Wood ba	ck, with A	rm and Sta	andard Dus	st Cover	

ORDERING NOTES: When selecting Frame Color and Arm Style please see Product Code Key below. Karma chairs all include the Standard Dust Cover ("D"), for optional Polymer Shroud change "D" to "S" and add upcharge listed below.

592

578

Karma Option Upcharges	\$ List	
CAL 133 & Moisture Barrier (per yard)	49	
Removable Seat Covers	55	
Removable Back Covers	55	
Polymer Underseat Shroud 22"	48	

PRODUCT CODE KEY

KAR2C-22LCW_D

557

566

FINODOGI GOL						
Line	Series	Frame Size	Frame Color	Style	Arm Style	Underseat Shroud
KAR Karma	2C Stacking Chair	22L 22" Leg Base	B Matte Black S Silver Metallic C Polished Chrome	U Fully Upholstered W Beech Wood Back	NA No Arm AB Black AG Grey AT	Polymer Shroud D Standard Dust Cover
			Polisned Chrome			

KARMA | LEG BASE

DESCRIPTION/MO	DEL		COM 1	2	COL 3	FABRI 4	C GRADE 5	ES 6	7	LEATHER 8	9_
	26" Leg Bas KAR2C-26L		ck or Silv 481	er Metallic 519	- Fully Uր 559	oholstered, A 614	rmless wi 676	th Standar 730	d Dust 792	Cover 870	948
	26" Leg Bas KAR2C-26L		Chrome 585	- Fully Upho 623	olstered, 663	Armless, with 718	n Standar 780	d Dust Cov 834	/er 896	974	1052
	26" Leg Bas KAR2C-26L		ck or Silve 496	er Metallic - 514	Upholste 532	ered Seat & V 558	Vood back 586	k, Armless, 613	with St 642	andard Dus	t Cover 714
	26" Leg Bas KAR2C-26L	,	Chrome 599	- Upholster 618	ed Seat & 636	& Wood back 662	, Armless 690	, with Stan 717	dard Du 746	ust Cover 782	817
	26" Leg Bas KAR2C-26L					oholstered, w					
	26" Leg Bas KAR2C-26L		510 Chrome	550 - Fully Upho	587 olstered,\	642 with Arm and	704 Standard	759 Dust Cove	822 er	898	977
		_	614	653	691	746	808	863	924	1002	1081
			ck or Silve	er Metallic-	Upholste	red Seat & W	ood back,	with Arm	and Sta	ndard Dust	Cover
		e, Polished	517 Chrome	536 - Upholster	554 ed Seat 8	580 & Wood back	608 , with Arm	635 and Stan	664 dard Du	700 ust Cover	735
	KAR2C-26L	CW_D	621	640	658	683	712	738	768	804	839
	S: When selecting Folude the Standard I								upcharç	ge listed be	ow.
Karma Option Up	charges		\$ Li	ist				\$ List			
CAL 133 & Moistur Polymer Underseat	" ,					ole Seat Cove ole Back Cove		55 55			
,											
Description/Model			Price								
1	Tandem Sea KAR2C-GB	BA	61	·		,					
	Tandem Sea KAR2C-GB		:- Silver M 61	fetallic (for a	armed ch	iair)					
•	Tandem Sea KAR2C-GB		- Polishe 69	d Chrome (1	for armed	d chair)					
	Tandem Sea KAR2C-GB		-Matte B 55	lack (for ch	airs with	out arms)					
	Tandem Sea KAR2C-GB		- Silver M 55	Metallic (for o	chairs wi	thout arms)					
	Tandem Sea KAR2C-GB	U	- Polishe 62	d Chrome (1	for chairs	without arm	s)				
999	Caddie DOL6		639								
PRODUCT CODE KE	ΞΥ										
Line	Series	Frame S	ize	Frame C	Color	Style		Arm S	tyle	Underse	eat Shroud
KAR Karma	2C Stacking Chair	26L 26" Leg B	dase	Matte B Silver Me		Fully Uphols W Beech Wood		NA AB	rm	Sta	er Shroud D ndard Cover
				Polished C	 Chrome			Gre AT Taup	y		

KARMA | CASTER BASE

		COM		COL	FAE	BRIC GRA	DES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	18.5" Caster Base, Silve	er Metallic	- Fully Up	holstered,	with Arm a	and Stand	ard Dust C	over		
	KAR2CS-18.5MSU_D	462	482	503	532	563	592	624	664	705
	18.5" Caster Base, Silve	r Metallic :	- Unholste	red Seat &	Wood bac	k with Arn	and Stan	dard Dust (Cover	
	KAR2CS-18.5MSW_D	481	492	502	516	533	546	563	584	604
	22" Caster Base, Silver	Metallic -	Fully Uph	olstered. w	ith Arm an	ıd Standar	d Dust Co	ver		
	KAR2C-22MSU_D	493	514	534	562	595	622	655	696	735
	22" Caster Base, Silver	Metallic- l	Upholstere	ed Seat & \	Nood back	, with Arm	and Stan	dard Dust	Cover	
	KAR2C-22MSW_D	517	527	538	552	569	582	599	619	640

ORDERING NOTES: When selecting Arm Style please see Product Code Key below. Karma chairs all include the Standard Dust Cover ("D"), for optional Polymer Shroud change "D" to "S" and add upcharge listed below.

Karma Option Upcharges\$ ListCAL 133 & Moisture Barrier (per yard)49Removable Seat Covers55Removable Back Covers55Polymer Underseat Shroud 18.5"36Polymer Underseat Shroud 22"48

PRODUCT CODE KEY

Line	Series	Frame Size	Frame Color	Style	Arm Style	Underseat Shroud
KAR	2C	18.5M	S	U	AB	S
Karma	Stacking Chair	18.5" Caster Base	Silver Metallic	Fully Upholstered	Black	Polymer Shroud
		22M		W	AG	D
		22" Caster Base		Beech Wood Back	Grey	Standard
					AT	Dust Cover
					Taupe	

KARMA | SLED BASE

		COM		COL	FA	BRIC GRA	DES		LEATHER	ł
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	18.5" Sled Base, Matte	Black or	Silver Me	tallic - Ful	ly Upholste	ered, No A	rm with Sta	andard Dus	st Cover	
	KAR2C-18.5S_UNAD	475	496	515	544	577	605	637	677	718
	18.5" Sled Base, Matte	Black or	Silver Met	allic - Upho	olstered Se	at & Wood	back, No A	Arm with St	andard Du	ust Cover
	KAR2C-18.5S_WNAD	501	512	522	536	553	566	583	604	624
	18.5" Sled Base, Matte	Black or	Silver Me	tallic - Ful	ly I Inholste	ered with	Arm and St	andard Di	ıst Cover	
	KAR2C-18.5S_U_D	504	524	545	574	605	634	666	706	747
	18.5" Sled Base, Matte KAR2C-18.5S W D	Black or \$	Silver Meta 534	allic - Upho 544	olstered Sea 558	at & Wood 575	back, with	Arm and S ^a	tandard Di	ust Cover

ORDERING NOTES: When selecting Frame Color and Arm Style please see Product Code Key below. Karma chairs all include the Standard Dust Cover ("D"), for optional Polymer Shroud change "D" to "S" and add upcharge listed below.

Karma Option Upcharges	\$ List
CAL 133 & Moisture Barrier (per yard)	49
Removable Seat Covers	55
Removable Back Covers	55
Polymer Underseat Shroud 18.5"	36

PRODUCT CODE KEY Line Series Frame Size Frame Color Style Arm Style Underseat Shroud KAR 18.5S В U NA S 2C Karma Chair 18.5" Sled Base Matte Black No Arm Polymer Shroud Fully Upholstered D S W AB Silver Metallic Beech Wood Back Black Standard **Dust Cover** AG

Grey AT Taupe

KARMA | SLED BASE

		COM		COL	FAE	BRIC GRAI	DES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	22" Sled Base, Matte E KAR2C-22S_UNAD	Black or Silv 507	ver Metalli 527	c - Fully U 548	pholstered, 576	No Arm v 607	vith Standa 636	ard Dust C	over 709	749
	22" Sled Base, Matte B	lack or Silve	er Metallic	- Upholst	ered Seat &	Wood bad	ck, No Arm	with Stan	dard Dust	Cover
	KAR2C-22S_WNAD	537	548	558	573	588	603	619	639	660
	22" Sled Base, Matte B	Black or Silv	ver Metalli	c - Fully U	pholstered,	with Arm	and Stanc	lard Dust C	Cover	
	KAR2C-22S_U_D	535	556	576	604	637	664	697	738	777
	22" Sled Base, Matte E	Black or Silv	er Metallid	c- Upholst	ered Seat 8	Wood ba	ck, with A	m and Sta	ndard Dus	st Cover

KAR2C-22S_W_D

559

569

580

ORDERING NOTES: When selecting Frame Color and Arm Style please see Product Code Key below. Karma chairs all include the Standard Dust Cover ("D"), for optional Polymer Shroud change "D" to "S" and add upcharge listed below.

594

611

624

641

661

682

CAL 133 & Moisture Barrier (per yard) 49 Removable Seat Covers 55	
Removable Seat Covers 55	
Removable Back Covers 55	
Polymer Underseat Shroud 22" 48	

PRODUCT CODE KEY Underseat Shroud Series Frame Size Frame Color Style Arm Style 22S S U NA KAR 2C В Polymer Shroud Karma Chair 22" Sled Base Matte Black Fully Upholstered No Arm S W D AB Silver Metallic Beech Wood Back Standard Black **Dust Cover** AG Grey AT Taupe

KARMA | SLED BASE

GSA pricing is calculated using the list pricing from the Healthcare price guide

DESCRIPTION/MODEL		COM 1	2	COL 3	FAB 4	RIC GRAI	DES 6	7	LEATHER 8	9
	26" Sled Base, Matte Bla KAR2C-26S_UNAD	ck or Silve 586	er Metallio 624	c - Fully Up 664	holstered, 719	Armless v 781	vith Standa 835	rd Dust C 897	over 975	1053
	26" Sled Base, Matte Bla	ck or Silve	r Metallic	- Upholste	ered Seat 8	Wood ba	ck, Armles	s, with Sta	ındard Du	st Cover
	KAR2C-26S_WNAD	601	619	637	663	691	718	747	783	819



26" Sled Base, Matte Black or Silver Metallic - Fully Upholstered, with Arm and Standard Dust Cover KAR2C-26S_U_D 615 655 692 747 809 864 927 1003 1082



26" Sled Base, Matte Black or Silver Metallic- Upholstered Seat & Wood back, with Arm and Standard Dust Cover KAR2C-26S_W_D 622 641 659 685 713 740 769 805 840

ORDERING NOTES: When selecting Frame Color and Arm Style please see Product Code Key below. Karma chairs all include the Standard Dust Cover ("D"), for optional Polymer Shroud change "D" to "S" and add upcharge listed below.

Karma Option Upcharges	\$ List	
CAL 133 & Moisture Barrier (per yard)	49	
Removable Seat Covers	55	
Removable Back Covers	55	
Polymer Underseat Shroud 26"	61	


PRODUCT CODE KEY

PRODUCT CODE	LKLI					
Line	Series	Frame Size	Frame Color	Style	Arm Style	Underseat Shroud
KAR	2C	26S	В	U	NA	S
Karma	Chair	26" Sled Base	Matte Black	Fully Upholstered	No Arm	Polymer Shroud
			S	W	AB	D
			Silver Metallic	Beech Wood Back	Black	Standard
					AG Grey	Dust Cover
					AT	
					Taupe	

CORFU | LEED CI CREDIT SUMMARY

CORFU





PRE-CONSUMER
RECYCLED CONTENT = 14.47%

POST-CONSUMER RECYCLED CONTENT = 22.19%

Up to 17.02% of this Corfu product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Corfu products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



AIR EMISSIONS

All Corfu products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CORFU | FEATURES & OPTIONS

SUSTAINABLE DESIGN

Corfu is made with recycled materials, with an overall recycled content of 40%. Many of these same materials are also recyclable. Corfu is air emissions certified.



UNDER SEAT COVER

Each Corfu includes an underseat system for stacking: a grey polypropylene seat pan that nests into the seat below and protects it from the frame above. It also provides for easy cleaning and maintenance by covering the underside of the chair.



WOOD FINISH

Krug's Enduraguard™ finish is a catalyzed conversion varnish topcoat, combined with a vinyl polymer-based sealer, that in independent testing has been shown to have exceptional durability characteristics in its resistance to scratching, marring, and degradation from cleaning materials and other substances.



Wood seats and backs are made with European Beech hardwood veneers, featuring nine (9) plys of cross grain for added strength and durability.



STACKING

Corfu chairs are stackable, to a maximum of 13 chairs for the wood or plastic versions, and 10 chairs for the upholstered version, when stacked on the Corfu caddie. Corfu chairs are stackable to a maximum of 9 chairs for the wood or plastic versions and 6 chairs for the upholstered version when stacked on the floor. The upholstered versions stack to a height of 74" in the armless version, and 76" with arms. The non-upholstered versions stack to a height of 70" in the armless version and 72" in the version with arms.

CADDIE

The Corfu caddie provides enhanced stackability, along with the ease of movement and storage. Its design allows for the stacking and storage of all Krug stackable chairs. It has a durable tubular construction and 4 soft-wheel swivel, locking casters. This caddie is designed to stack and transport Krug's other stacking chairs.

GANGING

Corfu can be ordered with the option of ganging for the upcharge of \$25 list per chair. Please specify ganging when ordering.

PACKAGING

Corfu packaging features recycled, recyclable cardboard. The arm and armless chairs are shipped 4 units per carton.

ALUMINUM FRAME

Corfu seating is built with high strength aluminum castings and extrusions. Aluminum is an ideal material for creating a structurally superior chair frame: it eliminates any potential for corrosion, and provides excellent fit and the tightest of tolerances in the transition between components. Finish options are Silver Metallic Powder Coat, and Polished Aluminum.



PLASTIC COMPONENTS

Polypropylene seats, backs and other components are injection molded, with pigment diffused throughout the mold, and featuring a compound that provides UV resistance to fading and brittleness from exposure to light. Seats and backs have a minimum wall thickness of 5 mm, providing excellent strength and shock resistance. Corfu (Plastic Seat & Back) is available in six different colors. Please specify a color when ordering.

Color Selection: White, Black, Grey, Red, Blue, Sand

OPTIONS

COMBINATION UPHOLSTERY COVERS

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$25 list per unit. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge of \$49 list per yard. The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$700 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

CORFU | MULTI-PURPOSE SEATING

DIMENSIONS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube
COR2-10S	20.87	20.87	32.28	17.5	n/a	n/a	17	40.8	14.4
COR2-10C	20.87	20.87	32.28	17.5	n/a	n/a	17	40.8	14.4
COR2-11S	23.23	20.87	32.28	17.5	26.75	21.25	17	50.4	14.4
COR2-11C	23.23	20.87	32.28	17.5	26.75	21.25	17	50.4	14.4
COR2-20S	20.87	20.87	32.28	17.5	n/a	n/a	17	53.6	14.4
COR2-20C	20.87	20.87	32.28	17.5	n/a	n/a	17	53.6	14.4
COR2-21S	23.23	20.87	32.28	17.5	26.75	21.25	17	63.2	14.4
COR2-21C	23.23	20.87	32.28	17.5	26.75	21.25	17	63.2	14.4
COR2-30S	20.87	20.87	32.28	17.5	n/a	n/a	17	63.2	14.4
COR2-30C	20.87	20.87	32.28	17.5	n/a	n/a	17	63.2	14.4
COR2-31S	23.23	20.87	32.28	17.5	26.75	21.25	17	71.2	14.4
COR2-31C	23.23	20.87	32.28	17.5	26.75	21.25	17	71.2	14.4
COR2-40S	20.87	20.87	32.28	17.5	n/a	n/a	17	71.2	14.4
CORS-40C	20.87	20.87	32.28	17.5	n/a	n/a	17	71.2	14.4
COR2-41S	23.23	20.87	32.28	17.5	26.75	21.25	17	80.8	14.4
COR2-41C	23.23	20.87	32.28	17.5	26.75	21.25	17	80.8	14.4
OR2-50S	20.87	20.87	32.28	17.5	n/a	n/a	17	48	14.4
OR2-50C	20.87	20.87	32.28	17.5	n/a	n/a	17	48	14.4
OR2-51S	23.23	20.87	32.28	17.5	26.75	21.25	17	57.6	14.4
OR2-51C	23.23	20.87	32.28	17.5	26.75	21.25	17	57.6	14.4
COR2-60S	20.87	20.87	32.28	17.5	n/a	n/a	17	69.2	14.4
COR2-60C	20.87	20.87	32.28	17.5	n/a	n/a	17	69.2	14.4
COR2-61S	23.23	20.87	32.28	17.5	26.75	21.25	17	78.8	14.4
COR2-61C	23.23	20.87	32.28	17.5	26.75	21.25	17	78.8	14.4
COR6	24	31	15.75						

COM REQUIREMENTS

	COM Yardage Seat Pad Only	Yardage Per Chair - Seat Pad Only	COM Yardage Fully Upholstered Seat Only	Yardage Per Chair - Fully Upholstered Seat Only	COM Yardage Seat & Back Pads		COM Yardage Fully Upholstered Seat & Back	Yardage Per Chair - Fully Upholstered Seat & Back
One Chair	0.7	0.7	0.7	0.7	0.7	0.7	1	1
Two Chair	0.7	0.35	0.7	0.35	1.1	0.55	1.7	0.85
Three Chair	1.4	0.47	1.4	0.47	1.8	0.6	2.7	0.9
Four Chair	1.4	0.35	1.4	0.35	2.2	0.55	3.4	0.85

Note: Some vinyls, leathers & upholsteries are not suitable on Corfu seating.

The approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.
- 2. The sample will be reviewed and the customer advised if the upholstery cover is unsuitable.
- 3. The COM upholstery cover or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

WEIGHT CAPACITY

Corfu has been tested and complies with ANSI/BIFMA x5.1-2011 standards. Corfu has been load tested up to 300lbs.

CORFU | MULTI-PURPOSE SEATING

		COM		COL	FAE	BRIC GRA	DES		LEATHER	
DESCRIPTION/MOD	DEL	1	2	3	4	5	6	7	8	9
	Plastic Seat & Back, Armles with Silver Metallic frame COR2-10S	374								
	Plastic Seat & Back, Armles with Polished Aluminum fra COR2-10C									
	Plastic Seat & Back, Plastic with Silver Metallic frame COR2-11S	Arms 434								
	Plastic Seat & Back, Polishe with Polished Aluminum fra COR2-11C		Arms							
	Plastic Seat & Back with Up Armless, with Silver Metallic COR2-20S		ads, 528	554	580	607	634	660	686	713
	Plastic Seat & Back with Up Armless, with Polished Alun COR2-20C		ads, 576	601	627	655	681	707	733	761
	Plastic Seat & Back with Up Plastic Arms, with Silver Me COR2-21S		ads, 587	614	640	667	693	720	746	773
	Plastic Seat & Back with Up Polished Aluminum Arms, w COR2-21C			m frame 656	682	708	735	762	788	814

ORDERING NOTES:

When ordering the Silver Metallic frame with Plastic Seat and Back, the arm color matches the seat and back.

When ordering the Polished Aluminum frame, arms are Polished Aluminum.

Corfu chairs are stackable, to a maximum of 13 chairs for the wood or plastic versions, and 10 chairs for the upholstered version, when stacked on the Corfu caddie. Corfu chairs are stackable to a maximum of 9 chairs for the wood or plastic versions and 6 chairs for the upholstered version when stacked on the floor. The upholstered versions stack to a height of 74" in the armless version, and 76" with arms. The non-upholstered versions stack to a height of 70" in the armless version and 72" in the version with arms.

Ganging is optional on all Corfu Multi-purpose seating for an upcharge of \$25 list per chair, please specify on order.

Line	Series	Chair Style	Arm Style	Metal Finish	
COR	2 Multi-Purpose	1 Plastic Seat & Back	0 Armless	Silver Metallic	
		Plastic with Upholstered Seat & Back Pads	1 Armed	C Polished Aluminum	
		3 Wood Seat & Back			
		4 Fully Upholstered Seat & Back			
		5 Plastic Back, Plastic Seat with Upholstered Pad			
		Wood Back, Fully Upholstered Seat			

CORFU | MULTI-PURPOSE SEATING

		С	ОМ		COL	FABRI	C GRADI	ΞS	LE	ATHER	
DESCRIPTION/MODE	L SPEC	CIES	1	2	3	4	5	6	7	8	9
	Plastic Back, Plastic S Armless, with Silver M COR2-50S		е	d pad, 482	501	518	537	555	573	591	609
	Plastic Back, Plastic S Armless, with Polished COR2-50C		frame	d pad, 531	550	566	585	603	621	639	658
	Plastic Back, Plastic S Plastic Arms with Silve COR2-51S		rame	d pad, 542	561	579	597	615	634	650	669
	Plastic Back, Plastic Seat with upholstered pad, Polished Aluminum arms, with Polished Aluminum frame COR2-51C 566 585 603 621 639 658 675 693 710										
	Wood Seat & Back, A with Silver Metallic fra COR2-30S Beec	ıme									
	Wood Seat & Back, A with Polished Aluminu COR2-30C Beec	ım frame									
	Wood Seat & Back, S with Silver Metallic fra COR2-31S Beec	ıme	c Arms,								
	Wood Seat & Back, P	olished Alu	minum Ar	ms,							

ORDERING NOTES:

 $When ordering the Silver \, Metallic \, frame \, with \, Plastic \, Seat \, and \, Back, \, the \, arm \, color \, matches \, the \, seat \, and \, back.$

718

When ordering the Polished Aluminum frame, arms are Polished Aluminum.

COR2-31C

with Polished Aluminum frame

Beech

Corfu chairs are stackable, to a maximum of 13 chairs for the wood or plastic versions, and 10 chairs for the upholstered version, when stacked on the Corfu caddie. Corfu chairs are stackable to a maximum of 9 chairs for the wood or plastic versions and 6 chairs for the upholstered version when stacked on the floor. The upholstered versions stack to a height of 74" in the armless version, and 76" with arms. The non-upholstered versions stack to a height of 70" in the armless version and 72" in the version with arms.

Ganging is optional on all Corfu Multi-purpose seating for an upcharge of \$25 list per chair, please specify on order.

Line	Series	Chair Style	Arm Style	Metal Finish	
COR	2 Multi-Purpose	1 Plastic Seat & Back	0 Armless	Silver Metallic	
		Plastic with Upholstered Seat & Back Pads	1 Armed	C Polished Aluminum	
		3 Wood Seat & Back			
		4 Fully Upholstered Seat & Back			
		5 Plastic Back, Plastic Seat with Upholstered Pad			
		6 Wood Back, Fully Upholstered Seat			

CORFU | MULTI-PURPOSE SEATING

DESCRIPTION/MODEL		SPECIES	COM 1	2	COL 3	4	FABRIC 5	GRADES 6	7	LEATHER 8	9
	Wood Back, Fully Armless, with Silv COR2-60S			617	644	670	697	724	750	776	803
	Wood Back, Fully Armless, with Poli COR2-60C			671	698	725	751	777	804	831	857
	Wood Back, Fully Silver Metallic Arn COR2-61S			frame 726	752	779	805	832	858	885	911
	Wood Back, Fully Polished Aluminu COR2-61C			Aluminum 791	n frame 818	845	871	897	924	951	977
	Fully Upholstered with Silver Metalli COR2-40S		Armless,	650	687	724	760	796	832	868	905
	Fully Upholstered with Polished Alur COR2-40C		Armless,	705	742	777	813	850	886	921	958
	Fully Upholstered Silver Metallic Arn COR2-41S		Metallic 724	frame 760	796	832	868	905	940	976	1013
	Fully Upholstered Polished Aluminus COR2-41C		Polished 789	Aluminun 826	n frame 861	897	934	971	1006	1043	1079
	Caddie DOL6		639								


ORDERING NOTES:

When ordering the Silver Metallic frame with Plastic Seat and Back, the arm color matches the seat and back.

When ordering the Polished Aluminum frame, arms are Polished Aluminum.


Corfu chairs are stackable, to a maximum of 13 chairs for the wood or plastic versions, and 10 chairs for the upholstered version, when stacked on the Corfu caddie. Corfu chairs are stackable to a maximum of 9 chairs for the wood or plastic versions and 6 chairs for the upholstered version when stacked on the floor. The upholstered versions stack to a height of 74" in the armless version, and 76" with arms. The non-upholstered versions stack to a height of 70" in the armless version and 72" in the version with arms.

Ganging is optional on all Corfu Multi-purpose seating for an upcharge of \$25 list per chair, please specify on order.



CAPRI





PRE-CONSUMER
RECYCLED CONTENT = 15.13%

POST-CONSUMER
RECYCLED CONTENT = 30.97%

Up to 66.28% of this Capri product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

AIR EMISSIONS

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Capri products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



All Capri products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CAPRI

	NECCRIPTION/MODEL/FINIGUES				COL	F.	ABRIC GF	RADES		LEATHER	
DESCRIPTION/MODI	EL/FINISHES	;	1	2	3	4	5	6	7	8	9
	ARM CHAI	R									
	CAP2A1	Cherry, Beech	772								
	CAP2A2		938	974	1004	1049	1095	1144	1201	1267	1376
	CAP2A3	Cherry, Beech	851	884	918	956	996	1036	1075	1141	1209
	CAP2A4	Cherry, Beech	872								
/ // (CAP2A5	Cherry, Beech	950	985	1018	1056	1095	1133	1173	1239	1307
	SIDE CHAI	R									
	CAP2S1	Cherry, Beech	710								
	CAP2S2		872	908	944	990	1036	1083	1129	1195	1306
	CAP2S3	Cherry, Beech	792	827	857	896	938	977	1018	1083	1147
	CAP2S4	Cherry, Beech	812								
<i>I</i>	CAP2S5	Cherry, Beech	892	910	956	996	1036	1075	1116	1181	1248
•											
	CADDIE										
	DOL6		639								



DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth		Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube (2)	COM Yardage
ARM CHAIR										
Wood with arms	22	22.75	33.75	18.5	27	20.5	17.25	12	13	-
Fully Upholstered with arms	22	22.75	34	19	27	20.5	17.75	14	13	1.0
Upholstered seat with arms	22	22.75	33.75	19	27	20.5	17.75	13	13	0.6
SIDE CHAIR										
Wood with arms	19.75	22.75	33.75	18.5	-	-	17.25	12	13	-
Fully Upholstered	19.75	22.75	34	19	-	-	17.75	14	13	1.0
Upholstered seat	19.75	22.75	33.75	19	-	-	17.75	13	13	0.6
ARM CHAIR										
Wood with arms	22	22.75	43.75	29	38.5	20.5	17.25	15	18	-
Fully Upholstered with arms	22	22.75	44	29.5	38.5	20.5	17.75	17	18	1.0
Upholstered seat with arms	22	22.75	43.75	29.5	38.5	20.5	17.75	16	18	0.6
CADDIE	25.5	41	43.75	-	-	-	-	20	17	-

PRODUCT CODE KEY

Line	Series	Chair Type	Chair Style
CAP	2	А	1
Capri	Guest Seating	Arm Chair	Wood
	5 Barstool	Side Chair	2 Fully Upholstered
			Upholstered Seat Cushion
			Wood With Holes
			5 Upholstered Sea Back with Holes

CADDIE

When used with Caddie, Capri stacks to a maximum of 15 chairs high (10 high for upholstered versions). Barstool versions cannot be stacked with Caddie.

REMOVABLE UPHOLSTERED BACK COVER


Capri Chairs are available with removable upholstered back cover at an upcharge of \$37 list per chair.

BANK OF ENGLAND | LEED CI CREDIT SUMMARY

BANK OF ENGLAND



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = .34%

POST-CONSUMER
RECYCLED CONTENT = 13.10%

Up to 96.55% of this Bank of England product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Bank of England products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



AIR EMISSIONS

All Bank of England products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come.

Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

BANK OF ENGLAND

	DESCRIPTION/MODEL/FINISHES				COL	FA	BRIC GRA	DES		LEATHER	ł
DESCRIPTION/MODE	EL/FINISHES	i	1	2	3	4	5	6	7	8	9
	WOOD SE 177-A 177-J	AT Oak, Cherry Oak, Cherry Jury Base	944 1069								
	REMOVAE	BLE CUSHION									
	178-A	Oak, Cherry	1152	1207	1259	1311	1361	1413	1461	1515	1598
	178-J	Oak, Cherry Jury Base	1286	1343	1398	1454	1506	1562	1611	1666	1754
	UPHOLST	ERED SEAT									
	179-A	Oak, Cherry	1152	1207	1259	1311	1361	1413	1461	1515	1598
	179-J	Oak, Cherry Jury Base	1286	1343	1398	1454	1506	1562	1611	1666	1754

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
177-A	23.5	24.5	31.5	18.5	28.5	19	17	29	11	-
178-A	23.5	24.5	31.5	18.5	28.5	19	17	29	11	0.75
179-A	23.5	24.5	31.5	18.5	28.5	19	17	29	11	0.75

ORDERING NOTES

For jury base version of this chair, please select model number '177-J' for Wood Seat, '178-J' for Removable Cushion, or '179-J' for Removable Cushion Upholstered Seat.



ORDERING PROCEDURE

To order please specify the following:

- 1. Krug product model number
- 2. Fabric name and number
- 3. Wood finis

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

BANK OF ENGLAND

For a complete list of standard wood finishes please see page 4

BARSTOOL & COUNTER HEIGHT SEATING

116 Manolo

119 Karma


121 Capri

MANOLO | LEED CI CREDIT SUMMARY

MANOLO STOOL



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 14.89%

POST-CONSUMER
RECYCLED CONTENT = 34.84%

Up to 69.20% of this Manolo product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Manolo products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.




AIR EMISSIONS

All Manolo products are supplied air-emissions certified. Contact customer service for information.

FSC®





Contact customer service for further information, pricing and leadtimes.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.





MANOLO | VENEERS & FINISHES

WOOD FINISHES

Standard wood finishes are:

SPECIES

BEECH

Appalachian Cherry
American Cherry
Imperial Cherry
Light Cherry
Medium Cherry
Natural Cherry
Sable Cherry
Standard Cherry
Light Oak
Harvest Oak
Mahogany
Mellow Oak
Espresso
Cordovan Walnut
Natural Walnut

WALNUT

Natural Walnut SilverGrey on Walnut Regular Walnut Dark Walnut

Regular Walnut

Dark Walnut

Clear Beech

Medium Anigre

PALETTE FINISHES

Black White Sand Soft Green Steel Blue Slate

VENEERS

Manolo veneers are quarter cut with a horizontal grain direction.

NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

CUSTOM WOOD FINISHES

Add 10% list to your order for special finishes, minimum upcharge is \$500 list per finish per order. (For example, on all orders up to \$5000 list, an upcharge of \$500 will apply, on orders \$5000 and up add 10% list to your order.)

For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

FINISH

Manolo features the Krug finish, a proprietary catalyzed varnish formulation, that has repeatedly shown through independent laboratory testing to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors and is uniquely suited to the demands of high traffic environments.

MANOLO | FEATURES & OPTIONS

\Box

SEATS

Manolo seats are available, with two back heights; Backless Seat and Low Back Seat, in Upholstered, Beech and Walnut veneers and Palette finishes.

BASES

Manolo Stool bases feature Polished Chrome structural steel base frames with non-marring polycarbonate glides. Manolo Stool bases are available in two heights; Counter Height or Bar Height.

WEIGHT CAPACITY

Manolo complies with ANSI/BIFMA x5.1-2011 test standards. Manolo has been load tested up to 300lbs.

FINISH DURABILITY

The Krug's finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.

OPTIONS

CAL 133 & Moisture Barrier

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge of \$49 list.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$700 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

MANOLO | BARSTOOL & COUNTER STOOL

			COM		COL FABRIC GRADES		DES	LEATHER			
Description	Model	Species	1	2	3	4	5	6	7	8	9
	Barstool, Wo MAN5B01 MAN5B03	ood, Backless Seat Beech Walnut Palette	618 648 594								
	Counter Sto MAN5C01 MAN5C03	ol, Wood Seat, Backle Beech Walnut Palette	ss Seat 598 628 576								
	Barstool, Fu	illy Upholstered, backle									
	MAN5B02		650	675	699	747	795	844	892	940	1037
	Counter Sto MAN5C02	ol, Fully Upholstered,	Backless S 630	Seat 655	679	727	775	824	872	920	1017
	Barstool, We	ood, Low Back Seat									
	MAN5B11	Beech	630								
	MAN5B13	Walnut Palette	662 604								
	Counter Sto	ol, Wood, Low Back S	eat								
	MAN5C11	Beech	609								
	14115040	Walnut	641								
	MAN5C13	Palette	586								
	Barstool Ful MAN5B12	ly Upholstered, Low B	ack Seat 690	716	742	792	843	893	944	995	1096
	Counter Sto MAN5C12	ol Fully Upholstered, L	ow Back \$. 669	Seat 696	721	771	822	873	923	974	1076

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Width	Seat Depth	Seat Height	Shipping Weight	Cube	COM Yardage
Barstool									
Backless Seat	19	22.5	36	15.75	16	31	19.5	12	1
Low Back Seat	19	22.5	41	15.75	16	31	20	13	1
Counter Stool									
Backless Seat	19	22.5	30	15.75	16	25	18.5	10	1
Low Back Seat	19	22.5	35	15.75	16	25	19	11	1

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

Manolo Option Upcharges	\$ List
CAL 133 & Moisture Barrier (per yard)	49

PRODUCT CODE KEY					
Line	Series	Base Height	Seat Style	Seat Type	
MAN Manolo	5 Stool	B Bar Height	0 Backless Seat	1 Wood	
		C Counter Height	1 Low Back Seat	2 Fully Upholstered	
		ooumer rieigin	2011 2001 0001	3	


Palette

KARMA | LEED CI CREDIT SUMMARY

KARMA COUNTER SEAT



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 7.86%

POST-CONSUMER
RECYCLED CONTENT = 33.6%

Up to 70.10% of this Capri product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Karma products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



AIR EMISSIONS

All Karma products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

KARMA | COUNTER STOOL

		COM		COL	FA	BRIC GRA	DES		LEATHER	3
DESCRIPTION/MO	DDEL	1	2	3	4	5	6	7	8	9
	18.5" Leg Frame, Matte B	Black or Silv	er Metalli	c - Fully U	pholstered	, No Arm,	with Stand	ard Dust (Cover	
	KAR2C-18.5C_UNAD	516	537	557	585	618	646	678	719	759
	18.5" Leg Frame, Polishe	d Chrome	- Fully Up	holstered,	No Arm, w	vith Standa	ard Dust C	over		
	KAR2C-18.5CCUNAD	556	577	596	624	658	686	718	758	798
	18.5" Leg Frame, Matte B	Black or Silv	er Metalli	c- Upholst	tered Seat	& Wood b	ack, No Ar	m, with Sta	andard Du	ust Cover
الله)	KAR2C-18.5C_WNAD	542	554	563	578	594	608	624	645	666



18.5" Leg Frame, Polished Chrome - Upholstered Seat & Wood back, No Arm, with Standard Dust Cover 705 KAR2C-18.5CCWNAD 582 593 603 617

ORDERING NOTES: When selecting Frame Color and Arm Style please see Product Code Key below. Karma chairs all include the Standard Dust Cover (select "D" below), for optional Polymer Shroud change "D" to "S" and add upcharge listed below. See page 93 for dimensions and COM requirements



18.5" Leg Frame, Matte Black or Silver Metallic - Fully Upholstered, with Arm, with Standard Dust Cover KAR2C-18.5C_U_D 545 561 586 615 646 788 18.5" Leg Frame, Polished Chrome - Fully Upholstered, with Arm, with Standard Dust Cover 787 KAR2C-18.5CCU_D 585 605 828



18.5" Leg Frame, Matte Black or Silver Metallic- Upholstered Seat & Wood back, with Arm, with Standard Dust Cover KAR2C-18.5C_W_D 585 688

18.5" Leg Frame, Polished Chrome - Upholstered Seat & Wood back, with Arm, with Standard Dust Cover KAR2C-18.5CCW_D 604 615 624 639 655 669 686 706 727

ORDERING NOTES: When selecting Frame Color and Arm Style please see Product Code Key below. Karma chairs all include the Standard Dust Cover (select "D" below), for optional Polymer Shroud change "D" to "S" and add upcharge listed below. See page 93 for dimensions and COM requirements.


\$ List
49
55
55
36

Line	Series	Frame Size	Frame Color	Style	Arm Style	Underseat Shroud
KAR	2C	18.5C	В	U	NA	S
Karma	Chair	18.5" Counter Height Stool	Matte Black	Fully Upholstered	No Arm	Polymer Shroud
			S	W	AB	D
			Silver Metallic	Beech Wood Back	Black	Standard
			С		AG	Dust Cover
			Polished Chrome		Grey	
					AT	
					Taupe	

CAPRI



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 7.86%

POST-CONSUMER
RECYCLED CONTENT = 33.6%

Up to 70.10% of this Capri product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Capri products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



The mark of responsible forestry

AIR EMISSIONS

All Capri products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CAPRI | BARSTOOL

DESCRIPTION/MODEL/FINISHES			COM		COL	FABRIC GRADES			LEATHER		
			1	2	3	4	5	6	7	8	9
	BARSTOOL CAP5A1	- Cherry, Beech	927								
	CAP5A2		1125	1167	1207	1259	1314	1373	1441	1519	1630
	CAP5A3	Cherry, Beech	1022	1061	1101	1149	1196	1243	1291	1371	1437
	CAP5A4	Cherry, Beech	1045								
	CAP5A5	Cherry, Beech	1140	1180	1218	1267	1314	1361	1407	1488	1552

DIMENSIONS & COM REQUIREMENTS

	Overall Width		Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
BARSTOOL Wood with arms Fully Upholstered with arms	22 22	22.75 22.75	43.75 44	29 29.5	38.5 38.5	20.5 20.5	17.25 17.75	15 17	18 18	- 1.0
Upholstered seat with arms	22	22.75	43.75	29.5	38.5	20.5	17.75	16	18	0.6

Line	Series	Chair Type	Chair Style	BARSTOOL
CAP Capri	5 Barstool	Arm Chair	1 Wood	The Capri barstool version is available with arms only. Capri barstool versions are suitable for use with bar heights in the range of 40" to 42".
			Fully Upholstered 3 Upholstered Seat Cushion 4 Wood With Holes	REMOVABLE UPHOLSTERED BACK COVER Capri Chairs are available with removable upholstered back cover at an upcharge of \$37 list per chair.
			5 Upholstered Seat, Back with Holes	

LOUNGE SEATING


124 Avatar
128 Cressida
138 Leyton
149 Zola
167 Zola Privacy
211 Sutton
213 Carlyle
215 Brio
217 Sloane

LEED CI CREDIT SUMMARY

AVATAR LOUNGE



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 11.21%

POST-CONSUMER
RECYCLED CONTENT = 18.77%

Up to 45.10% of this Avatar product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Avatar products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



AIR EMISSIONS

All Avatar products are supplied with air emissions-certified materials. Contact customer service for specifitest results.

FSC®



In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Avatar and other Krug products can be specified with one of two types of FSC® Certification:

(a) FSC®-certified (which includes FS ®-certified lumbe , veneer and substrate material)

(b) FSC®-mix certified (which includes substrate material onl, and is a lower cost option certification Contact customer service for further information, pricing and leadtimes.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.



AVATAR | VENEERS & FINISHES

WOOD FINISHES

Standard wood finishes are:

Finishes on Rift Oak

Light Oak
Harvest Oak
SilverGrey on Oak
Mahogany Oak
Medium Cherry on Oak
Mellow Oak
Walnut on Oak
Espresso on Oak

VENEERS

Avatar veneers are rift cut White Oak, which provides a straight grain appearance.

NON-STANDARD VENEER SPECIES

In addition to range of standard wood species, Avatar can be made with virtually any commercially available veneers. Please contact customer service for information and pricing on wood species not included in Avatar's standard offering.

NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

CUSTOM WOOD FINISHES

Add 10% list to your order for special finishes, minimum upcharge is \$500 list per finish per order. (For example, on all orders up to \$5000 list, an upcharge of \$500 will apply, on orders \$5000 and up add 10% list to your order.)

For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

FINISH

Avatar features the Krug's finish, a proprietary catalyzed varnish formulation, that has repeatedly shown through independent laboratory testing to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors and is uniquely suited to the demands of high traffic environments.

AVATAR | FEATURES



STYLE FIXED ARM



ARMLESS



LEGS

Avatar legs feature Polished Chrome aluminum foot with nylon glides.

REPLACEABLE COMPONENTS

Avatar is uniquely designed to allow major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Chair legs, arms, table tops and bases are field replaceable.

FINISH DURABILITY

The Krug's finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.

WEIGHT CAPACITIES

Avatar complies with ANSI/BIFMA x5.1-2011 test standards. Avatar has a load tested up to 300lbs.

OPTIONS

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge of \$49 list per yard.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$700 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

AVATAR | DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Width Between Arms	Arm Height	Shipping Weight	Cube	COM Yardage
AVA3-1	29	28	30.5	16	18.5	27.5	22	49	17.5	2.65
AVA3-0	26.5	28	30.5	16	18.5	n/a	n/a	46	17.5	2.65

DIMENSIONS

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

AVATAR | LOUNGE

Description	Model	COM 1	2	COL 3	FABF 4	RIC GRAI 5	DES 6	7	EATHER 8	9
	Armless AVA3-0	1435	1488	1543	1620	1706	1782	1869	1978	2086
	Fixed Arm AVA3-1	1600	1654	1708	1784	1872	1947	2034	2142	2252

Avatar Option Upcharges	\$ List	
CAL 133 & Moisture Barrier (per yard)	49	
PRODUCT CODE KEY		


Line	Series	Arm Style	
AVA	3	1	
Avatar	Soft Seating	Fixed Arm	
		0	
		Armless	

CRESSIDA | LEED CI CREDIT SUMMARY

CRESSIDA LOUNGE



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT - 4.22%

POST-CONSUMER RECYCLED CONTENT - 14.49%

Up to 24.32% of this Cressida product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cressida products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



The mark of responsible forestry

AIR EMISSIONS

All Cressida products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come.

Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CRESSIDA | LOUNGE FEATURES & OPTIONS



CLEAN OUT

Cressida lounge seating models have a builtin clean out feature: a space at the back of the seat that allows dirt, debris and liquid to fall to the floor for easy clean up and maintenance designed so that it does not detract from the comfort or appearance of the product.



ANTI-MICROBIAL FINISH

Cressida wood surfaces come with an antimicrobial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria



ARMS AND ARMLESS

Cressida features five arm options; Armless, Open Arm, Open Arm Polymer Arm Cap, Closed Arm, Closed Arm Polymer Arm Cap. Polymer arm cap is available in Black or Grev.



POLYMER ARM CAP

Available in Grey and Black colors, the Arm Cap is field- replaceable if necessary.

GLIDES

Cressida Lounge arm and armless versions are standard with non-marring nylon glides.

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

WEIGHT CAPACITIES

Cressida weight capacities are as follows: One-Seat-350 lbs One-Seat (Bariatric) -750 lbs

One-Seat Plus (Bariatric) - 750lbs Two-Seat - 525 lbs

Two-Seat (Bariatric) - 975lbs

Three-Seat - 850 lbs

Three-Seat (Bariatric) - 1200 lbs

REMOVABLE AND REPLACEABLE COVERS

Cressida Lounge Chairs are available with Removable Seat and Removable Back Covers,

see page 128 for upcharges.

FINISH DURABILITY

The Krug Enduraguard finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of healthcare environments.

REPLACEABLE COMPONENTS

Cressida Lounge chairs are uniquely designed to allow virtually all components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs and arms are field replaceable.

OPTIONS

CASTERS

Cressida Lounge is available with the option of casters. Caster option comes with the two rear casters locking as standard.



PUSH BAR

This is a option on Cressida lounge when ordered with casters, ergonomically designed to assist care-giving staff in the movement and operation of the chair, and reduce back strain on the caregiver. The push bar is powder-coated steel in Silver Metallic finish.

TABLETS

Optional Tablets are available on the Cressida Lounge & Modular in veneer, glass, high pressure laminate, solid surface and palette finishes. The Cressida tablet can be fastened to the Cressida Lounge & Modular chairs by the Universal Tablet Mount (mounted left or right), to existing legs and features an elliptical shape of 16 1/2" x 11 1/2" x 3/4" in size. The Cressida Tablet has a turning radius of 360 degrees, which accommodates any worksurface angle.

COMBINATION UPHOLSTERY

More than one upholstery cover within the same unit, is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$25 list per unit and **\$49 list** per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

MOISTURE BARRIER & CAL 133

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring upnostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent strong transfer of the testing is typically 4-8 weeks. Moisture Barrier & CAL 133 is available for an upcharge of **\$49 list** per yard.

REMOVABLE AND REPLACEABLE COVERS Cressida Lounge Chairs are available with removable seat and back covers. See page 128 for upcharges.

DIMENSIONS & COM REQUIREMENTS

					Height of	Width		Shipping Weight	Shipping Weight	
	Overall	Overall	Overall	Seat	Arms from	Between	Seat	Open	Closed	
	Width	Depth	Height	Height	Floor	Arms	Depth	Arm	Arm	Cube
WITH ARMS										
One-Seat	29.5	30.5	32.5	17.25	25.75	23	19.75	52	74	22
One-Seat Plus	36.5	30.5	32.5	17.25	25.75	30	19.75	62	84	34
Two-Seat	52.25	30.5	32.5	17.25	25.75	45.75	19.75	81	103	34
Three-Seat	75	30.5	32.5	17.25	25.75	68.5	19.75	104	126	49
ARMLESS										
One-Seat	23	30.5	32.5	17.25	-	-	19.75	47	-	22
One-Seat Plus	30	30.5	32.5	17.25	-	-	19.75	57	-	34
Two-Seat	45.75	30.5	32.5	17.25	-	-	19.75	76	-	34
Three-Seat	68.75	30.5	32.5	17.25	-	-	19.75	99	-	49

Note: Cressida bariatric one-seat, two-seat and three-seat units have the same dimensions as the regular one-seat, two-seat and three-seat units.

	COM Yardage Seat, Back & Arms	COM Yardage Seat & Back	COM Yardage Seat Only	COM Yardage Back Only	COM Yardage Closed Arms (2) Only
One-Seat - One Chair	5	2.7	1.27	1.83	2.9
One-Seat - Two Chairs	9.7	5	2.03	2.7	5.8
One-Seat - Three Chairs	14.7	7.75	3.57	4.53	8.7
One-Seat - Four Chairs	15.4	10	4.06	5.4	11.6
One-Seat Plus - One Chair	6.4	3.5	1.64	1.9	2.9
One-Seat Plus - Two Chairs	12.8	7	3.28	3.8	5.8
One-Seat Plus - Three Chairs	19.2	10.5	4.92	5.7	8.7
One-Seat Plus - Four Chairs	25.6	14	6.56	7.6	11.6
Two-Seat - One Chair	6.4	4	1.7	2.7	2.9
Two-Seat - Two Chairs	12.8	8	3.4	4.6	5.8
Two-Seat - Three Chairs	19.2	12	5.1	7.3	8.7
Two-Seat - Four Chairs	25.6	16	6.8	9.2	11.6
Three-Seat - One Chair	7.6	5.5	2.6	3.4	2.9
Three-Seat - Two Chairs	15.2	11	4.6	6.4	5.8
Three-Seat - Three Chairs	22.8	16.5	7.2	9.8	8.7
Three-Seat - Four Chairs	30.4	22	9.2	12.8	11.6

Note: Some vinyls, leathers & upholsteries are not suitable for application on Cressida seating. Please refer to page 7 for C.O.M approval process.

ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$25 list per unit and \$49 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote - please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Cressida Lounge Option Upcharges	\$ List		\$ List	
Moisture Barrier (per yard)	49	One-Seat Removable Back Covers	116	
Push Bar	49	One-Seat Plus Removable Back Covers	174	
Caster Combination (2 legs & 2 rear casters)	116	Two-Seat Removable Back Covers	230	
Casters (set of 4)	174	Three-Seat Removable Back Covers	345	
One-Seat Removable Seat Covers	116	One-Seat - Bariatric Upgrade	70	
One-Seat Plus Removable Seat Covers	174	One-Seat Plus - Bariatric Upgrade	93	
Two-Seat Removable Seat Covers	230	Two-Seat - Bariatric Upgrade	152	
Three-Seat Removable Seat Covers	345	Three-Seat - Bariatric Upgrade	174	

NOTE: Bariatric Lounge is not available with caster options

		C	MO		COL	FABR	IC GRADE	S	LI	EATHER	
DESCRIPTION/MOD	DEL/SPECIES		1	2	3	4	5	6	7	8	9
	One-Seat, Armless CRE3-F1ALS1 n/	,	1193	1256	1331	1428	1538	1634	1743	1881	2019
	One-Seat, Open A CRE3-F1OPS1 Be		1372	1445	1515	1601	1715	1824	1932	2060	2202
		Arm with arm cleech, Maple 1 alette		1504	1572	1657	1772	1881	1990	2116	2260
		Arm seech, Maple 1 alette	1922	2047	2174	2352	2558	2736	2942	3201	3453
		Arm with arm seech, Maple 1 alette		2106	2231	2409	2615	2793	2999	3258	3510

ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$25 list per unit and \$49 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

All Cressida lounge are capable of being upgraded to Bariatric weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat – Open Arm = CRE3-F10PS1, to upgrade to Bariatric add a "B" = CRE3-FB10PS1

Cressida Lounge Option Upcharges	\$ List		\$ List	
Moisture Barrier (per yard)	49	One-Seat Removable Back Covers	116	
Push Bar	49	One-Seat Plus Removable Back Covers	174	
Caster Combination (2 legs & 2 rear casters)	116	Two-Seat Removable Back Covers	230	
Casters (set of 4)	174	Three-Seat Removable Back Covers	345	
One-Seat Removable Seat Covers	116	One-Seat - Bariatric Upgrade	70	
One-Seat Plus Removable Seat Covers	174	One-Seat Plus - Bariatric Upgrade	93	
Two-Seat Removable Seat Covers	230	Two-Seat - Bariatric Upgrade	152	
Three-Seat Removable Seat Covers	345	Three-Seat - Bariatric Upgrade	174	

NOTE: Bariatric Lounge is not available with caster options

Line	Series	Chair Style	Size	Arm Style	Leg Style
CRE Cressida	3 Lounge	Freestanding	1 One-Seat	ALS Armless	1 Legs
		FB Freestanding Bariatric	1.5 One-Seat Plus 2 Two-Seat	OPS Open Arm OPP Open Arm Polymer Arm Cap	Casters 3 Caster Combination 2 legs & 2 Rear Caster
			3 Three-Seat	CLS Closed Arm	
				CLP Closed Arm Polymer Arm Cap	

DESCRIPTION/MODE	L/SPECIES	COM 1	2	COL 3	FAE 4	RIC GRA	ADES 6	LEATHE 7	R 8	9
	One-Seat Plus, Armless CRE3-FB1.5ALS1 n/a	1262	1344	1427	1543	1676	1792	1925	2091	2257
	One-Seat Plus, Open Arm CRE3-FB1.5OPS1 Beech, Maple Palette One-Seat Plus, Open Arm with arm CRE3-FB1.5OPP1 Beech, Maple Palette	cap	1547 1605	1631 1689	1747 1805	1880 1937	1997 2061	2129 2187	2296 2354	2462 2519
	One-Seat Plus, Closed Arm CRE3-FB1.5CLS1 Beech, Maple Palette One-Seat Plus, Closed Arm with arr CRE3-FB1.5CLP1 Beech, Maple Palette	n cap	2152	2294 2352	2493 2550	2720 2777	2917 2975	3144 3202	3423 3481	3930

ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$25 list per unit and \$49 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote-please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

All Cressida lounge are capable of being upgraded to Bariatric weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat – Open Arm = CRE3-F10PS1, to upgrade to Bariatric add a "B" = CRE3-FB10PS1

Cressida Lounge Option Upcharges	\$ List		\$ List	
Moisture Barrier (per yard)	49	One-Seat Removable Back Covers	116	
Push Bar	49	One-Seat Plus Removable Back Covers	174	
Caster Combination (2 legs & 2 rear casters)	116	Two-Seat Removable Back Covers	230	
Casters (set of 4)	174	Three-Seat Removable Back Covers	345	
One-Seat Removable Seat Covers	116	One-Seat - Bariatric Upgrade	70	
One-Seat Plus Removable Seat Covers	174	One-Seat Plus - Bariatric Upgrade	93	
Two-Seat Removable Seat Covers	230	Two-Seat - Bariatric Upgrade	152	
Three-Seat Removable Seat Covers	345	Three-Seat - Bariatric Upgrade	174	

NOTE: Bariatric Lounge is not available with caster options

Line	Series	Chair Style	Size	Arm Style	Leg Style
CRE Cressida	3 Lounge	Freestanding	1 One-Seat	ALS Armless	1 Legs
		FB	1.5	OPS	2
		Freestanding	One-Seat Plus	Open Arm	Casters
		Bariatric	2	OPP	3
			Two-Seat	Open Arm Polymer Arm Cap	Caster Combination 2 legs & 2 Rear Casters
			3	CLS	
			Three-Seat	Closed Arm	
				CLP	
				Closed Arm	
				Polymer Arm Cap	

		СОМ	•	COL		RIC GRA		LEATHE		•
DESCRIPTION/MODEL/SPE	CIES	1	2	3	4	5	6	7	8	9
	wo-Seat, Armless CRE3-F2ALS1 n/a	1973	2077	2174	2323	2483	2627	2793	2994	3201
T	wo-Seat, Open Arm CRE3-F2OPS1 Beech, Maple Palette wo-Seat, Open Arm with arm ca CRE3-F2OPP1 Beech, Maple Palette	ар	2254 2312	2358 2414	2501 2558	2666 2724	2810 2867	2971 3028	3178 3234	3384
T	wo-Seat, Closed Arm CRE3-F2CLS1 Beech, Maple Palette wo-Seat, Closed Arm with arm CRE3-F2CLP1 Beech, Maple Palette	сар	2862 2918	3022	3246	3504 3561	3728 3785	3985 4043	4312 4371	4633 4691

ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$25 list per unit and \$49 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

All Cressida lounge are capable of being upgraded to Bariatric weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat – Open Arm = CRE3-F10PS1, to upgrade to Bariatric add a "B" = CRE3-FB10PS1

Cressida Lounge Option Upcharges	\$ List	\$ List		
Moisture Barrier (per yard)	49	One-Seat Removable Back Covers	116	
Push Bar	49	One-Seat Plus Removable Back Covers	174	
Caster Combination (2 legs & 2 rear casters)	116	Two-Seat Removable Back Covers	230	
Casters (set of 4)	174	Three-Seat Removable Back Covers	345	
One-Seat Removable Seat Covers	116	One-Seat - Bariatric Upgrade	70	
One-Seat Plus Removable Seat Covers	174	One-Seat Plus - Bariatric Upgrade	93	
Two-Seat Removable Seat Covers	230	Two-Seat - Bariatric Upgrade	152	
Three-Seat Removable Seat Covers	345	Three-Seat - Bariatric Upgrade	174	

NOTE: Bariatric Lounge is not available with caster options

PRODUCT CODE KEY

Line	Series	Chair Style	Size	Arm Style	Leg Style
CRE Cressida	3 Lounge	F Freestanding	1 One-Seat	ALS Armless	1 Legs
		FB Freestanding	1.5 One-Seat Plus	OPS Open Arm	2 Casters
		Bariatric	2 Two-Seat	OPP Open Arm	3 Caster Combination
			iwo ocat	Polymer Arm Cap	2 legs & 2 Rear Caste
			3	CLS	
			Three-Seat	Closed Arm	
				CLP	
				Closed Arm	

Polymer Arm Cap

DECODIDETION (MODEL /O	ADEOLEO	СОМ	0	COL	FABRIC GRADES			LEATHE	0	
DESCRIPTION/MODEL/S	Three-Seat, Armless CRE3-F3ALS1 n/a	2679	2822	2959	3155	3384	6 3579	3803	4083	9 4363
	Three-Seat, Open Arm CRE3-F3OPS1 Beech, Maple Palette	e 2862	2999	3143	3338	3561	3762	3985	4267	4547
	Three-Seat, Open Arm with arm CRE3-F3OPP1 Beech, Maple Palette		3056	3201	3338	3619	3819	4043	4324	4605
	Three-Seat, Closed Arm CRE3-F3CLS1 Beech, Maple Palette	e 3407	3607	3808	4083	4404	4685	5001	5402	5798
	Three-Seat, Closed Arm with arr CRE3-F3CLP1 Beech, Maple Palette		3665	3866	4141	4462	4742	5058	5458	5854

ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$25 list per unit and \$49 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

All Cressida lounge are capable of being upgraded to Bariatric weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat – Open Arm = CRE3-F10PS1, to upgrade to Bariatric add a "B" = CRE3-FB10PS1

Cressida Lounge Option Upcharges	\$ List		\$ List	
Moisture Barrier (per yard)	49	One-Seat Removable Back Covers	116	
Push Bar	49	One-Seat Plus Removable Back Covers	174	
Caster Combination (2 legs & 2 rear casters)	116	Two-Seat Removable Back Covers	230	
Casters (set of 4)	174	Three-Seat Removable Back Covers	345	
One-Seat Removable Seat Covers	116	One-Seat - Bariatric Upgrade	70	
One-Seat Plus Removable Seat Covers	174	One-Seat Plus - Bariatric Upgrade	93	
Two-Seat Removable Seat Covers	230	Two-Seat - Bariatric Upgrade	152	
Three-Seat Removable Seat Covers	345	Three-Seat - Bariatric Upgrade	174	

NOTE: Three-Seat Lounge is not available with caster options

Line	Series	Chair Style	Size	Arm Style	Leg Style
CRE Cressida	3 Lounge	F Freestanding	1 One-Seat	ALS Armless	1 Legs
		FB Freestanding	1.5 One-Seat Plus	OPS Open Arm	2 Casters
		Bariatric	2 Two-Seat	OPP Open Arm Polymer Arm Cap	Caster Combination 2 legs & 2 Rear Caste
			3 Three-Seat	CLS Closed Arm	
				CLP Closed Arm Polymer Arm Cap	

CRESSIDA | TABLET

DESCRIPTION	MODEL	SPECIES	PRICE	WEIGHT	CUBE
	Wood Tablet CRE3 T1	Beech/Maple	449	12	2
	Tablet with Palette Fin	ish			
	CRE3 T2	n/a	334	12	2
	White Solid Surface - CRE3 T3	Tablet n/a	540	15	2
	Laminate Tablet CRE3 T4	n/a	449	12	2
	ORDERING NOTES: be specified right or le		blet comes standard with a polymer edge. Pleas ig.	e note Cressida Table	ets need to

CRESSIDA | REPLACEMENT LOUNGE COMPONENTS

DESCRIPTION	MODEL	COM 1	2	COL 3	FAI 4	BRIC GF 5	RADES 6	7	LEATHE 8		WEIGHT	CUBE
LOUNGE	One-Seat Replacement Back CRE3-RB1	544	592	638	703	779	844	918	1013	1105	23	4.2
	One-Seat Plus Replacement Ba CRE3-RB1.5B	ack 616	665	713	781	858	926	1004	1102	1197	28	5.7
	Two-Seat Replacement Back CRE3-RB2	805	873	942	1040	1150	1246	1356	1495	1632	38	8.8
	Three-Seat Replacement Back CRE3-RB3		1164	1251	1373	1511	1632	1771	1946	2118	52	12
	One-Seat Replacement Back C CRE3-RBC1	Cover 221	266	313	377	453	518	594	687	781	2.0	1.0
	One-Seat Plus Replacement Ba CRE3-RBC1.5	ack Co 230	ver 279	326	395	473	541	618	716	812	2.5	1.2
	Two-Seat Replacement Back C CRE3-RBC2	over 306	375	445	541	650	748	858	996	1133	3.5	1.8
	Three-Seat Replacement Back CRE3-RBC3	Cover 352	440	528	648	787	910	1048	1222	1396	5.0	2.5
	One-Seat Replacement Seat CRE3-RS1	460	495	528	573	625	672	726	792	858	28	9.5
	One-Seat Plus Replacement Se CRE3-RS1.5	eat 596	639	680	740	807	866	934	1017	1102	35	12.0
	Two-Seat Replacement Seat CRE3-RS2	716	759	803	864	933	993	1062	1150	1236	53	18
	Three-Seat Replacement Seat CRE3-RS3	958	1024	1090	1184	1289	1381	1488	1622	1754	79	24
	One-Seat Replacement Seat C	over 159	192	226	271	325	371	426	491	557	2.0	1.0
	One-Seat Plus Replacement Se CRE3-RSC1.5	eat Cov 198	ver 239	282	341	408	467	534	619	703	2.5	1.2
	Two-Seat Replacement Seat Co CRE3-RSC2	over 210	255	298	360	428	488	558	645	731	3.5	1.8
	Three-Seat Replacement Seat CRE3-RSC3		335	401	495	599	692	800	933	1064	5.0	2.5
	Replacement Lounge Front Arm	n & Leg)									
	Open Arm CRE3-LROPS Beech, Maple Palette	141									4.0	1.3
	Open Arm Polymer Cap CRE3-LROPP Beech, Maple Palette	170										
	Replacement Closed Arm Pane CRE3-RCA Beech, Maple	309	346	383	434	495	545	605	680	753	20	3.8
6	Lounge Replacement Push-Bar CRE3-RPB	r 47									2	0.3

CRESSIDA | LOUNGE & TABLE REPLACEMENT COMPONENTS


DESCRIPTION	MODEL	PRICE	WEIGH [*]	TCUBE
	Replacement Polymer Arm Cap Black CRE3-RACB	30	1.0	0.5
	Replacement Polymer Arm Cap Grey CRE3-RACB	30		
*	Lounge Replacement Front Leg (for armles CRE3-RLAF*	ss version) 45	0.5	0.5
8**	Lounge Replacement Front Leg (for armles CRE3-RGAF**	ss version) Glide 15	0.1	0.2
*	Lounge Replacement Bariatric Center Leg CRE3-RLC*	41	0.5	0.5
**	Lounge Replacement Bariatric Center Leg CRE3-RCG**	Glide 18	0.5	0.5
*	Lounge Replacement Back Leg CRE3-RLB*	60	1.8	0.5
**	Lounge Replacement Glide CRE3-RGB**	16	0.1	0.2
0	Lounge Replacement Front Leg (for caster CRE3-RLCF*	r version) 41	0.5	0.5
**	Lounge Replacement Back Leg (for caster CRE3-RLCB**	r version) 41	0.5	0.5
	Replacement Casters Non-Locking CRE3-RC1*	57	.75	0.3
	Replacement Casters Locking CRE3-RC2**	57	.75	0.3
	Wood Tablet & Mounting Plate Only CRE3 RT1 Beech/Maple	303	5	0.32
	Tablet with Palette finish & Mounting Plate CRE3 RT2 n/a	Only 212	5	0.32
	Tablet & Mounting Plate Only - White Solid CRE3 RT3 n/a	Surface 272	7	0.32
	Laminate Tablet & Mounting Plate Only CRE3 RT4 n/a	303	5	0.32

LEYTON | LEED CI CREDIT SUMMARY

LEYTON



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 28.61%

POST-CONSUMER
RECYCLED CONTENT = 9.91%

Up to 8.81% of this Leyton product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Leyton products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.

AIR EMISSIONS


All Leyton products are supplied air-emissions certified. Contact customer service for information and upcharges.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Contact customer service for further information, pricing and leadtimes.

The mark of responsible forestry





LEYTON | FINISHES & FEATURES

WOOD FINISHES

Standard wood finishes are:

SPECIES FINISH

OAK Light Oak

SilverGrey on Oak Espresso Oak Harvest Oak Mahogany

MAPLE Clear Maple

Honey Maple Wheat Maple

Mellow oak

WALNUT Natural Walnut

SilverGrey on Walnut Regular Walnut Dark Walnut Cordovan Walnut

CHERRY Appalachian Cherry

American Cherry Imperial Cherry Sable Cherry Light Cherry Medium Cherry Natural Cherry Standard Cherry

ANIGRE Clear Anigre Medium Anigre

SYCAMORE Clear Sycamore

Please note Cherry, Anigre and Sycamore species require a minimum quantity order, of 5 units for seating and 5 units for tables, per species

units for tables, per species.

PALETTE Black

Black White Sand Soft Green Steel Blue Slate

VENEERS

Leyton veneers are quarter cut, except for White Oak, which is rift cut - both quarter cut and rift cut veneers provide a straight grain appearance. The grain direction of the veneers on vertical faces is horizontal.

NON-STANDARD VENEER SPECIES

In addition to range of standard wood species, Leyton can be made with virtually any commercially available veneers. Please contact customer service for information and pricing on wood species not included in Leyton's standard offering.

NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

CUSTOM WOOD FINISHES

Add 10% list to your order for special finishes, minimum upcharge is \$500 list per finish per order. (For example, on all orders up to \$5000 list, an upcharge of \$500 will apply, on orders \$5000 and up add 10% list to your order.)

For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules.

ENDURAGUARD FINISH

Leyton features the Krug finish, a proprietary catalyzed varnish formulation, that has repeatedly shown through independent laboratory testing to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors and is uniquely suited to the demands of high traffic environments.

IN-STOCK LAMINATE

Krug's in-stock laminates are available on Leyton Table surfaces in 4 solid laminate selections. Laminate surfaces are self-edged.

SOLID LAMINATES

Designer White - Platinum - Earth - Charcoal

LEYTON | FEATURES



ARM STYLE

Leyton features four design styles Upholstered Armless, Upholstered Full Arm, Wood Surround Armless and Wood Surround Full Arm.

Upholstered Armless



Upholstered Full Arm



Wood Surround Armless



Wood Surround Full Arm



LEGS

Leyton Lounge and Tables feature Polished Chrome structural steel legs with non-marring glides.

REPLACEABLE COMPONENTS

Leyton chairs are uniquely designed to allow major components to be field replaced, providing a very cost effective means to significally extend the life of the product. Seats, backs, arms and frames are field replaceable, with the only exceptions being the Upholstered Armless, Upholstered Full Arm and Upholstered Front Panel as it is one piece.

BARIATRIC WEIGHT CAPACITIES

All Leyton seating feature Bariatric Weight capacities.

One-Seat - 750lbs
One & Half-Seat - 750lbs
Two-Seat - 975lbs
Three-Seat - 1200lbs

Leyton has been tested to ANSI / BIFMA.

LEYTON | OPTIONS



OPTIONS Solid Surface Arm Cap

Leyton Lounge Full Arm version is available with an optional White Solid Surface arm cap for an upcharge of \$288 list per chair. The Solid Surface Arm Cap is field replaceable.



TABLET

Leyton Solid Surface tablet can be specified left or right as seated. The tablet can be used alone or with solid surface arm cap and is 1/2" thick.



CUP HOLDER

Durable and convenient, Leyton lounge is available with a Solid Surface cup holder. Cup holder option can be specified left or right as seated, alone or integrated with Solid Surface arm cap. Outside diameter is 4" and inside bottom diameter is 3 1/4".



PUSH BAR

This is an optional feature on Leyton One Seat lounge chairs, designed to assist caregiving staff in the movement and relocation of the chair. It is Silver Metallic in color and retractable for ease of use. The Push bar is field replaceable if necessary.



CASTERS

Optional on Leyton lounge chairs are four - 4" diameter soft wheel swivel locking casters, featuring a large, easy-access foot activation and release lever. The caster locks both directionally and rotationally, keeping the chair securely in place when locked. Note: lounge chairs with casters are not designed or intended as patient transport devices.



CLEAN OUT

Leyton lounge seating models have an optional built-in clean out feature: a space at the back of the seat that allows dirt debris and liquid to fall to the floor for easy clean up and maintenance - designed so that it does not detract from the comfort or appearance of the product. Clean Out option is available for an upcharge, see page 141.



UNDER-MOUNT POWER

The Under-mount Power unit provides dual power/ USB outlets for multiple devices. It can be located below seats and tables.

COMBINATION UPHOLSTERY

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$25 list per unit. When graded-in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote. Please note the Upholstered Arm and front panel are one piece and must be specified in the same fabric.

REMOVABLE COVERS & REPLACEMENT COMPONENTS

Optional Removeable covers (with the exception of the Upholstered Armless, Upholstered Full Arm and Front panel) can be quickly installed on Leyton products that were originally ordered with the Removable cover option. Replacement covers (with the exception of the Upholstered Armless, Full Upholstered Arm and front panel) can also be installed on Leyton products that were not originally ordered with the Removable cover option, with some simple staple removal. Please see page 139 for Removable covers upcharge.

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge, please see page 139.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$700 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

LEYTON | DIMENSIONS, COM REQUIREMENTS, MOISTURE BARRIER & OPTION UPCHARGES

DIMENSIONS									
	Overall	Overall	Overall	Seat Height	Height of	Width			
	Width	Depth	Height	min/max	Arms from	between	Seat	Shipping	
		-			Floor	Arms	Depth	Weight	Cube
LEY31UF	28.5	29.25	31	17.75	26.25	23.25	19.25	82	18.5
LEY31.5UF	35.5	29.25	31	17.75	26.25	30.25	19.25	107	25.2
LEY32UF	52	29.25	31	17.75	26.25	47	19.25	131	32.5
LEY33UF	75.75	29.25	31	17.75	26.25	70.5	19.25	179	46.5
LEY31UN	28.5	29.25	31	17.75	n/a	23.25	19.25	78	18.5
LEY31.5UN	35.5	29.25	31	17.75	n/a	30.25	19.25	103	25.2
LEY32UN	52	29.25	31	17.75	n/a	47	19.25	127	32.5
LEY33UN	75.75	29.25	31	17.75	n/a	70.5	19.25	175	46.5
LEY31WF	28.25	29.25	31	17.75	26.25	23.75	19.25	79	18.5
LEY31.5WF	35.25	29.25	31	17.75	26.25	30.25	19.25	104	25.2
LEY32WF	51.75	29.25	31	17.75	26.25	47.25	19.25	128	32.5
LEY33WF	75.5	29.25	31	17.75	26.25	71	19.25	176	46.5
LEY31WN	28.25	29.25	31	17.75	n/a	23.75	19.25	75	18.5
LEY31.5WN	35.25	29.25	31	17.75	n/a	30.25	19.25	100	25.2
LEY32WN	51.75	29.25	31	17.75	n/a	47.25	19.25	124	32.5
LEY33WN	75.5	29.25	31	17.75	n/a	71	19.25	172	46.5

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

COM YARDAGE REQUIREMENTS

	Fully	Wood				Armless		Full body
	Upholstered (Complete Unit)	Surround (Seat and Back only)	Seat Cushion only (Wood or Full Uph)	Back Cushion only (Wood or Full Uph)	Full Arm & front panel (Pair)	panel & front panel (pair)	Back Panel only	with arm, Front panel & Back panel
One-Seat - O	ne Chair							
Armless	3.75	1.6	0.9	0.8		1.75	.75	2.5
Full Arm	4.6	1.6	0.9	0.8	2.6		.75	3.35
One & Half-Se	eat - One Chair							
Armless	5.2	2.3	1.3	1		2.1	.75	2.85
Full Arm	5.7	2.3	1.3	1	2.6		.75	3.35
Two-Seat - O	ne Chair							
Armless	5.7	3	1.5	1.5		2	.75	2.75
Full Arm	6.3	3	1.5	1.5	2.6		.75	3.35
Three-Seat -	One Chair							
Armless	8	4.6	2.4	2.2		2.3	1.5	3.8
Full Arm	8.7	4.6	2.4	2.2	3		1.5	4.5

COM APPROVAL PROCESS:

The approval process is as follows:

- 1. A sample of the COM fabric must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric will be inspected when received at the factory to identify any further concerns with its suitability.

CAL 133 MOISTURE BARRIER

Model	Upcharge	Model	Upcharge	Model	Upcharge	Model	Upcharge	
LEY31UN	\$226	LEY32UN	\$333	LEY31.5UN	\$293	LEY33UN	\$564	
LEY31UF	281	LEY32UF	390	LEY31.5UF	364	LEY33UF	618	
LEY31WN	103	LEY32WN	159	LEY31.5WN	134	LEY33WN	349	
LEY31WF	103	LEY32WF	159	LEY31.5WF	134	LEY33WF	349	

Leyton Option Upcharges	\$ List	Seat & Back Cover Upcharges	\$ List	
White Solid Surface Arm Cap	288	One-Seat Removable Seat Covers	116	
One-Seat Clean out	36	One & Half-Seat Removable Seat Covers	161	
One & Half-Seat Clean out	52	Two-Seat Removable Seat Covers	230	
Two-Seat Clean out	70	Three-Seat Removable Seat Cover	345	
Three-Seat Clean out	104	Seat or Back Cover only Upcharges		
White Solid surface tablet & arm cap	738	One-Seat	59	
White Solid surface tablet	465	One & Half-Seat	81	
Casters	137	Two-Seat	116	
Casters with Pushbar	355	Three-Seat	174	

LEYTON

DESCRIPTION/MODEL/S	SPECIES		COM 1	1 2	COL 3	. FA	ABRIC GI 5	RADES 6	7	LEATH 8	ER 9
	One-seat, Upho LEY31NUN	olstered, Armless N/A	1566	1664	1756	1887	2042	2174	2323	2512	2701
	One-seat, Upho LEY31NUF	olstered, Full Arm N/A	1664	1824	1973	2192	2438	2656	2903	3206	3521
		OTE: Leyton Lour									
	,	d Surround, Arml	ess								
	LEY31NPN LEY31NWN	Palette Oak, Maple Walnut,	1939 1939	1979 1979	2025 2025	2083 2083	2146 2146	2202 2202	2265 2265	2352 2352	2432 2432
		Cherry, Anigre Sycamore,	2340	2381	2426	2483	2547	2604	2666	2753	2833
	ORDERING No units per specie	OTE: Please note es.	Cherry	, Anigre a	and Sycai	more spe	ecies requ	uire a min	imum qu	antity ord	er of 5
	One-seat, Woo LEY31NPF LEY31NWF	d Surround, Full A Palette Oak, Maple Walnut, Palette	Arm 1922 1922	1962 1962	2002 2002	2060 2060	2125 2125	2184 2184	2249 2249	2329 2329	2409 2409
		Cherry, Anigre Sycamore,	2323	2363	2403	2461	2526	2587	2651	2729	2810

ORDERING NOTE: Leyton Lounge is available with an optional White Solid Surface Arm Cap for an upcharge of **\$288 list** per chair and add an "S" to the end of the model number following the Arm Style. eg. LEY31NUFS Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

ORDERING NOTES: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge of; \$36 for 1 seat, \$52 for 1 1/2 seat, \$70 for 2 seat and \$104 for 3 seat. (eg. LEY31<u>N</u>WN changes to LEY31<u>C</u>WN). See page 138 for additional Leyton options.

LEYTON LOUNGE PRODUCT CODE KEY

Line	Series	Seat Count	Clean Out	Arm Style	Arm Cap Option (Full Arm Only)
LEY Leyton	3 Soft Seating	1 One-Seat	N No Clean Out	UF Upholstered Full Arm	S Solid Surface
		1.5	С	UN	Full Arm Cap
		One & Half-Seat	Clean Out	Upholstered Armless	
		2		WF	
		Two-Seat		Wood Surround Full Arm	
		3		WN	
		Three-Seat		Wood Surround Armless	
				PF	
			P	allet Finish Surround Full Arm	1
				PN	
			P	allet Finish Surround Armless	i

DESCRIPTION/MODEL		SPECIES	COM 1	1 2	COL 3	FAI 4	BRIC GR 5	ADES 6	7	LEATHEF 8	9
	One & Half-sea LEY31.5NUN	at, Upholstered, A		2150	2288	2483	2706	2901	3123	3400	3679
		at, Upholstered, F N/A	Full Arm 2112	2251	2389	2585	2806	3001	3225	3502	3780
		: Leyton Lounge hair and add an "									
	One & Half-sea LEY31.5NPN LEY31.5NWN	at, Wood Surroun Palette Oak, Maple Walnut, Palette	d Armle: 2304 2304	sss 2380 2380	2453 2453	2556 2556	2675 2675	2779 2779	2897 2897	3045 3045	3194 3194
		Cherry, Anigre Sycamore	2705	2778	2852	2956	3075	3179	3297	3446	3594
	Ordering Note per species.	: Please note Ch	erry, Ani	igre and S	Sycamore	e species	require a	a minimu	m quantii	ty order o	f 5 units
	One & Half-sea LEY31.5NPF LEY31.5NWF	at, Wood Surroun Palette Oak, Maple Walnut, Palette	d Full Ar 2286 2286	rm 2361 2361	2435 2435	2538 2538	2657 2657	2761 2761	2880 2880	3027 3027	3176 3176
		Cherry, Anigre Sycamore	2687	2760	2834	2937	3056	3160	3280	3427	3575

Ordering Note: Leyton Lounge is available with an optional White Solid Surface Arm Cap for an upcharge of **\$288 list** per chair and add an "S" to the end of the model number following the Arm Style. eg. LEY31NUF<u>S</u> Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

ORDERING NOTES: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge of; \$36 for 1 seat, \$52 for 1 1/2 seat, \$70 for 2 seat and \$104 for 3 seat. (eg. LEY31 NWN changes to LEY31 CWN). See page 138 for additional Leyton options.

LEYTON LOUNGE PRODUCT CODE KEY

Line	Series	Seat Count	Clean Out	Arm Style	Arm Cap Option (Full Arm Only)
LEY Leyton	3 Soft Seating	1 One-Seat	N No Clean Out	UF Upholstered Full Arm	Solid Surface
		1.5	С	UN	Full Arm Cap
		One & Half-Seat	Clean Out	Upholstered Armless	
		2		WF	
		Two-Seat		Wood Surround Full Arm	
		3		WN	
		Three-Seat		Wood Surround Armless	
				PF	
			P	allet Finish Surround Full Arm	1
				PN	
			P	allet Finish Surround Armless	3

LEYTON

			СОМ		COL	FABF	RIC GRAI	DES	L	EATHER	
DESCRIPTION/MODEL	_	SPECIES	1	2	3	4	5	6	7	8	9
	Two-seat, Uph LEY32NUN	olstered, Armless N/A	2512	2656	2793	2988	3206	3407	3624	3904	4181
	LEY32NUF	olstered, Full Arm N/A	2615	2804	2994	3258	3561	3826	4129	4508	4885
		e: Leyton Lounge is nd add an "S" to tl									je of \$288
	Two-seat, Woo	d Surround Armle	SSS								
	LEY32NPN LEY32NWN	Palette Oak, Maple Walnut, Palette	2742 2742	2817 2817	2896 2896	2999 2999	3125 3125	3234 3234	3354 3354	3510 3510	3659 3659
		Cherry, Anigre Sycamore	3201	3274	3354	3458	3584	3693	3813	3968	4118
	Ordering Note species.	e: Please note Che	rry, Anigı	re and Sy	/camore s	species re	equire a i	minimum	quantity	order of 5	units per
	Two-seat, Woo LEY32NPF LEY32NWF	od Surround Full Ar Palette Oak, Maple Walnut, Palette	m 2724 2724	2799 2799	2880 2880	2982 2982	3115 3115	3217 3217	3354 3354	3486 3486	3642 3642

Ordering Note: Leyton Lounge is available with an optional White Solid Surface Arm Cap for an upcharge of **\$288 list** per chair and add an "S" to the end of the model number following the Arm Style. eg. LEY31NUF<u>S</u> Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

3338

3440

3573

3675

3813

3945

4101


ORDERING NOTES: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge of; \$36 for 1 seat, \$52 for 1 1/2 seat, \$70 for 2 seat and \$104 for 3 seat. (eg. LEY31<u>N</u>WN changes to LEY31<u>C</u>WN). See page 138 for additional Leyton options.

3183 3258

Cherry, Anigre,

Sycamore

LEYTON LOUNGE PRODUCT CODE KEY



DECODIDETION (MODE)		0050150	COM	0	COL		ABRIC G		7	LEATHE	
DESCRIPTION/MODEL		SPECIES	1	2	3	4	5	6	7	8	9
	Three-seat, Up LEY33NUN	oholstered, Armle N/A	ss 3338	3510	3665	3904	4174	4409	4674	5006	5339
	Three-seat, Up LEY33NUF	pholstered, Full Ai N/A	m 3418	3624	3826	4111	4439	4725	5051	5458	5866
		e: Leyton Lounge chair and add an "									
	Three-seat, W LEY3NPN LEY33NWN	ood Surround, Ar Palette Oak, Maple Walnut, Palette	mless 3579 3579	3699 3699	3808 3808	3980 3980	4164 4164	4330 4330	4519 4519	4754 4754	4989 4989
		Cherry, Anigre Sycamore	4094	4215	4324	4496	4679	4845	5035	5269	5505
Ţ	Ordering Note per species.	e: Please note Ch	erry, An	igre and	Sycamore	e species	require	a minimu	m quanti	ty order o	f 5 units
	Three-seat, Wo LEY3NPF LEY33NWF	ood Surround, Fu Palette Oak, Maple Walnut, Palette	II Arm 3561 3561	3682 3682	3803 3803	3963 3963	4152 4152	4312 4312	4501 4501	4737 4737	4972 4972
		Cherry, Anigre, Sycamore	4078	4197	4318	4478	4668	4828	5017	5253	5487

Ordering Note: Leyton Lounge is available with an optional White Solid Surface Arm Cap for an upcharge of \$288 list per chair and add an "S" to the end of the model number following the Arm Style. eg. LEY31NUFS Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

ORDERING NOTES: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge of; \$36 for 1 seat, \$52 for 1 1/2 seat, \$70 for 2 seat and \$104 for 3 seat. (eg. LEY31 NWN changes to LEY31 CWN). See page 138 for additional Leyton options.

LEYTON LOUNGE PRODUCT CODE KEY

Line	Series	Seat Count	Clean Out	Arm Style	Arm Cap Option (Full Arm Only)
LEY Leyton	3 Soft Seating	1 One-Seat	N No Clean Out	UF Upholstered Full Arm	S Solid Surface
		1.5	С	UN	Full Arm Cap
		One & Half-Seat	Clean Out	Upholstered Armless	
		2		WF	
		Two-Seat		Wood Surround Full Arm	
		3		WN	
		Three-Seat		Wood Surround Armless	
			_	PF	
			Р	allet Finish Surround Full Arm	
				PN	
			P	Pallet Finish Surround Armless	

LEYTON | REPLACEMENT COMPONENTS

DESCRIPTION	MODEL	COM 1	2	COL 3	FAB 4	RIC GR	ADES 6	LI 7	EATHE 8	ER 9	WEIGHTS	CLIBES
DECOMM FICH	Replacement Back LEY3RB		389	407	434	464	491	523	560	598	12	3.5
	One & Half-Seat Re LEY3R1.5B	eplacen 401	nent Back 427	452	486	525	560	599	648	699	15	4.5
	Replacement Seat LEY3RS	530	553	576	607	644	676	713	759	805	11	2.5
	One & Half-Seat Re LEY3R1.5S	eplacen 609	nent Seat 642	676	724	779	826	880	948	1016	14	4
	Replacement Back LEY3RBC	Cover 191	212	230	258	289	315	346	385	423	1	0.75
	One & Half-Seat Re LEY3R1.5BC	eplacen 217	nent Back 243	Cover 267	303	342	376	416	465	515	1.25	1
	Replacement Seat LEY3RSC	Cover 192	214	236	267	301	332	367	410	454	1.25	0.75
	One & Half-Seat Re LEY3R1.5SC	eplacen 243	nent Seat 277	Cover 311	359	413	459	510	582	649	1.5	1
	One-Seat - Replace LEY3R1OBPU	ement l 187	Jpholster 207	ed Outs 226	ide Bac 254	k Panel 284	311	342	380	418	10	1.5
	One-Seat - Replace LEY3R1OBPUPB	ement l 198	Jpholster 215	ed Outs 235	ide Bac 261	k Panel 292	for Pus 319	sh bar op 349	otion 389	427	10	1.5
	One & Half-Seat - F LEY3R1.5OBPU	Replace 208	ement Up 228	holstere 245	d Outsid 273	de Back 305	Panel 331	363	399	437	13	2.5
	One & Half-Seat - F LEY3R1.5OBPUPE		ement Up 236	holstere 256	d Outsid 282	de Back 313	Panel 340	for Push 370	bar o 408	ption 447	13	2.5
	Two-Seat - Replace LEY3R2OBPU	ement U 240	Jpholster 260	ed Outsi 279	ide Bac 306	k Panel 335	364	394	432	470	19	3.5
	Three-Seat - Repla LEY3R3OBPU	cement 317	Upholste 353	ered Out 393	tside Ba 446	ick Pane 508	el 561	622	699	776	28	5

LEYTON | REPLACEMENT COMPONENTS

DESCRIPTION	MODEL	OAK MAPLE WALNUT PALETTE	CHERRY ANIGRE SYCAMORE	WEIGHTS	CUBES
	One-Seat - Replacement Wood Outside Back LEY3R10BPW	k Panel 255	303	10	1.5
	One-Seat - Replacement Wood Outside Back LEY3R10BPWPB	k Panel for P 268	ush bar option 317	10	1.5
	One & Half-Seat - Replacement Wood Outsic LEY3R1.50BPW	de Back Pane 313	el 386	13	2.5
	One & Half-Seat - Replacement Wood Outsic LEY3R1.50BPWPB	de Back Pane 326	el for Push bar option 398	13	2.5
	Two-Seat - Replacement Wood Outside Back LEY3R2OBPW	k Panel 350	445	19	3.5
	Three-Seat - Replacement Wood Outside Bac LEY3R3OBPW	ck Panel 382	524	28	5
	One-Seat - Replacement Wood Front Panel				
	LEY3R1FP	172	197	4	0.75
	One & Half-Seat - Replacement Wood Front LEY3R1.5FP	Panel 197	212	5	1
	Two-Seat - Replacement Wood Front Panel LEY3R2FP	219	267	6	1.25
	Three-Seat - Replacement Wood Front Panel LEY3R3FP	243	315	8	2
	Replacement Wood Surround Full Arm with a LEY3RWFLL LEY3RWFLR	arm cap (Left 464	, right specified as seated 626	30	1.5
	Replacement Wood Surround Full Arm with c LEY3RWFCL LEY3RWFCR	caster (Left, r 586	ight specified as seated 749	30	1.5
	Replacement Wood Surround Full Arm with of LEY3RWFCHL LEY3RWFCHR	cup holder (L 601	eft, right specified as seated 764	30	1.5
	Replacement Wood Surround Full Arm with In LEY3RWFICHL LEY3RWFICHR	ntegrated cu 624	p holder (Left, right specified 787	d as seated 30	1.5
	Replacement Wood Surround Full Arm Tablet LEY3RWFTL LEY3RWFTR	t (Left, right s 669	specified as seated 832	30	1.5
	Replacement Wood Surround Full Arm Integr LEY3RWFITL LEY3RWFITR	rated Tablet (750	Left, right specified as seate 913	ed 30	1.5
	Replacement Wood Surround Armless (Left, LEY3RWNLL LEY3RWNLR	right specifie 473	d as seated 635	26	1.5
	Replacement Wood Surround Armless with c LEY3RWNCL LEY3RWNCR	asters (Left, 594	right specified as seated 755	26	1.5

LEYTON | REPLACEMENT COMPONENTS

DESCRIPTION	MODEL	PRICE	WEIGHTS	CUBES
	One-Seat Replacement Leg set (pa LEY3R1L	ir) 137	8	1.25
	One & Half-Seat Replacement Leg : LEY3R1.5L	set (pair) 163	10	1.5
	Two-Seat Replacement Leg set (pai LEY3R2L	ir) 181	13	2.5
Ų	Three-Seat Replacement Leg set (p LEY3R3L	air) 272	22	3
	Push bar - One-Seat LEY3RPB-1	54	2.0	1.8
	Push bar - One & Half-Seat LEY3RPB-1.5	60	2.5	2.0
	Push bar Grommet (pair) LEY3RPBG	8	.2	.1
	Note: Pushbar option is available o	n One-Seat and One & Half-Seat only.		
	Replacement Tablet with Mounting LEY3RT	Plate - White Solid Surface 416	5.0	.7
	Replacement Arm Cap - White Solid LEY3TAC	d Surface (to be used with tablet) 75	1.0	.3
	Replacement Arm Cap - White Solid LEY3RAC	d Surface 133	1	.25
	Ordering Note: Please note Replace the White Solid Surface Arm Cap of	cement Arm Cap can only be installed on potion.	oroduct orignally o	rdered with
	Replacement Integrated cup holder	with Arm Cap - White - Solid Surface		
	LEY3RICH	288	1.2	.4
	Replacement Cup Holder - White S LEY3RCH	olid Surface 151	.5	.2
	Caster LEY3RC	62	3.4	0.2
	Replacement Glides - Lounge & Tab LEY3RG	ole (set of four) 15	1	.25
	LEY3-POWERDOC - Undermount	435	3	0.375
pm pm G		side of Seats and Tables as a replacement oc. Standard with 2 Power and 2 USB out		I on units not



8% Fabric 8% Cardboard 20% Urethane Foam 9% Aluminum 18% Steel 37% Plywood

PRE-CONSUMER
RECYCLED CONTENT = 6%

POST-CONSUMER
RECYCLED CONTENT = 12.12%

Up to 35.11% of Zola Modular product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



The mark of responsible forestry

AIR EMISSIONS

All Zola products are supplied air-emissions certified. Contact customer service for information.

FSC®


In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Contact customer service for further information, pricing and leadtimes.




Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.


ZOLA'S RECONFIGURABILITY

Zola is designed to enable change: components are inter-changeable, reconfigurable, and replaceable. Metal to metal bracketry and frames are designed for fast, easy reconfiguring, and new components can be added at any time. Its unique leveller provides exceptional levelling capability over large spans, and on uneven floors. Heavy duty casters provide seating with mobility. Each of the 6 sample configurations shown here use exactly the same components - highlighting Zola Modular has the ability to reconfigure again and again, in a myriad of different ways. Joining bracketry is underneath seats and backs, so no surfaces are marred or damaged when connected, and re-connected.





SAMPLE CONFIGURATIONS & PRICING







Model	Qty	Price (\$) Beech	
ZOL3 M1201	5	1049	
ZOL3 MS11	1	664	
ZOL4 LKM12	1	753	
ZOL4 LKE18	1	838	
ZOL4 LKC90	1	977	
ZOL4 241815	1	905	
,			
Total List	,	\$9,382	





Model	Qty.	Price (\$)	
ZOL3 MS2F1	2	1082	
ZOL4 LKM18	2	796	
ZOL3 M1101	2	1157	
ZOL3 MCIS90D	2	2656	
ZOL3 M2101	2	2024	
ZOL4 LKC90X2	1	1941	
Total List	\$	17,371	





Model	Qty.	Price (\$)	
ZOL3 MS11	2	664	
ZOL3 MS21	2	928	
ZOL4 LKC90	2	977	
ZOL4 LKM18	2	796	
Total List	\$	6,730	

ZOLA SEAM LOCATIONS

Due to the curved geometry of the upholstered backs, vertical seams are necessary for quality tailoring of the unit. Patterned Fabrics with "Distinctive details" - such as stripes, squares, straight lines and/or large details, will have noticeable changes in regards to the alignment of the patterns. 90 Degree units -both inside and outside curves are most noticeable. 60, 45 and 30 degree are also subject to this.

Approximate Dimensional Distortions on Patterns:

	Inside Curve	Outside Curve
30 Deg	1 1/2"	1"
45 Deg	2"	11/2"
60 Deg	2 1/2"	2"
90 Deg	3"	2 1/2"


Inside Curve


Showing colliding stripes at the lumbar portion of the back, and opening stripes at the top and bottom.



Outside Curve

Showing colliding stripes at the upper and lower portion of the back, with opening stripes at the lumbar.








Above photo indicates location of seam.

ZOLA | FEATURES & OPTIONS



REPLACEABILITY

Zola is built to last: its heavy-duty structure is designed for intensive use environments. When any component is damaged or degraded, it can be easily changed out on its own, instead of having to replace or repair an entire unit. Along with its use of recycled and recyclable materials, the replaceability of components means Zola can provide exceptional long term value, and be an investment in sustainability.



Zola is designed to enable change: components are inter-changeable, reconfigurable, and replaceable. Metal to metal bracketry is designed for fast, easy reconfiguring, that does not damage or degrade the product, and new components can be added and added with ease. Both backs and arms can be reconfigured to either side of the unit. Its unique leveller provides exceptional leveling capability over large spans, and on uneven floors. Heavy duty casters provide seating with mobility.



INTENSIVE USE ENVIRONMENTS

Zola has been designed for healthcare and other intensive use environments, with some important features: removable and replaceable upholstery covers, an anti-microbial finish, the option of a urethane arm cap and a standard clean-out between the seat and back. Modular construction allows for complete cleaning and disinfecting of the entire unit, and air emissions certification, make Zola an excellent solution for healthy spaces and caregiving environments. Bariatric sizes are included in the offering.



ZOLA LOUNGE & ZOLA MODULAR COMPARISON

Zola Lounge chairs are pre-assembled at Krug and cannot be reconfigured into Modular units. Arms and backs cannot be removed from the seat. Please see page 157 for Modular offering. Zola Lounge chairs cannot be used in conjunction with Zola Linking Tables.



WALL SAVER

The angle of the Zola Lounge back is designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the room. Zola upholstered chairs are built with a 1/2" clearance between the top of the back and the wall for the wall saver design. Please note wall saver is not a feature on the wood back versions.



CLEAN OUT

Zola Lounge chairs have a built-in clean out feature: a space at the back of the seat that allows dirt and debris to fall to the floor for easy clean up and maintenance. The clean out feature was designed so that it does not detract from the comfort or appearance of the product.



LEGS

The legs offered on Zola Lounge are silver metallic and come standard with glides that are adjustable up to 1.25", which provide leveling capability over longer spans.



ASTERS

Optional on the Zola Lounge are the choice of: a) Four - 3 $\,$ 1/4" dia hard wheel casters, consisting of two non braking on the front, and two braking on the back. Braking casters have a large , easy access foot activation lever.

b) Two non braking casters on the back, and two legs on the front. Casters are NOT available on the Bariatric product(s)



LINKING BRACKET


Seat-to-Seat

The Zola seat-to-seat linking bracket is made of sturdy, powder-coated steel construction in a black finish. This linking bracket is fastened with metal to metal connections from the seat to another seat with hardened steel bolts to ensure exceptional durability and strength. Brackets mount underneath, and do not mar or damage the tables or seats. This feature is not available on the Lounge version.



URETHANE ARM CAP

The optional urethane arm cap provides enhanced durability and protection for the arms. Urethane arm caps are available in two color options; Grey and Taupe. The urethane arm cap is field replaceable if damaged or degraded with the assistance of a skilled upholsterer.



Zola wood backs & tables wood surfaces come with an anti-microbial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria



FINISH DURABILITY

The Krug Enduraguard finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.



COMBINATION UPHOLSTERY

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$25 list per unit and \$49 list per unit for three fabrics will be applied. When graded-in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)



FULL DEPTH BENCHES

Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.

WEIGHT CAPACITIES

Zola weight capacities are as follows:

One-seat (Straight or curved) - 300 lbs
One-seat bariatric - 750 lbs
Two-seat (Straight or curved) - 525lbs
Two-seat bariatric - 975 lbs
Three-seat - 750 lbs
Three-seat bariatric - 1150 lbs

ZOLA | FEATURES & OPTIONS



TABLETS

Optional Tablets are available on the Zola Lounge & Modular in veneer, glass, high pressure laminate and palette finishes. The Zola tablet can be fastened to the Zola Lounge & Modular chairs by the Universal Tablet Mount (mounted left or right), to existing legs and features an elliptical shape of 16 1/2" x 11 1/2" x 3/4" in size. The Zola Tablet has a turning radius of 360 degrees, which accommodates any worksurface angle. See page 234.



LINKING BRACKETS Table to Seat Bracket

The Zola table to seat bracket is made of sturdy, powder-coated steel construction in a silver metallic finish to match the legs and casters. This linking bracket is fastened with metal to metal connections from the seat to the table with hardened steel bolts to ensure exceptional durability and strength. Brackets mount underneath, and do not mar or damage the tables or seats. This feature is not available on the Lounge version.



TABLES MATERIALS OPTION

Tables are available in veneer, plastic laminate, and Palette finishes - and an optional White Solid Surface top. Tables feature leveling glides on every leg. See page 250.



SOLID SURFACE TOPS

The Solid Surface Top option features Solid Surface material: composed of minerals, acrylic resins and colors, it is a non-porous, scratch and dent-resistant material that does not stain, and does not allow microbes and bacteria to penetrate the surface. Color is throughout the material, so surface scratches are not as visible.



LINKING TABLES

Zola Linking Tables can be fastened in the field to Zola Modular and Zola Benches with the table to seat bracket without compromising the upholstery. Zola Middle tables have the ability to be easily reconfigured, as they are universal and non-handed. They can be moved to a reverse position in almost any configuration to provide a high level of flexibility when specifying.



POWER

The flush-mounted Power unit provides dual power/USB outlets for multiple devices. It can be located on either side of the seat, seat front, (not available on curved fronts) as well as on the front face of tables as standard. See page 168 for locations and page 210 for pricing.



UNDER-MOUNT POWER

The Under-mount Power unit provides dual power/USB outlets for multiple devices. It can be located below seats and tables. See page 210 for pricing.

REPLACEMENT UPHOLSTERY COVERS

Replacement upholstery covers can be easily fitted onto Zola Modular components (with the exception of Zola Curve backs) originally ordered with Removable Upholstery Covers. It is possible to use replacement covers on modular components originally ordered with standard upholstery covers, but this requires some removal of staples and other basic upholstery. Please note that the tailoring of replacement upholstery covers can be less exact and refined in appearance as original upholstery.

REMOVABLE UPHOLSTERY COVERS

Removable Upholstery Covers are available on most Zola Modular upholstered components, (with the exception of Zola Curve backs) at an upcharge. This feature allows for upholstery covers to be cleaned and disinfected, and allows them to be field-replaced with replacement upholstery covers. Please note that the tailoring of Removable Upholstery Covers can be less exact and refined in appearance than standard upholstery. Please see page 157 for the Removable Upholstery Covers upcharges.

Replacement and removeable covers, (supplied with Velcro) will tailor differently than the permanently stapled upholstery. Overall form and fit is identical, however minor dimensional build up due to the thickness of the velcro can occur. The velcro fastening build up is directed to the least noticeable face (usually the bottom edge of a component) where ever possible.

MOISTURE BARRIER & CAL 133

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$700 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks.

Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information. CAL 133 and Moisture Barrier is available for \$49 list per yard.

DIMENSIONS

					Height of	Width			
	Overall	Overall	Overall	Seat	Arms From	Between	Seat	Shipping	
	Width	Depth	Height	Height	Floor	Arms	Depth	Weight	Cubes
One-seat	29.25	27	34	18.5	26.75	23	19.25	67	21.5
Two-seat	52.25	27	34	18.5	26.75	46	19.25	90	38
Three-seat	75.25	27	34	18.5	26.75	69	19.25	116	54.5
One-seat (Bariatric)	36.25	27	34	18.5	26.75	30	19.25	72	22.6

COM YARDAGES (Lounge Product Only Available with Arms)

	COM	COM	COM	COM
	Entire	2 Entire	3 Entire	4 Entire
	Unit	Units	Units	Units
One-seat	4	7.25	11.5	14.5
Two-seat	5.5	11	16	21.70
Three-seat	7.1	13.25	19	28
One-seat (Bariatric)	4.5	9	13.5	18

COM YARDAGES (Individual Components)

	COM	COM	COM	COM	COM	COM	COM
	Yardage	Yardage Per	Yardage Per	Yardage Per	Yardage	Yardage Per	Yardage Per
	Per Seat	2 Seats	3 Seats	4 Seats	Per Back	2 Backs	3 Backs
One-seat	1.25	2.1	3.35	4.2	1.75	2.75	3.5
Two-seat	1.75	3.4	5.1	6.5	2.5	4.54	6.08
Three-seat	2.5	4.6	7	9	3.5	6.25	9
One-seat (Bariatric)	1.25	2.5	3.75	5	1.75	3.5	5.25

COM YARDAGES (Individual Components)

	COM	COM	COM	COM	COM				
)	Yardage Per	Yardage	Yardage Per	Yardage Per	Yardage Per				
	4 Backs	Per Arm	2 Arms	3 Arms	4 Arms				
One-seat	5.25	1.5	1.90	2.61	3.3				
Two-seat	8.5	1.5	1.90	2.61	3.3				
Three-seat	12.5	1.5	1.90	2.61	3.3				
One-seat (Bariatric)	7	1.5	1.90	2.61	3.3				

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

- 5 Units = Take the yardage for 4 units and add the yardage for 1 unit
- 6 Units = Take the yardage for 4 units and add the yardage for 2 units
- 7 Units = Take the yardage for 4 units and add the yardage for 3 units
- 8 Units = Take the yardage for 4 units and multiple by 2
- 9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit
- 10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units
- 20 Units = Take the yardage for 4 units, multiply by 5
- 67 Units = Take the yardage for 4 units, multiply by 16, add yardage for 3 units

COMBINATION UPHOLSTERY

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$25 list per unit and \$49 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)

ORDERING NOTES:

Please note, Zola Lounge chairs are pre-assembled at Krug and cannot be reconfigured into Modular units. Arms and backs cannot be removed from the seat. Please see page 157 for Modular offering. Zola Lounge chairs cannot be used in conjunction with Zola Linking Tables. Zola Bariatric Lounge Two-Seats and Three-Seats units have the same dimensions as the Regular Lounge Two-Seats and Three-seats. Zola Lounge chairs are not available with replacement components or covers. These options are only available on the Modular product.

FEATURES: For a complete listing of features see page 153.

ZOLA | LOUNGE

DECODIDEION /MODI	F1	COM	0	COL		BRIC GRA		7	LEATHER	
DESCRIPTION/MODI	EL	ı	2	3	4	5	6	7	8	9
	One-Seat ZOL3 F1111	1662	1753	1843	2000	2156	2313	2470	2501	2854
	Two-Seat ZOL3 F2111	2456	2572	2680	2848	3017	3185	3353	3522	3787
	Three-seat ZOL3 F3111	3336	3505	3673	4010	4349	4685	5022	5360	5937

ZOLA | BARIATRIC LOUNGE

		COM		COL	F	ABRIC GRA	ADES		LEATHE	R
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9
	One-seat Bariatric ZOL3 FB1111	1843	1932	2024	2180	2337	2494	2651	2806	3035
	NOTE: One-seat Bariatric is	30" wide	e betweer	arms.						
	Two-Seat Bariatric ZOL3 FB2111	2524	2638	2746	2914	3082	3252	3420	3588	3854
	NOTE: The Two-Seat Baria	tric come	s standar	d with a fif	th leg for e	extra supp	ort.			
	Three-Seat Bariatric ZOL3 FB3111	3415	3583	3752	4088	4426	4763	5099	5437	6015

NOTE: The Three-Seater Bariatric comes standard with a fifth leg for extra support.

ORDERING NOTES

Zola Lounge Seating is available with 4 casters, for an upcharge of \$81 list per chair. Please add a '2' at the end of the model number for casters ie; ZOL3 F1112. Zola Lounge Seating is available with 2 legs and 2 casters version, for an upcharge of \$59 list per chair. Please add a '3' at the end of the model number for leg/caster version ie; ZOL3 F1113. Please note, bariatric versions are not available with either of these options. All units are shipped with legs detached.

Zola Lounge Seating is available with the option of Urethane arm caps please select "2" for Urethane and add an upcharge of \$184 list, for two arms.

PRODUCT CODE KEY

Line	Series	Chair Type	Seat Count	Back Type	Arm Type	Leg Type
ZOL Zola	3 Soft Seating	F Freestanding	1 One Seat	1 Fully Uph Back	1 Uph Arm	1 Standard Leg + Glide
		FB	2		2	2
		Freestanding Bariatric	Two Seat		Urethane Arm Cap	Casters
			3			3
			Three Seat			Combination 2 Front Standard Legs & 2 Rear Casters

DIMENSIONS - ARMLESS UNITS

	Overall Width	Overall Depth Uph. Back	Overall Depth Wood Back	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
One-seat	23	27	24	34	18.5	19.25	57	9.75
Two-seat	46	27	24	34	18.5	19.25	89	17.6
Three-seat	69	27	24	34	18.5	19.25	122	26.3
One-seat (Bariatric)	30	27	24	34	18.5	19.25	62	11.5

DIMENSIONS - WITH ARMS

	Overall	Overall	Overall	Seat	Seat	Shipping		
	Width	Depth	Height	Height	Depth	Weight	Cubes	
One-seat	29	27	34	18.5	19.25	88	9.75	
Two-seat	52	27	34	18.5	19.25	120	17.6	
Three-seat	75	27	34	18.5	19.25	154	26.3	
One-seat (Bariatric)	36	27	34	18.5	19.25	96	11.5	

COM YARDAGES - ARMLESS UNITS

	COM Yardage	COM Yardage	COM Yardage	COM Yardage
	Entire Unit	2 Entire Units	3 Entire Units	4 Entire Units
	wo/ Arms	wo/ Arms	wo/ Arms	wo/ Arms
One-seat	2.2	4.6	6.38	8.8
Two-seat	3.8	7.9	10.75	14.5
Three-seat	5.75	11	16	22
One-seat (Bariatri	c) 3.0	6.3	9.5	13.86

COM YARDAGES - WITH ARMS

	COM Yardage	COM Yardage	COM Yardage	COM Yardage
	Entire Unit	2 Entire Units	3 Entire Units	4 Entire Units
	w/ Arms	w/ Arms	w/ Arms	w/ Arms
One-seat	4	7.25	11.5	14.5
Two-seat	5.5	11	16	21.7
Three-seat	7.1	13.25	19	28
One-seat (Bariatri	ic) 4.5	9	13.5	18.3

COM YARDAGES - Individual Components

OOM IANDAG	COM TATIDAGEO - Individual Components										
	COM	COM	COM	COM	COM	COM	COM	COM	COM		
	Arms	Yardage	Yardage Per	Yardage Per	Yardage Per	Yardage	Yardage Per	Yardage Per	Yardage Per		
	(Left & Right)	Per Back	2 Backs	3 Backs	4 Backs	Per Seat	2 Seats	3 Seats	4 Seats		
One-seat	1.90	1.75	2.75	3.5	5.25	1.25	2.1	3.4	4.2		
Two-seat	1.90	2.5	4.5	6.08	8.5	1.7	3.4	5.1	6.5		
Three-seat	1.90	3.5	6.25	9	12.5	2.5	4.6	7	9		
One-seat (Baria	tric) 1.90	1.8	3.5	5.25	7	1.25	2.6	3.75	5.5		

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

5 Units = Take the yardage for 4 units and add the yardage for 1 unit 6 Units = Take the yardage for 4 units and add the yardage for 2 units

7 Units = Take the yardage for 4 units and add the yardage for 3 units

8 Units = Take the yardage for 4 units and multiple by 2 9 Units = Take the yardage for 4 units, multiply by 2, add yardage for

1 unit 10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units

20 Units = Take the yardage for 4 units, multiply by 5

67 Units = Take the yardage for 4 units, multiply by 16, add yardage for 3 units

Zola Modular Bariatric Two-Seats and Three-Seats units have the same dimensions as the Regular Modular Two-Seats and Three-seats.

COMBINATION UPHOLSTERY

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$25 list per unit and \$49 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)

PACKAGING

All Modular Units, and tables will be shipped KD (Knocked Down)

Upcharge for Removable Upholstery Covers:

Option Upcharge	\$ List	Option Upcharge	\$ List
Arms (Right or Left)	59	One-seat seat	36
Interim Arm	47	Two-seat seat	52
One-seat back	52	Three-seat seat	65
Two-seat back	75	One-seat bariatric seat	47
Three-seat back	93		
One-seat bariatric back	59		

FEATURES: For a complete listing of features see page 153.

For pricing information on Zola Tables see page 250, Zola Benches see page 226 and Zola Tablets see page 234.

ZOLA | MODULAR WOOD BACK & MODULAR

			COM		COL	FA	BRIC GRA	DES		LEATHER	}
DESCRIPTION/MODE	EL/SPECIES		1	2	3	4	5	6	7	8	9
	One-Seat, Wood	d or Palette B	ack, Arr	nless							
	ZOL3 MW1201	Beech	1049	1074	1098	1145	1193	1242	1290	1337	1410
		Maple/	1079	1103	1127	1174	1223	1271	1320	1369	1440
		Cherry									
		Palette	1049	1074	1098	1145	1193	1242	1290	1337	1410
	One-Seat, Wood	d or Palette B	ack w/ l	Jph Pad,	Armless						
	ZOL3 MW1301	Beech	1217	1253	1277	1337	1385	1435	1483	1531	1627
		Maple/	1247	1283	1307	1369	1416	1464	1512	1561	1656
		Cherry									
		Palette	1217	1253	1277	1337	1385	1435	1483	1531	1627
	ORDERING NO									dular Arms	can be
	specified on unit	is wood back	only as	a specia	, please c	ontact cus	stomer sen	vice for ass	sistance.		
	One-Seat, Uph E										
	ZOL3 M1101	n/a	1157	1217	1277	1385	1494	1603	1711	1819	2012
	One-Seat, Uph E	Back w/ Arms									
	ZOL3 M1111	n/a	1771	1861	1946	2102	2258	2414	2572	2727	2963
¥											
	Two-Seat, Uph E	Back Armless									
	ZOL3 M2101	n/a	2024	2138	2246	2414	2583	2751	2919	3090	3353
	Two-Seat, Uph E	Back w/ Arms									
	ZOL3 M2111	n/a	2638	2751	2861	3029	3198	3367	3535	3703	3968
	ZOLO IVIZITI	11/α	2000	2751	2001	0023	0100	0001	0000	0700	0300
		D 1 4 :									
	Three-Seat, Uph			0070	0040	0577	0015	4054	4500	4000	FF0.4
	ZOL3 M3101	n/a	2904	3072	3240	3577	3915	4251	4589	4926	5504
" T											

ORDERING NOTES: Zola Modular Seating is available with 4 casters, for an upcharge of **\$81 list** per chair. Please add a '2' at the end of the model number for casters ie; ZOL3 F1112. Zola Modular Seating is available with 2 legs and 2 casters version, for an upcharge of **\$59 list** per chair. Please add a '3' at the end of the model number for leg/caster version ie; ZOL3 F1113. Please note, bariatric versions are not available with either of these options. Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

Zola Lounge Seating is available with the option of Urethane arm caps please select "2" for Urethane add an upcharge of \$184 list, for two arms.

PRODUCT CODE KEY

Line	Series	Chair Type	Seat Count	Back Type	Arm Type	Leg Type
ZOL Zola	3 Soft Seating	M Modular	1 One Seat	1 Fully Uph Back	0 Armless	1 Standard Leg + Glide
		MW	2	2	1	2
		Modular Wood Back	Two Seat	Wood Back	Uph Arm	Casters
			3	3	2	3
			Three Seat	Wood Back with Uph Pad	Urethane Arm Cap	Combination 2 Front Standard Legs & 2 Rear Casters

ZOLA | MODULAR & MODULAR BARIATRIC

DESCRIPTION/MOD	EL		COM 1	2	COL 3	F/ 4	ABRIC GRA	ADES 6	7	LEATHEI 8	R 9
	Thurs Ocean Help	D1 / A									
	Three-Seat, Uph ZOL3 M3111	n/a	rms 3516	3685	3854	4191	4527	4865	5202	5539	6118
	One-Seat, Baria	tric LIPH Ra	ack Arml	PSS							
	ZOL3 MB1101		1253	1290	1350	1459	1566	1675	1783	1892	2085
	ORDERING NO	TES: One-s	eat Baria	tric seat is	s 30" wide.						
	One-Seat, Baria	tric, UPH Ba	ack, Arms	3							
	ZOL3 MB1111	n/a	1867	1957	2042	2198	2356	2510	2667	2824	3058
	ORDERING NO	TES: One-s	eat Baria	tric seat is	s 30" wide	between	the arms.				
	Two-Seat, Bariat	tric LIDH Ro	ack Arml	000							
	ZOL3 MB2101	n/a	2090	2204	2313	2481	2649	2819	2987	3156	3420
	ORDERING NO	TES: The Tv	vo-Seat E	Bariatric c	omes stan	dard with	a fifth leg	for extra su	ipport.		
	Two-Seat, Bariat	tric LIPH Ba	ack Arms	<u> </u>							
	ZOL3 MB2111	n/a	2703	2819	2927	3096	3264	3432	3601	3770	4035
	ORDERING NO	TES: The Tv	wo-Seat E	Bariatric c	omes stan	dard with	a fifth leg	for extra su	ipport.		
	Three-Seat, Bari				0040	0054	0000	4000	4000	5004	
	ZOL3 MB3101	n/a	2981	3149	3318	3654	3993	4330	4666	5004	5581
	ORDERING NO	TES: The Th	nree-Seat	t Bariatric	comes sta	andard wit	th a fifth leg	g for extra	support.		
	Three-Seat, Bari	atric UPH B	Back, Arm	IS							
	ZOL3 MB3111	n/a	3595	3763	3931	4269	4606	4944	5280	5617	6194
	ODDEDING NO	TEO TI- T		Destable				f			

ORDERING NOTES: The Three-Seat Bariatric comes standard with a fifth leg for extra support.

ORDERING NOTES: Zola Modular Seating is available with 4 casters, for an upcharge of **\$81 list** per chair. Please add a '2' at the end of the model number for casters ie; ZOL3 F1112. Zola Modular Seating is available with 2 legs and 2 casters version, for an upcharge of **\$59 list** per chair. Please add a '3' at the end of the model number for leg/caster version ie; ZOL3 F1113. Please note, bariatric versions are not available with either of these options. Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

Zola Lounge Seating is available with the option of Urethane arm caps please select "2" for Urethane add an upcharge of \$184 list, for two arms.

PRODUCT CODE KEY

Line	Series	Chair Type	Seat Count	Back Type	Arm Type	Leg Type
ZOL Zola	3 Soft Seating	M Modular	1 One Seat	1 Fully Uph Back	0 Armless	1 Standard Leg + Glide
		MB	2	2	1	2
		Modular Bariatric	Two Seat	Wood Back	Uph Arm	Casters
			3	3	2	3
			Three Seat	Wood Back with Uph Pad	Urethane Arm Cap	Combination 2 Front Standard Legs & 2 Rear Casters

ZOLA | MODULAR BACKS & ARMS

			СОМ		COL	. FA	ABRIC	GRAD	ES I	LEATHE	R	COM	SHIPPING	
DESCRIPTION/MC	DEL	SPECIES	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBES
	Left, Right,or	Interim Arm	ı											
	ZOL3 MAL		374	405	434	496	555	616	675	735	819	1.5	19	3.1
	ZOL3 MAR ZOL3 MAI		000	070	000	04.4	000	000	007	440	4.47	0.33	13	1.8
	ZOLS IVIAI		266	279	290	314	339	363	387	410	447	0.33	13	1.0
	Left, Right,or	Intarim Arm	n - Hro	thana (an.									
	ZOL3 MALU	IIIICIIII AIII	472	501	531	592	650	712	772	832	916	1.5	20.5	3
	ZOL3 MARU			001	001	002	000			002	0.0			
	ZOL3 MAIU		338	349	362	380	409	433	457	481	517	0.33	13	1.8
	ORDERING N	IOTES, Th	o Intori	m Arm	woo d	ooianoo	1 +0 fi+	in hotu	voon tu	ro contin	a unita	and therefore	obortone :	tho width
	between arms					_					_			
	Zola Arms (left	, ,	,	,										
	UPH Back													
)) >	ZOL3 MB11*		597	645	693	789	887		1199	1295		1.75	23	5.2
	ZOL3 MB21		784	850		1049			1445		1735	2.5	39	9.4
	ZOL3 MB31		953 664	1036 712	1122 760	1290 856	1458	1049	1795 1145	1964 1242		3.5	54	14
	ZOL3 MBB11		004	/ 12	760	636	953	1049	1145	1242	1309	2	28	6.1
	ORDERING N	IOTES: The	e Two -	Seat &	Three	- Seat	Uphol	stered	Backs	are used	d for the	Two-Seat & T	Γhree-seat	Bariatric
	units as well.													
	One-Seat Wo	od/Palette	Back v	v/ UPH	Pad									
	ZOL3 MB13	Beech	472	482	495	519	543		592	616	650	0.6	21	3.1
		Maple	507	519	531	555	579	603	616	640	688	0.6	21	3.1
Les -		/Cherry	470	400	405	E10	E 40	EG7	E00	616	GEO.	0.6	0.5	3.1
		Palette	472	482	495	519	543	567	592	616	650	0.6	25	3.1
	One-Seat Wo	od/Palette	Back											
$J(l_{l,h})$	ZOL3 MB12	Beech	326									-	19	3.1
00		Maple	357									-	19	3.1
		/Cherry	206										23	3.1
		Palette	326									-	23	3.1
701 4 140		חבח	1 ^ _	> E N 4			\			·C				
ZOLA MO	JUULAR	- KEP	LAC	ا∨ا⊐ر			JIVIF	VIV		3				

			COM		COL	FA	ABRIC	GRAD	ES L	EATHE	R	COM	SHIPPING	í
DESCRIPTION/MO	DEL	SPECIES	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBES
	Modular One-	Seat Wood	Back											
p(l, M)	ZOL3 RBM12	Beech	279									-	19	3.1
		Maple /Cherry	308									-	19	3.1
		Palette	279									-	23	3.1
	Modular One-S	Seat Wood	Back v	v/ Uph	olstere	ed Pad								
	ZOL3 RBM13	Beech	423	434	447	472	496	519	543	567	603	0.6	21	3.1
		Maple /Cherry	458	472	482	507	531	555	567	592	640	0.6	21	3.1
		Palette	423	434	447	472	496	519	543	567	603	0.6	25	3.1
	Upholstered B	ack												
\mathbb{N}	ZOL3 RBM11*		550	597	645	742	838	935	1151	1247	1361	1.75	23	5.2
	ZOL3 RBM21		735	802	868	1001	1132	1266	1398	1531	1687	2.5	39	9.4
U	ZOL3 RBM31		905	989	1074	1242	1410	1579	1747	1917	2119	3.5	54	14
	ZOL3 RBBM1	1	616	664	712	808	905	1001	1098	1193	1320	2	28	6.1

ORDERING NOTE: The Two-Seat & Three-Seat Upholstered Backs are used for the Two-Seat & Three-Seat Bariatric units as well. Only Upholstered Backs can be used. Modular Upholstered Replacement Backs are supplied with velcro upholstery that allows for assembly of existing "L" brackets on site prior to assembly to the bench. Replacement Backs do not include mounting brackets and legs and Replacement Seat/Benches do not include legs and joining brackets. The hardware can be transferred from the original component to the replacement component. If new hardware is required, Modular Arms/Backs/Benches should be ordered.

ZOLA | MODULAR - REPLACEMENT COMPONENTS

		СОМ		COL	FAE	BRIC GE	RADES	I	_EATHE	R	СОМ		
DESCRIPTION/MO	DDEL	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBE
	Right or Left Upholste	ered Arm											
	ZOL3 RAMR	332	363	392	453	512	573	634	693	777	1.5	14	3
	ZOL3 RAML												
	ZOL3 RAMRU	429	458	488	550	609	669	729	789	873	1.5	15.5	3
	ZOL3 RAMLU												
	ORDERING NOTES: Zola Replacement arr	ne (left c	r riaht\	are en	acified :	when s	oatod [Replacer	nent Ma	dular A	rme are con	t without	modular
	hardware. Replacement												
	with urethane cap. Wo												
	wood back units only	as a spe	ecial - p	olease c	contact	Custon	ner Serv	vice for a	ssistan	ce.			
	UPH Seat												
	ZOL3 RSM1*	592	626	664	729	796	863	928	994	1129	1.33	25	5.2
→	ZOL3 RSM2	856	897	940	1031	1122	1211	1301	1392	1542	1.75	39	9.4
	ZOL3 RSM3		1174	1235	1361	1488	1614	1740	1867	2024	2.5	50	14
	ZOL3 RSMB1	765	802	838	911	982	1055	1127	1199	1307	1.75	26	6.1
	ZOL3 RSMB2	916	964	1013	1103	1193	1283	1374	1464	1614	1.75	39	9.4
	ZOL3 RSMB3	1337	1398	1459	1566	1675	1783	1892	2000	2169	2.5	50	14
	Back Cover												
\mathcal{N}	ZOL3 RCB1*	230	279	326	423	519	616	712	808	964	2	2.8	1.7
()	ZOL3 RCB2	314	387	458	603	748	892	1036	1181	1361	3	3.6	1.7
	ZOL3 RCB3	387	482	579	772	964	1157	1350	1542	1783	3.75	4.3	1.7
	ZOL3 RCBB1	256	303	350	447	543	640	735	832	977	2	2.8	1.7
	Seat Cover	206	242	279	350	423	496	567	640	748			
	ZOL3 RCS1*	266	314	363	458	555	650	748	844	1001	1.33	2.3	1.7
	ZOL3 RCS2	339	398	458	519	579	640	699	760	856	1.75	2.6	1.7
	ZOL3 RCS3	314	357	398	482	567	650	735	819	940	2.5	3.8	1.7
	ZOL3 RCSB1										1.75	2.6	1.7
	Back Pad												
	OL3 RP	170	182	194	217	242	266	290	314	350	0.6	1.6	2
	OLS III	170	102	154	217	272	200	230	014	000	0.0	1.0	2
	Arm Covers Right, Le	ft or Inte	rim										
	ZOL3 RCAR	206	242	279	350	423	496	567	640	735	1.5	2.5	1.7
	ZOL3 RCAL												
	ZOL3 RCAI	134	145	158	182	206	230	255	279	308	0.33	1.5	1.7
	ZOL3 RCARU	206	242	279	350	423	496	567	640	735	1.5	2.5	1.7
	ZOL3 RCALU												
	ODDEDING NOTES.	Danlaga	mant A	w C a	rava (laf	ا میرین ما	+\	nacified.	+	-d 701		701 2 DC	۸۱۱۱۵۳۵
	ORDERING NOTES: arm covers for arms v						it) are s	pecilied	as seat	a. ZUL	3 HUARU &	ZUL3 RU	ALU are
	ann oovers for anns v		ai Oti IUI I	o umi	Jap opti								
	Hrothana Arma Car												
	Urethane Arm Cap	97										1 =	0.2
	ZOL3 AUR ZOL3 AUL	91										1.5 1.5	0.3 0.3
<i>Ш</i> "	ZOLO AOL											1.5	0.0
													
	Urethane Arm Cap - I	nterim A	rm										
	ZOL3 AIU	72										1.0	0.3

ZOLA | MODULAR CURVE

DIMENSIONS IN	ISIDE CURVE						
	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
Single seat							
30°	36	28.5	34	18.5	22.5	50	18
45°	42	29	34	18.5	22.5	54	19
60°	48	29	34	18.5	22.5	57	22
90°	59	31	34	18.5	22.5	69	26
Double seat							
30°	58	30	34	18.5	22.5	90	32
45°	64	31	34	18.5	22.5	97.2	33
60°	70	33	34	18.5	22.5	102.6	39
90°	81	36	34	18.5	22.5	124.2	46

COM Yardages

	COM Yardage Entire Unit	COM Yardage 2 Entire Units	COM Yardage 3 Entire Units	COM Yardage 4 Entire Units	
Single seat					
30°	3.70	7.4	11.1	14.8	
45°	4.40	8.8	13.2	17.6	
60°	4.40	8.8	13.2	17.6	
90°	4.61	9.2	13.83	18.44	
Double seat					
30°	6.3	12.6	18.9	25.2	
45°	6.4	12.8	19.2	25.6	
60°	8.2	16.4	24.6	32.8	
90°	8.2	16.4	24.6	32.8	

COM Yardages - Individual Components


	COM Yardage Per Back	COM Yardage Per 2 Backs	COM Yardage Per 3 Backs	COM Yardage Per 4 Backs	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats
Single seat								
30°	1.9	3.8	5.7	7.6	1.8	3.6	5.4	7.2
45°	2.6	5.2	7.8	10.4	1.8	3.6	5.4	7.2
60°	2.6	5.2	7.8	10.4	1.8	3.6	5.4	7.2
90°	2.8	5.6	8.4	11.2	1.8	3.6	5.4	7.2
Double seat								
30°	2.9	5.8	8.7	11.6	3.4	6.8	10.2	13.6
45°	3	6.0	9.0	12.0	3.4	6.8	10.2	13.6
60°	4.8	8.8	13.5	17.4	3.4	6.8	10.2	13.6
90°	4.8	8.8	13.5	17.4	3.4	6.8	10.2	13.6




Single Seat, Uph 30° Inside Curve




Single Seat, Uph 45° Inside Curve




Single Seat, Uph 60° Inside Curve




Single Seat, Uph 90° Inside Curve




Double Seat, Uph 30° Inside Curve



Double Seat, Uph 45° Inside



Double Seat, Uph 60° Inside Curve



Double Seat, Uph 90° Inside Curve

Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	47	Double-seat curve 30° seat	71
Single-seat curve 45° seat	49	Double-seat curve 45° seat	78
Single-seat curve 60° seat	66	Double-seat curve 60° seat	95
Single-seat curve 90° seat	86	Double-seat curve 90° seat	97

DIMENSIONS OUTSIDE CURVE

	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
Single seat 30° 45° 60° 90°	33.75 38.75 43.5 52	28.25 28.75 29.25 29.75	34 34 34 34	18.5 18.5 18.5 18.5	22.5 22.5 22.5 22.5 22.5	48 49 50 51	23 24 29 34
Double seat 30° 45° 60° 90°	55.75 60.75 65.75 74	29.75 31 32.25 34.5	34 34 34 34	18.5 18.5 18.5 18.5	22.5 22.5 22.5 22.5 22.5	83 84 86 96	36 40 45 56

COM Yardages

	COM Yardage	COM Yardage	COM Yardage	COM Yardage	
	Entire Unit	2 Entire Units	3 Entire Units	4 Entire Units	
Single seat					
30°	3.32	6.14	9.46	12.28	
45°	3.32	6.14	9.46	12.28	
60°	3.32	6.14	9.46	12.28	
90°	3.32	6.14	9.46	12.28	
Double seat					
30°	6.50	13.0	19.5	26.0	
45°	6.50	13.0	19.5	26.0	
60°	6.50	13.0	19.5	26.0	
90°	6.50	13.0	19.5	26.0	

COM Yardages - Individual Components


COW Tardages	- Illulviduai Oc	Imponents						
	COM Yardage Per Back	COM Yardage Per 2 Backs	COM Yardage Per 3 Backs	COM Yardage Per 4 Backs	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats
Single seat								
30°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
45°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
60°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
90°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
Double seat								
30°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6
45°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6
60°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6
90°	3.1	6.2	9.3	12 4	3.4	6.8	10.2	13.6




Single Seat, Uph 30° Outside Curve




Single Seat, Uph 45° Outside




Single Seat, Uph 60° Outside Curve




Single Seat, Uph 90° Outside Curve




Double Seat, Uph 30° Outside Curve



Double Seat, Uph 45° Outside Curve



Double Seat, Uph 60° Outside Curve



Double Seat, Uph 90° Outside Curve

Upcharge for Bariatric Option:

Option	\$ List	Option	\$ List
Single-seat curve 30° bariatric seat	74	Double-seat curve 30° bariatric seat	116
Single-seat curve 45° bariatric seat	84	Double-seat curve 45° bariatric seat	137
Single-seat curve 60° bariatric seat	95	Double-seat curve 60° bariatric seat	147
Single-seat curve 90° bariatric seat	126	Double-seat curve 90° bariatric seat	168

ZOLA | MODULAR CURVE

DESCRIPTION/MOD		COM 1	2	COL 3	FA 4	BRIC GRA	DES 6	7	LEATHER 8	9
	Single-Seat, 30° Inside Curve ZOL3 MCIS30D1	1754	1853	1950	2088	2246	2384	2541	2738	2934
	Single-Seat, 45° Inside Curve ZOL3 MCIS45D1	2063	2189	2315	2493	2696	2872	3075	3328	3582
	Single-Seat, 60° Inside Curve ZOL3 MCIS60D1	2338	2464	2590	2768	2971	3147	3350	3603	3857
	Single-Seat, 90° Inside Curve ZOL3 MCIS90D1	2656	2816	2974	3197	3451	3673	3927	4247	4566
	Single-Seat, 30° Outside Curv ZOL3 MCOS30D1	e 1579	1668	1756	1879	2021	2146	2286	2464	2640
	Single-Seat, 45° Outside Curv ZOL3 MCOS45D1	e 1856	1970	2085	2244	2426	2586	2768	2997	3224
	Single-Seat, 60° Outside Curv ZOL3 MCOS60D1	e 2105	2218	2333	2492	2674	2833	3015	3243	3471
	Single-Seat, 90° Outside Curv ZOL3 MCOS90D1	e 2390	2532	2676	2876	3105	3307	3536	3822	4109

ORDERING NOTES: Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

PRODUCT CODE KEY

PRODUCT CODE RE	- 1					
Line	Series	Chair Type	Curve Style	Seat Count	Seat Degree	Leg Type
ZOL	3 Soft Seating	MC Modular	Inside Curve	S Single	30D 30 Degree	1 Standard Leg + Glide
		MCB Modular Bariatric	O Outside Curve	D Double	45D 45 Degree 60D 60 Degree 90D 90 Degree	

ZOLA | MODULAR CURVE

DESCRIPTION/MOD		COM 1	2	COL 3	FA 4	BRIC GRA	DES 6	7	LEATHEF 8	9
	Double-Seat, 30° Inside Curve ZOL3 MCID30D1	3069	3240	3413	3653	3929	4170	4446	4791	5135
	Double-Seat, 45° Inside Curve ZOL3 MCID45D1	3608	3830	4051	4360	4715	5026	5381	5823	6266
	Double-Seat, 60° Inside Curve ZOL3 MCID60D1	4089	4311	4532	4842	5197	5507	5862	6304	6748
	Double-Seat, 90° Inside Curve ZOL3 MCID90D1	4647	4925	5203	5593	6038	6428	6873	7431	7987
	Double-Seat, 30° Outside Curv ZOL3 MCOD30D1	e 2762	2916	3072	3288	3537	3754	4001	4311	4623
	Double-Seat, 45° Outside Curv ZOL3 MCOD45D1	e 3247	3447	3646	3924	4244	4523	4842	5241	5639
	Double-Seat, 60° Outside Curv ZOL3 MCOD60D1	e 3680	3880	4080	4358	4677	4956	5276	5674	6073
	Double-Seat, 90° Outside Curv ZOL3 MCOD90D1	e 4181	4433	4682	5033	5435	5785	6187	6688	7189


ORDERING NOTES: Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

PRODUCT CODE KEY


DOCT CODE K	E 1					
Line	Series	Chair Type	Curve Style	Seat Count	Seat Degree	Leg Type
ZOL Zola	3 Soft Seating	MC Modular	I Inside Curve	S Single	30D 30 Degree	1 Standard Leg + Glide
		MCB Modular Bariatric	Outside Curve	D Double	45D 45 Degree 60D 60 Degree	
					90D 90 Degree	

ZOLA | REPLACEMENT COMPONENTS & ELECTRICAL

DESCRIPTION/N	MODEL		PRICE	WEIGHT	CUBE
	Wood Tablet	& Mounting Plate 0	Only		
	ZOL3 RT1	Beech	290	5	0.32
		Maple	308	5	0.32
		/Cherry			
	Painted Table	et & Mounting Plate	Only		
	ZOL3 RT2	n/a	212	5	0.32
	Glass Tablet	& Mounting Plate C	Pnlv		
	ZOL3 RT3	n/a	496	6	0.32
				•	
	Laminate Tab	olet & Mounting Pla	te Only		
	ZOL3 RT4	n/a	303	5	0.32
			replacement tablets on this page include the rdered, each seat is automatically supplied was a community of the contract of th		
	Leg		4.4		0.405
	ZOL3 RLS		44	1	0.125
<u> </u>					
	Leg Glide (4)		40		
	ZOL3 RLG		19	0.2	0.01
-	Caster Leg				
	ZOL3 RLC		31	0.4	0.125
п	Caster Withou	ut Brake			
	ZOL3 RC1		44	0.4	0125
	ORDERING I	NOTE: Casters car	nnot be ordered as replacement items for ba	riatric units.	
л	Caster With E	Brake			
	ZOL3 RC2		54	0.4	0.125
	ORDERING I	NOTE: Casters car	nnot be ordered as replacement items for ba	riatric units.	
	Seat to Seat I	Bracket			
0	ZOL3 RLKB2		73	1	0.125
. Ca	Table to Seat I ZOL3 RLKB1		0.7	3	0.125
	ZULS KLKBT		87	3	0.125
•					
	Wire Manage	er Shroud	92		
	ZOL3 WM10		<u></u>	1	0.375
	ORDERING	NOTES: Comes in	a 10' length when ordered. Can be cut to si	ze on site.	
	J		a 15 longer whom ordered. Oan be out to si	LO OTT OILO.	



MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT = 6.34%

POST-CONSUMER RECYCLED CONTENT = 14.09%

Up to 40.58% of this Zola product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener. Ontario.

level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola Privacy products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



AIR EMISSIONS

All Zola Privacy products are supplied air-emissions certified. Contact customer service for information.

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Zola Privacy products can be specified with one of two types of FS © Certification

(a) FSC®-certified (which includes FS ®-certified lumbe, veneer and substrate material)



(b) FSC®-mix certified (which includes substrate material onl, and is a lower cost option certification Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ZOLA PRIVACY | POWER LOCATIONS



Seat Power


When ordering Seat Power clearly indicate required location using:

A - for front center of seat (not available on curved fronts)



Shelf Power

Located mid-position on the shelf surface. Units with Shelf Power are not available with Removable Cover option.



B - for left side of seat (facing)



Table Power

Located on the front face of the table as standard.



C - for right side of seat (facing)

D - for both left and right of seat

Units with Power are not available with Removable Cover option.




Under-mount Power

Can be located below seats, tables and under shelves.

ZOLA PRIVACY | CONNECTING MULTIPLE UNITS


SEATING

Start, Center and End multiple units are used to configu e continuous runs of seating. Units are specified from left to right (facing). Configurations must include one Start Unit and one End Unit and can be connected to any number of Center Units. Back connecting hardware is concealed once joined to the neighboring unit.





SIDE PANELS

Start, Center and End Panels are configured in combination with Center Seating only. Start and Center Panel kits contain additional legs which connect to the Center Seat Unit.




ZOLA PRIVACY | SAMPLE CONFIGURATIONS & PRICING






Model ZOP3-MCIS30DM0E ZOP3-MCIS30DM0C ZOP3-MCIS30DM0S ZOL3-MCS30DF1	Qty 2 2 2 3	Price (ea) 2494 2494 2494 1048
ZOL3-MCS30DF1 ZOP3-MCIS30DF1E	3 2	1048 3083
ZOP3-MCIS30DF1C	4	3083
ZOP3-MCIS30DF1S	2	3083


TOTAL \$42,772






TOTAL 23,398







TOTAL		23,625
ZOL4-30D15	1	1060
ZOP3-MCID60DF0E	1	4513
ZOP3-MCID60DF0C	3	4513
ZOP3-MCID60DF0S	1	4513
Model	Qty	Price (ea)


ZOLA PRIVACY | SAMPLE CONFIGURATIONS & PRICING






Model	Qtv	Price (\$)
ZOP3-M2M0S	1	1978
ZOP3-MCIS90DM0C	2	3482
ZOP3-M2M0C	1	1978
ZOP3-M2M0E	1	1978
ZOL4-242415	1	905
TOTAL		13,803






Model	Qty	Price (\$)
ZOL4-LKE18	4	838
ZOP3-MB1F1S	2	2183
ZOP3-MCID90DF1C	2	5998
ZOP3-MB1F1E	2	2183
ZOL4 E482915	1	1536

TOTAL 25,616





Model	Qty	Price (\$)
ZOP3-MPF0S	2	722
ZOP3-M3F0C	2	3035
ZOP3-MPF0E	2	722
ZOP4-E482915	1	1536

TOTAL 10,494

ZOLA PRIVACY | FEATURES



REPLACEABILITY

Zola is built to last: its heavy-duty structure is designed for intensive use environments. When any component is damaged or degraded, it can be easily changed out on its own, instead of having to replace or repair an entire unit. Along with its use of recycled and recyclable materials, the replaceability of components means Zola can provide exceptional long-term value, and be an investment in sustainability.



RECONFIGURABILITY

Zola is designed to enable change: components are inter-changeable, reconfigurable, and replaceable. Metal-to-metal brackets are designed for fast, easy reconfiguring, that does not damage or degrade the product, and new components can be added and added with ease. Arms can be added and reconfigured to either side of the unit. Its unique leveler provides exceptional leveling capability over large spans, and on uneven floors.



INTENSIVE USE ENVIRONMENTS

Zola has been designed for healthcare and other intensive use environments, with some important features: removable and replaceable upholstery covers, an anti-microbial finish, the option of a urethane arm cap and a standard clean-out between the seat and back. Modular construction allows for complete cleaning and disinfecting of the entire unit, and air emissions certification, make Zola an excellent solution for healthy spaces and care-giving environments. Bariatric sizes are included in the offering.



CLEAN OUT

Zola Lounge chairs have a built-in clean out feature: a space at the back of the seat that allows liquid, dirt and debris to fall to the floor for easy clean up and maintenance. The clean out feature was designed so that it does not detract from the comfort or appearance of the product.



BACK CONNECTION

The Zola Privacy back linking connectors are made of sturdy steel construction. It is a two part bracket fastened with metal-to-metal connections. Brackets are not visible when units are linked. Linked backs can only be reconfigured in the same start/center/end positions.



Seat-to-Seat

The Zola seat-to-seat linking bracket is powder-coated steel construction in a black finish. This linking bracket is fastened with metal-to-metal connections from the seat to another seat with hardened steel bolts to ensure exceptional durability and strength. Brackets mount underneath, and do not mar or damage the tables or seats.



Table-to-Seat

The Zola table-to-seat bracket is powder-coated steel in a Silver Metallic finish to match the legs and casters. This linking bracket is fastened with metal-to-metal connections from the seat to the table.



LEGS

The legs offered on Zola Lounge are silver metallic and come standard with glides that are adjustable up to 1.25", which provide leveling capability over longer spans. Caster leg is not available.



TWIN BACK

Zola Privacy is available in unique Twin Back models for both straight and curves styles. The one piece back-to-back design provides a clean, minimal solution for space division and maximizing seating.



COMBINATION UPHOLSTERY

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$25 list per unit and \$49 list per unit for three fabrics will be applied. When graded-in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote).



ANTI-MICROBIAL FINISH

Zola wood surfaces come with an anti-microbial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria.

FINISH DURABILITY

Krug's finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.

WEIGHT CAPACITIES

Zola weight capacities are as follows:

One-seat (Straight or curved) - 300 lbs
One-seat bariatric - 750 lbs
Two-seat (Straight or curved) - 525lbs
Two-seat bariatric - 975 lbs
Three-seat - 750 lbs
Three-seat bariatric - 1150 lbs

ZOLA PRIVACY | OPTIONS



PRIVACY SCREEN

Zola Privacy Screens are made of durable frosted acrylic and can be mounted to both mid and full height backs. Steel mounting hardware enables screens to be replaced in the field.



TABLET

Optional Tablets are available in veneer, glass, laminate and palette finishes. The Zola can be fastened by the Universal Tablet Mount (mounted left or right), to the single Zola leg, it is not able to mount on the Zola dual leg. The Zola Tablet has a turning radius of 360 degrees. Solid surface is available, contact Customer Service for pricing.



TABLES

Tables are available in veneer, high pressure laminate or Palette finishes - and an optional solid surface top. An optional flush-mounted Table PowerDoc provides dual power/USB outlets for multiple devices can be located on the front face of Middle or End Tables (not available on curvilinear models). To specify, clearly mark on the order and add \$449 list.



URETHANE ARM CAP

The optional urethane arm cap provides enhanced durability and protection for the arms. Urethane arm caps are available in two color options; Grey and Taupe. The urethane arm cap is field replaceable if damaged or degraded with the assistance of a skilled upholsterer.



SHELVES & POWER

Back-mounted shelves can be specified in either 30", 36" or 42" and are available in veneer, laminate and Palette finishes (Solid surface overlay also available – contact customer service) The surface-mounted Shelf PowerDoc provides dual power/USB outlets for multiple devices. Units with Shelf Power are not available with Removable Cover option.



SEAT POWER

The flush-mounted power unit provides dual power/USB outlets for multiple devices. It can be located on either side of the seat, or on the seat front (not available on curved fronts). See page 168 for more information and page 210 for pricing. Power unit color is white. Units with Seat Power are not available with Removable Cover option.



UNDER-MOUNT POWER

The Under-mount Power unit provides dual power/USB outlets for multiple devices. It can be located below seats and tables.



SIDE PANELS

An alternative to arm panels, Side Panels can be specified (in either of two heights) as Start, Center and End locations of configurations to provide an additional degree of privacy and enclosure, and a resting corner position for users - a beneficial element in study, work and waiting area settings. Side Panels will only connect to Center seating units.

REPLACEMENT UPHOLSTERY COVERS

Replacement upholstery covers can be easily fitted onto Zola Modular components (with the exception of Zola Curve backs) originally ordered with Removable Upholstery Covers. It is possible to use replacement covers on modular components originally ordered with standard upholstery covers, but this requires some removal of staples and other basic upholstery. Please note that the tailoring of replacement upholstery covers can be less exact and refined in appearance than original upholstery.

REMOVABLE UPHOLSTERY COVERS

Removable Upholstery Covers are available on most Zola Modular upholstered components, (with the exception of Zola Curve backs) at an upcharge. This feature allows for upholstery covers to be cleaned and disinfected, and allows them to be field-replaced with replacement upholstery covers. Please note that the tailoring of Removable Upholstery Covers can be less exact and refined in appearance than standard upholstery. Please see page 177 for the Removable Upholstery Covers upcharges.

Replacement and removeable covers, (supplied with Velcro) will tailor differently than the permanently stapled upholstery. Overall form and fit is identical, however minor dimensional build up due to the thickness of the Velcro can occur. The Velcro fastening build up is directed to the least noticeable face (usually the bottom edge of a component) where ever possible.

MOISTURE BARRIER & CAL 133

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$700 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks.

Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information. CAL 133 and Moisture Barrier is available for \$49 list per yard.

ZOLA PRIVACY | DIMENSIONS & COM REQUIREMENTS

DIMENSIONS												
	Overall	Width with	Overall	Depth	Overall	Overall Height	Seat	Seat	Shipping			
	Width	Arms	Depth	w/ Shelf	Height	w/Screen	Height	Depth	Weight	Cubes		
Full Height Back	00	00	07	20	E 0	60 F	10 E	00.05	60	10.6		
One-seat Two-seat	23 46	29 52	27 27	39 39	50 50	62.5 62.5	18.5 18.5	20.25 20.25	69 114	10.6 20.8		
Three-seat	69	75	27	39	50	62.5	18.5	20.25	165	31.0		
One-seat (Bariatric)	30	36	27	39	50	62.5	18.5	20.25	81	13.8		
One seat (Banathe)	00	00	21	00	00	02.0	10.0	20.20	01	10.0		
Mid Height Back			0.7		07.5		10.5	00.05	0.5	0.0		
One-seat	23	29	27	39	37.5	50	18.5	20.25	65	9.8		
Two-seat	46	52 75	27 27	39	37.5	50 50	18.5	20.25	107	19.1		
Three-seat One-seat (Bariatric)	69 30	75 36	27 27	39 39	37.5 37.5	50 50	18.5 18.5	20.25 20.25	154 76	28.5 12.6		
One-seat (Danatho)	30	30	21	39	37.3	30	10.5	20.23	70	12.0		
Twin Full Height Ba	nck											
One-seat	23	29	52	n/a	50	62.5	18.5	20.25	102	21.0		
Two-seat	46	52	52	n/a	50	62.5	18.5	20.25	171	41.2		
Three-seat	69	75	52	n/a	50	62.5	18.5	20.25	241	61.3		
One-seat (Bariatric)	30	36	52	n/a	50	62.5	18.5	20.25	128	27.1		
Twin Mid Height Ba	nck											
One-seat	23	29	52	n/a	37.5	50	18.5	20.25	99	15.1		
Two-seat	46	52	52	n/a	37.5	50	18.5	20.25	166	29.6		
Three-seat	69	75	52	n/a	37.5	50	18.5	20.25	234	44.1		
One-seat (Bariatric)	30	36	52	n/a	37.5	50	18.5	20.25	124	19.5		
COM YARDAGES												
COM YARDAGES	Yardage	Yardage	Yardage	Yardage	Yardage	Yardage	Yardage	Yardage	Yardage	Yardage	Yardage	Yardage
COM YARDAGES		2 Entire	3 Entire	4 Entire	per	per 2	per 3	per 4	per	per 2	per 3	per 4
					•	•	•	•	•	•	_	_
Full Height Back	Entire Unit	2 Entire Units	3 Entire Units	4 Entire Units	per Back	per 2 Backs	per 3 Backs	per 4 Backs	per Seat	per 2 Seats	per 3 Seats	per 4 Seats
Full Height Back One-seat	Entire Unit 4.1	2 Entire Units 6.45	3 Entire Units	4 Entire Units	per Back 2.85	per 2 Backs	per 3 Backs	per 4 Backs	per Seat	per 2 Seats	per 3 Seats	per 4 Seats 4.2
Full Height Back One-seat Two-seat	Entire Unit 4.1 6.08	2 Entire Units 6.45 10.73	3 Entire Units 10.55 16.76	4 Entire Units 12.9 21.16	per Back 2.85 4.33	per 2 Backs 4.35 7.33	per 3 Backs 7.2 11.66	per 4 Backs 8.7 14.66	per Seat 1.25 1.75	per 2 Seats 2.1 3.4	per 3 Seats 3.35 5.1	per 4 Seats 4.2 6.5
Full Height Back One-seat Two-seat Three-seat	Entire Unit 4.1 6.08 8.16	2 Entire Units 6.45 10.73 15.92	3 Entire Units 10.55 16.76 23.98	4 Entire Units 12.9 21.16 31.64	per Back 2.85 4.33 5.66	per 2 Backs 4.35 7.33 11.32	per 3 Backs 7.2 11.66 16.98	per 4 Backs 8.7 14.66 22.64	per Seat 1.25 1.75 2.5	per 2 Seats 2.1 3.4 4.6	per 3 Seats 3.35 5.1 7	per 4 Seats 4.2 6.5 9
Full Height Back One-seat Two-seat	Entire Unit 4.1 6.08	2 Entire Units 6.45 10.73	3 Entire Units 10.55 16.76	4 Entire Units 12.9 21.16	per Back 2.85 4.33	per 2 Backs 4.35 7.33	per 3 Backs 7.2 11.66	per 4 Backs 8.7 14.66	per Seat 1.25 1.75	per 2 Seats 2.1 3.4	per 3 Seats 3.35 5.1	per 4 Seats 4.2 6.5
Full Height Back One-seat Two-seat Three-seat	Entire Unit 4.1 6.08 8.16	2 Entire Units 6.45 10.73 15.92	3 Entire Units 10.55 16.76 23.98	4 Entire Units 12.9 21.16 31.64	per Back 2.85 4.33 5.66	per 2 Backs 4.35 7.33 11.32	per 3 Backs 7.2 11.66 16.98	per 4 Backs 8.7 14.66 22.64	per Seat 1.25 1.75 2.5	per 2 Seats 2.1 3.4 4.6	per 3 Seats 3.35 5.1 7	per 4 Seats 4.2 6.5 9
Full Height Back One-seat Two-seat Three-seat One-seat (Bariatric)	Entire Unit 4.1 6.08 8.16	2 Entire Units 6.45 10.73 15.92	3 Entire Units 10.55 16.76 23.98	4 Entire Units 12.9 21.16 31.64	per Back 2.85 4.33 5.66	per 2 Backs 4.35 7.33 11.32	per 3 Backs 7.2 11.66 16.98	per 4 Backs 8.7 14.66 22.64	per Seat 1.25 1.75 2.5	per 2 Seats 2.1 3.4 4.6	per 3 Seats 3.35 5.1 7	per 4 Seats 4.2 6.5 9 5
Full Height Back One-seat Two-seat Three-seat One-seat (Bariatric) Mid Height Back	4.1 6.08 8.16 4.19	2 Entire Units 6.45 10.73 15.92 8.38	3 Entire Units 10.55 16.76 23.98 12.57	4 Entire Units 12.9 21.16 31.64 16.76	per Back 2.85 4.33 5.66 2.94	per 2 Backs 4.35 7.33 11.32 5.88 3.1 5.16	per 3 Backs 7.2 11.66 16.98 8.82	per 4 Backs 8.7 14.66 22.64 11.76	per Seat 1.25 1.75 2.5 1.25 1.25 1.75	per 2 Seats 2.1 3.4 4.6 2.5 2.1 3.4	per 3 Seats 3.35 5.1 7 3.75 3.35 5.1	per 4 Seats 4.2 6.5 9 5 4.2 6.5
Full Height Back One-seat Two-seat Three-seat One-seat (Bariatric) Mid Height Back One-seat Two-seat Three-seat	4.1 6.08 8.16 4.19 3.25 4.83 6.72	2 Entire Units 6.45 10.73 15.92 8.38 5.2 8.56 13.04	3 Entire Units 10.55 16.76 23.98 12.57 8.45 13.34 19.66	4 Entire Units 12.9 21.16 31.64 16.76 10.4 16.82 25.88	per Back 2.85 4.33 5.66 2.94 2 3.08 4.22	per 2 Backs 4.35 7.33 11.32 5.88 3.1 5.16 8.44	per 3 Backs 7.2 11.66 16.98 8.82 4.2 8.24 12.66	9 per 4 Backs 8.7 14.66 22.64 11.76 6.2 10.32 16.88	per Seat 1.25 1.75 2.5 1.25 1.25 1.25 2.5 2.5	per 2 Seats 2.1 3.4 4.6 2.5 2.1 3.4 4.6	per 3 Seats 3.35 5.1 7 3.75 3.35 5.1 7	9 5 4.2 6.5 9 5 4.2 6.5 9
Full Height Back One-seat Two-seat Three-seat One-seat (Bariatric) Mid Height Back One-seat Two-seat	4.1 6.08 8.16 4.19 3.25 4.83	2 Entire Units 6.45 10.73 15.92 8.38 5.2 8.56	3 Entire Units 10.55 16.76 23.98 12.57 8.45 13.34	4 Entire Units 12.9 21.16 31.64 16.76	per Back 2.85 4.33 5.66 2.94	per 2 Backs 4.35 7.33 11.32 5.88 3.1 5.16	per 3 Backs 7.2 11.66 16.98 8.82 4.2 8.24	per 4 Backs 8.7 14.66 22.64 11.76	per Seat 1.25 1.75 2.5 1.25 1.25 1.75	per 2 Seats 2.1 3.4 4.6 2.5 2.1 3.4	per 3 Seats 3.35 5.1 7 3.75 3.35 5.1	per 4 Seats 4.2 6.5 9 5 4.2 6.5
Full Height Back One-seat Two-seat Three-seat One-seat (Bariatric) Mid Height Back One-seat Two-seat Three-seat One-seat (Bariatric)	4.1 6.08 8.16 4.19 3.25 4.83 6.72 3.65	2 Entire Units 6.45 10.73 15.92 8.38 5.2 8.56 13.04	3 Entire Units 10.55 16.76 23.98 12.57 8.45 13.34 19.66	4 Entire Units 12.9 21.16 31.64 16.76 10.4 16.82 25.88	per Back 2.85 4.33 5.66 2.94 2 3.08 4.22	per 2 Backs 4.35 7.33 11.32 5.88 3.1 5.16 8.44	per 3 Backs 7.2 11.66 16.98 8.82 4.2 8.24 12.66	9 per 4 Backs 8.7 14.66 22.64 11.76 6.2 10.32 16.88	per Seat 1.25 1.75 2.5 1.25 1.25 1.25 2.5 2.5	per 2 Seats 2.1 3.4 4.6 2.5 2.1 3.4 4.6	per 3 Seats 3.35 5.1 7 3.75 3.35 5.1 7	9 5 4.2 6.5 9 5 4.2 6.5 9
Full Height Back One-seat Two-seat Three-seat One-seat (Bariatric) Mid Height Back One-seat Two-seat Three-seat One-seat (Bariatric)	4.1 6.08 8.16 4.19 3.25 4.83 6.72 3.65	2 Entire Units 6.45 10.73 15.92 8.38 5.2 8.56 13.04 7.3	3 Entire Units 10.55 16.76 23.98 12.57 8.45 13.34 19.66 10.95	12.9 21.16 31.64 16.76 10.4 16.82 25.88 14.6	per Back 2.85 4.33 5.66 2.94 2 3.08 4.22 2.4	per 2 Backs 4.35 7.33 11.32 5.88 3.1 5.16 8.44 4.8	per 3 Backs 7.2 11.66 16.98 8.82 4.2 8.24 12.66 7.2	9.6 per 4 Backs 8.7 14.66 22.64 11.76 6.2 10.32 16.88 9.6	per Seat 1.25 1.75 2.5 1.25 1.25 1.25 1.25 1.25	per 2 Seats 2.1 3.4 4.6 2.5 2.1 3.4 4.6 2.5	per 3 Seats 3.35 5.1 7 3.75 3.35 5.1 7 3.75	9 5 4.2 6.5 9 5 5 5 5 9 5 5 5 5 9 5 5 5 5 6 5 6 5
Full Height Back One-seat Two-seat Three-seat One-seat (Bariatric) Mid Height Back One-seat Two-seat Three-seat One-seat (Bariatric)	4.1 6.08 8.16 4.19 3.25 4.83 6.72 3.65	2 Entire Units 6.45 10.73 15.92 8.38 5.2 8.56 13.04 7.3	3 Entire Units 10.55 16.76 23.98 12.57 8.45 13.34 19.66 10.95	12.9 21.16 31.64 16.76 10.4 16.82 25.88 14.6	per Back 2.85 4.33 5.66 2.94 2 3.08 4.22 2.4	per 2 Backs 4.35 7.33 11.32 5.88 3.1 5.16 8.44 4.8	per 3 Backs 7.2 11.66 16.98 8.82 4.2 8.24 12.66 7.2	9.06	per Seat 1.25 1.75 2.5 1.25 1.25 1.75 2.5 1.75 2.5 1.25	per 2 Seats 2.1 3.4 4.6 2.5 2.1 3.4 4.6 2.5	per 3 Seats 3.35 5.1 7 3.75 3.35 5.1 7 3.75	9 5 4.2 6.5 9 5 4.2 6.5 9 5 8.4
Full Height Back One-seat Two-seat Three-seat One-seat (Bariatric) Mid Height Back One-seat Two-seat Three-seat One-seat (Bariatric) Twin Full Height Bach One-seat Two-seat	4.1 6.08 8.16 4.19 3.25 4.83 6.72 3.65	2 Entire Units 6.45 10.73 15.92 8.38 5.2 8.56 13.04 7.3 8.73 14.23	3 Entire Units 10.55 16.76 23.98 12.57 8.45 13.34 19.66 10.95	12.9 21.16 31.64 16.76 10.4 16.82 25.88 14.6	per Back 2.85 4.33 5.66 2.94 2 3.08 4.22 2.4	per 2 Backs 4.35 7.33 11.32 5.88 3.1 5.16 8.44 4.8	per 3 Backs 7.2 11.66 16.98 8.82 4.2 8.24 12.66 7.2	9.06 15.46	per Seat 1.25 1.75 2.5 1.25 1.25 1.25 2.1 3.4	per 2 Seats 2.1 3.4 4.6 2.5 2.1 3.4 4.6 2.5 4.2 6.5	per 3 Seats 3.35 5.1 7 3.75 3.35 5.1 7 3.75	9 4.2 6.5 9 5 4.2 6.5 9 5 5 8.4 13
Full Height Back One-seat Two-seat Three-seat One-seat (Bariatric) Mid Height Back One-seat Two-seat Three-seat One-seat (Bariatric) Twin Full Height Back One-seat Two-seat Three-seat Three-seat	4.1 6.08 8.16 4.19 3.25 4.83 6.72 3.65	2 Entire Units 6.45 10.73 15.92 8.38 5.2 8.56 13.04 7.3 8.73 14.23 20.76	3 Entire Units 10.55 16.76 23.98 12.57 8.45 13.34 19.66 10.95	4 Entire Units 12.9 21.16 31.64 16.76 10.4 16.82 25.88 14.6 17.46 28.46 41.52	per Back 2.85 4.33 5.66 2.94 2 3.08 4.22 2.4 2.93 4.53 5.88	per 2 Backs 4.35 7.33 11.32 5.88 3.1 5.16 8.44 4.8	per 3 Backs 7.2 11.66 16.98 8.82 4.2 8.24 12.66 7.2 7.46 12.26 17.64	9.06 15.46 23.52	per Seat 1.25 1.75 2.5 1.25 1.25 1.25 2.1 3.4 4.6	per 2 Seats 2.1 3.4 4.6 2.5 2.1 3.4 4.6 2.5 4.2 6.5 9	per 3 Seats 3.35 5.1 7 3.75 3.35 5.1 7 3.75 6.3 9.9 13.6	9 4.2 6.5 9 5 4.2 6.5 9 5 5 8.4 13 18
Full Height Back One-seat Two-seat Three-seat One-seat (Bariatric) Mid Height Back One-seat Two-seat Three-seat One-seat (Bariatric) Twin Full Height Bach One-seat Two-seat	4.1 6.08 8.16 4.19 3.25 4.83 6.72 3.65	2 Entire Units 6.45 10.73 15.92 8.38 5.2 8.56 13.04 7.3 8.73 14.23	3 Entire Units 10.55 16.76 23.98 12.57 8.45 13.34 19.66 10.95	12.9 21.16 31.64 16.76 10.4 16.82 25.88 14.6	per Back 2.85 4.33 5.66 2.94 2 3.08 4.22 2.4	per 2 Backs 4.35 7.33 11.32 5.88 3.1 5.16 8.44 4.8	per 3 Backs 7.2 11.66 16.98 8.82 4.2 8.24 12.66 7.2	9.06 15.46	per Seat 1.25 1.75 2.5 1.25 1.25 1.25 2.1 3.4	per 2 Seats 2.1 3.4 4.6 2.5 2.1 3.4 4.6 2.5 4.2 6.5	per 3 Seats 3.35 5.1 7 3.75 3.35 5.1 7 3.75	9 4.2 6.5 9 5 4.2 6.5 9 5 5 8.4 13
Full Height Back One-seat Two-seat Three-seat One-seat (Bariatric) Mid Height Back One-seat Two-seat Three-seat One-seat (Bariatric) Twin Full Height Back One-seat Two-seat Three-seat One-seat Two-seat Three-seat One-seat Three-seat One-seat (Bariatric)	4.1 6.08 8.16 4.19 3.25 4.83 6.72 3.65	2 Entire Units 6.45 10.73 15.92 8.38 5.2 8.56 13.04 7.3 8.73 14.23 20.76 11.2	3 Entire Units 10.55 16.76 23.98 12.57 8.45 13.34 19.66 10.95 13.76 22.16 31.24 16.8	4 Entire Units 12.9 21.16 31.64 16.76 10.4 16.82 25.88 14.6 17.46 28.46 41.52 22.4	per Back 2.85 4.33 5.66 2.94 2 3.08 4.22 2.4 2.93 4.53 5.88 3.1	per 2 Backs 4.35 7.33 11.32 5.88 3.1 5.16 8.44 4.8 4.53 7.73 11.76 6.2	per 3 Backs 7.2 11.66 16.98 8.82 4.2 8.24 12.66 7.2 7.46 12.26 17.64 9.3	9.06 15.46 23.52 12.4	per Seat 1.25 1.75 2.5 1.25 1.25 1.25 2.1 3.4 4.6 2.5	per 2 Seats 2.1 3.4 4.6 2.5 2.1 3.4 4.6 2.5 4.2 6.5 9 5	per 3 Seats 3.35 5.1 7 3.75 3.35 5.1 7 3.75 6.3 9.9 13.6 7.5	9 4.2 6.5 9 5 4.2 6.5 9 5 5 8.4 13 18 10
Full Height Back One-seat Two-seat Three-seat One-seat (Bariatric) Mid Height Back One-seat Two-seat Three-seat One-seat (Bariatric) Twin Full Height Back One-seat Two-seat Three-seat One-seat Three-seat One-seat One-seat One-seat One-seat One-seat One-seat One-seat	4.1 6.08 8.16 4.19 3.25 4.83 6.72 3.65 6.72 3.65 6.72 3.65 6.72 4.83 6.72 4.83 6.72 4.83 6.72 4.83 6.72 6.72 6.72 6.72 6.72 6.72 6.72 6.72	2 Entire Units 6.45 10.73 15.92 8.38 5.2 8.56 13.04 7.3 8.73 14.23 20.76 11.2 7.52	3 Entire Units 10.55 16.76 23.98 12.57 8.45 13.34 19.66 10.95 13.76 22.16 31.24 16.8	12.9 21.16 31.64 16.76 10.4 16.82 25.88 14.6 17.46 28.46 41.52 22.4	per Back 2.85 4.33 5.66 2.94 2 3.08 4.22 2.4 2.93 4.53 5.88 3.1	per 2 Backs 4.35 7.33 11.32 5.88 3.1 5.16 8.44 4.8 4.53 7.73 11.76 6.2	per 3 Backs 7.2 11.66 16.98 8.82 4.2 8.24 12.66 7.2 7.46 12.26 17.64 9.3	9.06 15.46 23.52 12.4 6.64	per Seat 1.25 1.75 2.5 1.25 1.25 1.25 2.1 3.4 4.6 2.5 2.1	per 2 Seats 2.1 3.4 4.6 2.5 2.1 3.4 4.6 2.5 4.2 6.5 9 5	per 3 Seats 3.35 5.1 7 3.75 3.35 5.1 7 3.75 6.3 9.9 13.6 7.5	9 4.2 6.5 9 5 4.2 6.5 9 5 5 8.4 13 18 10 8.4
Full Height Back One-seat Two-seat Three-seat One-seat (Bariatric) Mid Height Back One-seat Two-seat Three-seat One-seat (Bariatric) Twin Full Height Ba One-seat Three-seat One-seat Three-seat One-seat Three-seat One-seat (Bariatric) Twin Mid Height Ba One-seat Two-seat Two-seat	4.1 6.08 8.16 4.19 3.25 4.83 6.72 3.65 6.84 4.3 6.84	2 Entire Units 6.45 10.73 15.92 8.38 5.2 8.56 13.04 7.3 8.73 14.23 20.76 11.2 7.52 12.38	3 Entire Units 10.55 16.76 23.98 12.57 8.45 13.34 19.66 10.95 13.76 22.16 31.24 16.8 11.82 19.22	12.9 21.16 31.64 16.76 10.4 16.82 25.88 14.6 17.46 28.46 41.52 22.4	per Back 2.85 4.33 5.66 2.94 2 3.08 4.22 2.4 2.93 4.53 5.88 3.1 2.2 3.44	per 2 Backs 4.35 7.33 11.32 5.88 3.1 5.16 8.44 4.8 4.53 7.73 11.76 6.2	per 3 Backs 7.2 11.66 16.98 8.82 4.2 8.24 12.66 7.2 7.46 12.26 17.64 9.3 5.52 9.32	9.06 15.46 23.52 12.4 6.64 11.76	per Seat 1.25 1.75 2.5 1.25 1.25 1.25 1.25 2.1 3.4 4.6 2.5 2.1 3.4	per 2 Seats 2.1 3.4 4.6 2.5 2.1 3.4 4.6 2.5 4.2 6.5 9 5 4.2 6.5	per 3 Seats 3.35 5.1 7 3.75 3.35 5.1 7 3.75 6.3 9.9 13.6 7.5	9 4.2 6.5 9 5 4.2 6.5 9 5 5 8.4 13 18 10 8.4 13
Full Height Back One-seat Two-seat Three-seat One-seat (Bariatric) Mid Height Back One-seat Two-seat Three-seat One-seat (Bariatric) Twin Full Height Back One-seat Two-seat Three-seat One-seat Three-seat One-seat One-seat One-seat One-seat One-seat One-seat One-seat	4.1 6.08 8.16 4.19 3.25 4.83 6.72 3.65 6.72 3.65 6.72 3.65 6.72 4.83 6.72 4.83 6.72 4.83 6.72 4.83 6.72 6.72 6.72 6.72 6.72 6.72 6.72 6.72	2 Entire Units 6.45 10.73 15.92 8.38 5.2 8.56 13.04 7.3 8.73 14.23 20.76 11.2 7.52	3 Entire Units 10.55 16.76 23.98 12.57 8.45 13.34 19.66 10.95 13.76 22.16 31.24 16.8	12.9 21.16 31.64 16.76 10.4 16.82 25.88 14.6 17.46 28.46 41.52 22.4	per Back 2.85 4.33 5.66 2.94 2 3.08 4.22 2.4 2.93 4.53 5.88 3.1	per 2 Backs 4.35 7.33 11.32 5.88 3.1 5.16 8.44 4.8 4.53 7.73 11.76 6.2	per 3 Backs 7.2 11.66 16.98 8.82 4.2 8.24 12.66 7.2 7.46 12.26 17.64 9.3	9.06 15.46 23.52 12.4 6.64	per Seat 1.25 1.75 2.5 1.25 1.25 1.25 2.1 3.4 4.6 2.5 2.1	per 2 Seats 2.1 3.4 4.6 2.5 2.1 3.4 4.6 2.5 4.2 6.5 9 5	per 3 Seats 3.35 5.1 7 3.75 3.35 5.1 7 3.75 6.3 9.9 13.6 7.5	9 4.2 6.5 9 5 4.2 6.5 9 5 5 8.4 13 18 10 8.4

ZOLA PRIVACY | CURVED - DIMENSIONS & COM REQUIREMENTS

DIMENSIONS

		Width				Overell						
	Overall	with	Overall	Depth	Overall	Overall Height	Seat	Seat	Shipping			
	Width	Arms	Depth	w/ Shelf	Height	w/Screen		Depth	Weight	Cubes		
Curved Single-Sea	t - Full H	eight Bacl										
30° Inside Curve	36	42	28.5	40.5	50	62.5	18.5	20.25	73	15		
45° Inside Curve	42.5	48.5	29	41	50	62.5	18.5	20.25	81	19		
60° Inside Curve	48.5	54.5	30	42	50	62.5	18.5	20.25	89	24		
90° Inside Curve	59	65	31.5	43.5	50	62.5	18.5	20.25	111	36		
30° Outside Curve	33.5	39.5	28.5	40.5	50	62.5	18.5	20.25	65	12		
45° Outside Curve	39	45	29	41	50	62.5	18.5	20.25	67	13		
60° Outside Curve	43.5	49.5	29	41	50	62.5	18.5	20.25	70	15		
90° Outside Curve	52	58	30	42	50	62.5	18.5	20.25	75	16		
Curved Single-Sea		•		10.5								
30° Inside Curve	36	42	28.5	40.5	37.5	50	18.5	20.25	68	13		
45° Inside Curve	42.5	48.5	29	41	37.5	50	18.5	20.25	76	16		
60° Inside Curve	48.5	54.5	30	42	37.5	50	18.5	20.25	83	20		
90° Inside Curve	59	65	31.5	43.5	37.5	50	18.5	20.25	103	28		
30° Outside Curve	33.5	39.5	28.5	40.5	37.5	50	18.5	20.25	62	10		
45° Outside Curve	39	45 40.5	29	41	37.5	50 50	18.5	20.25	64	12		
60° Outside Curve 90° Outside Curve	43.5 52	49.5 58	29 30	42 43.5	37.5 37.5	50 50	18.5 18.5	20.25 20.25	67 73	13 14		
Curved Double-Se	at - Full k	leight Rag	·k									
30° Inside Curve	58	64	30	42	50	62.5	18.5	20.25	117	28		
45° Inside Curve	64.5	70.5	31.5	43.5	50	62.5	18.5	20.25	124	37		
60° Inside Curve	70.5	76.5	33	45	50	62.5	18.5	20.25	132	46		
90° Inside Curve	81	87	36	48	50	62.5	18.5	20.25	151	65		
30° Outside Curve	55.5	61.5	29.5	41.5	50	62.5	18.5	20.25	101	24		
45° Outside Curve	61	67	31	43	50	62.5	18.5	20.25	104	28		
60° Outside Curve	65.5	71.5	32	44	50	62.5	18.5	20.25	110	32		
90° Outside Curve	74.5	80.5	34.5	46.5	50	62.5	18.5	20.25	121	37		
			_									
Curved Double-Se		•										
30° Inside Curve	58	64	30	42	37.5	50	18.5	20.25	110	24		
45° Inside Curve	64.5	70.5	31.5	43.5	37.5	50 50	18.5	20.25	116	31		
60° Inside Curve 90° Inside Curve	70.5 81	76.5 87	33 36	45 48	37.5 37.5	50 50	18.5 18.5	20.25 20.25	123 141	38 52		
000 0		01.5	00.5	44 5	07.5	50	10.5	00.05	00	01		
30° Outside Curve	55.5	61.5	29.5	41.5	37.5 37.5	50 50	18.5	20.25	96	21 25		
45° Outside Curve 60° Outside Curve	61 65.5	67 71.5	31 32	43 44		50 50	18.5 18.5	20.25 20.25	99 105	28		
90° Outside Curve	74.5	80.5	34.5	46.5	37.5 37.5	50	18.5	20.25	105 115	32		
COM YARDAGES												
	Vouder	Voud	Vouder	Vaude -	Vaud	Vauel	Varial	Vaude e	Vousle = -	Vaud =	Vouder	Varder
		Yardage 2 Entire	Yardage 3 Entire	Yardage 4 Entire	Yardage per	yardage per 2	Yardage per 3	Yardage per 4	Yardage per	yardage per 2	Yardage per 3	Yardage per 4
	Unit	Units	Units	Units	Back	Backs	Backs	Backs	Seat	Seats	Seats	Seats
Curved Single-Sea		-										
30° Inside Curve	5.2	10.4	15.6	20.8	3.4	6.8	10.2	13.6	1.8	3.6	5.4	7.2
45° Inside Curve	6.3	11.1	15.9	22.2	4.5	7.5	10.5	15	1.8	3.6	5.4	7.2
60° Inside Curve	6.7	12.2	17.67	24.37	4.9	8.6	12.27	17.17	1.8	3.6	5.4	7.2
90° Inside Curve	8.3	16.6	24.9	33.2	6.5	13	19.5	26	1.8	3.6	5.4	7.2
30° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7 7.7	11.2	1.8	3.6	5.4 5.4	7.2
45° Outside Curve 60° Outside Curve	5.3 5.3	9.2 9.2	13.1 13.1	18.4 18.4	3.5 3.5	5.6 5.6	7.7 7.7	11.2 11.2	1.8 1.8	3.6 3.6	5.4 5.4	7.2 7.2
90° Outside Curve	5.3 5.3	9.2	13.1	18.4	3.5 3.5	5.6 5.6	7.7 7.7	11.2	1.8	3.6	5.4 5.4	7.2 7.2
oo Outside Ourve	5.5	٥.۷	10.1	10.4	0.0	5.0	1.1	11.4	1.0	0.0	5.4	1 .2

ZOLA PRIVACY | CURVED - COM REQUIREMENTS

COM YARDAGES CONTINUED

	Yardage	Yardage	Yardage	Yardage	Yardage	Yardage	Yardage	Yardage	Yardage	Yardage	Yardage	Yardage
	Entire Unit	2 Entire Units	3 Entire Units	4 Entire Units	per Back	per 2 Backs	per 3 Backs	per 4 Backs	per Seat	per 2 Seats	per 3 Seats	per 4 Seats
Curved Single-Sea	t - Mid H	eight Bac	k									
30° Inside Curve	4.6	9.2	13.8	18.4	2.8	5.6	8.4	11.2	1.8	3.6	5.4	7.2
45° Inside Curve	5.1	9.1	13.15	18.7	3.3	5.5	7.75	11.5	1.8	3.6	5.4	7.2
60° Inside Curve	5.68	10.5	15.2	20.91	3.88	6.9	9.8	13.71	1.8	3.6	5.4	7.2
90° Inside Curve	6.5	13	19.5	26	4.7	9.4	14.1	18.8	1.8	3.6	5.4	7.2
30° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
45° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
60° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
90° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
Curved Double-Sea	at - Full H	leight Bac	ck									
30° Inside Curve	8.67	17.34	26.01	34.68	5.27	10.54	15.81	21.08	3.4	6.8	10.2	13.6
45° Inside Curve	9.37	18.74	28.11	37.48	5.97	11.94	17.91	23.88	3.4	6.8	10.2	13.6
60° Inside Curve	10.73	20.13	29.53	40.26	7.33	13.33	19.33	26.66	3.4	6.8	10.2	13.6
90° Inside Curve	11.15	20.93	30.73	41.88	7.75	14.13	20.53	28.28	3.4	6.8	10.2	13.6
30° Outside Curve	8.15	14.88	21.61	29.76	4.75	8.08	11.41	16.16	3.4	6.8	10.2	13.6
45° Outside Curve	8.15	14.88	21.61	29.76	4.75	8.08	11.41	16.16	3.4	6.8	10.2	13.6
60° Outside Curve	8.15	14.88	21.45	29.6	4.75	8.08	11.25	16	3.4	6.8	10.2	13.6
90° Outside Curve	8.15	14.88	21.61	29.76	4.75	8.08	11.41	16.16	3.4	6.8	10.2	13.6
Curved Double-Sea	at - Mid H	leight Ba	ck									
30° Inside Curve	7.8	15.6	23.4	31.2	4.4	8.8	13.2	17.6	3.4	6.8	10.2	13.6
45° Inside Curve	8.09	16.18	24.27	32.36	4.69	9.38	14.07	18.76	3.4	6.8	10.2	13.6
60° Inside Curve	8.9	16.8	24.7	33.6	5.5	10	14.5	20	3.4	6.8	10.2	13.6
90° Inside Curve	8.9	16.8	24.7	33.6	5.5	10	14.5	20	3.4	6.8	10.2	13.6
30° Outside Curve	7.15	13.25	19.7	26.5	3.75	6.45	9.5	12.9	3.4	6.8	10.2	13.6
45° Outside Curve	7.15	13.25	19.7	26.5	3.75	6.45	9.5	12.9	3.4	6.8	10.2	13.6
60° Outside Curve	6.8	12.6	18.4	25.2	3.4	5.8	8.2	11.6	3.4	6.8	10.2	13.6
90° Outside Curve	7.15	13.25	19.7	26.5	3.75	6.45	9.5	12.9	3.4	6.8	10.2	13.6

ZOLA PRIVACY | TWIN CURVED - DIMENSIONS

DIMENSIONS

DIMENSIONS										
		Width				Overall				
	Overall	with	Overall	Overall	Height	Seat	Seat	Shipping		
	Width	Arms	Depth	Height	w/Screen	Height	Depth	Weight	Cubes	
Twin Curved Sin	ngle-Seat - Ful	l Height Ba	ck							
30° Curve	49	55	53.5	50	62.5	18.5	20.25	127	31	
45° Curve	61.5	67.5	54	50	62.5	18.5	20.25	146	42	
60° Curve	73.5	79.5	55	50	62.5	18.5	20.25	164	55	
90° Curve	94.5	100.5	56.5	50	62.5	18.5	20.25	207	79	
Twin Curved Si	ngle-Seat - Mid	d Height Ba	ck							
30° Curve	49	55	53.5	37.5	50	18.5	20.25	122	27	
45° Curve	61.5	67.5	54	37.5	50	18.5	20.25	140	37	
60° Curve	73.5	79.5	55	37.5	50	18.5	20.25	158	48	
90° Curve	94.5	100.5	56.5	37.5	50	18.5	20.25	200	68	
Twin Curved Do	uble-Seat - Fι	ıll Height B	ack							
30° Curve	71	77	55	50	62.5	18.5	20.25	199	55	
45° Curve	83.5	89.5	56	50	62.5	18.5	20.25	215	73	
60° Curve	95.5	101.5	58	50	62.5	18.5	20.25	237	92	
Twin Curved Do	uble-Seat - M	id Height B	ack							
30° Curve	71	77	55	37.5	50	18.5	20.25	199	48	
45° Curve	83.5	89.5	56	37.5	50	18.5	20.25	215	64	
60° Curve	95.5	101.5	58	37.5	50	18.5	20.25	237	81	

ZOLA PRIVACY | TWIN CURVED - COM REQUIREMENTS

COM YARDAGES

	Yardage Entire Unit	Yardage 2 Entire Units	Yardage 3 Entire Units	Yardage 4 Entire Units	Yardage per Back	Yardage per 2 Backs	Yardage per 3 Backs	Yardage per 4 Backs
Curved Sine	gle-Seat - Full H	Joight Back						
30° Curve	8.6	15.6	24.2	31.2	4.8	8	12.8	16
45° Curve	9.6	17.6	27.2	35.2	4.8	8	12.8	16
60° Curve	11.53	20.8	31.2	41.6	6.33	10.4	15.6	20.8
90° Curve	11.83	24.50	36.75	48.70	6.33	13.5	20.25	27
Curved Since	gle-Seat - Mid H	leight Back						
30° Curve	7.63	13.85	21.48	27.7	3.83	6.25	10.08	12.5
45° Curve	8.63	15.85	24.48	31.7	3.83	6.25	10.08	12.5
60° Curve	10.2	18.4	27.6	36.8	5	8	12	16
90° Curve	10.5	21	31.5	41.7	5	10	15	20
Curved Dou	ıble-Seat - Full	Height Back						
30° Curve	12.96	27.1	40.65	54.2	6.16	13.5	20.25	27
45° Curve	13.13	27.1	40.65	54.2	6.33	13.5	20.25	27
60° Curve	13.23	27.3	40.95	54.6	6.33	13.5	20.25	27
90° Curve								
Curved Dou	ıble-Seat - Mid	Height Back						
30° Curve	11.63	23.60	35.4	47.2	4.83	10	15	20
45° Curve	11.8	23.6	35.4	47.2	5	10	15	20
60° Curve	11.9	23.8	35.7	47.6	5	10	15	20
	Yardage 1 Seat-Small Seat	Yardage 2 Seat-Small Seats	Yardage 3 Seat-Small Seats	Yardage 4 Seat-Small Seats	Yardage 1 Seat-Large Seat	Yardage 2 Seat-Large Seats	Yardage 3 Seat-Large Seats	Yardage 4 Seat-Large Seats
	gle-Seat - Full F						_	
30° Curve	1.8	3.6	5.4	7.2	2	4	6	8
45° Curve	1.8	3.6	5.4	7.2	3	6	9	12
60° Curve	1.8	3.6	5.4	7.2 7.2	3.4 3.7	6.8 7.4	10.2	13.6
90° Curve	1.8	3.6	5.4	1.2	3.7	7.4	11.10	14.5
	gle-Seat - Mid F	-					_	
30° Curve	1.8	3.6	5.4	7.2	2	4	6	8
45° Curve	1.8	3.6	5.4	7.2	3	6	9	12
60° Curve	1.8	3.6	5.4	7.2	3.4	6.8	10.2	13.6
90° Curve	1.8	3.6	5.4	7.2	3.7	7.4	11.1	14.5
	ble-Seat - Full			40.0			40.0	
30° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
45° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
60° Curve	3.4	6.8	10.2	13.6	3.5	7	10.5	14
	ble-Seat - Mid		10.0	40.0	0.4	0.0	100	40.0
30° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
45° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
60° Curve	3.4	6.8	10.2	13.6	3.4	7	10.5	14
Zola Privac	y Bariatric Opti	on Upcharges	\$ List				\$ List	
Bariatric Two			99		tric Two-Seat		198	
Bariatric Thr			149		tric Three-Seat		296	
	rve Single 30°		77		tric Curve Single		219	
	rve Single 45°		89		tric Curve Single		263	
	rve Single 60°		99		tric Curve Single		307	
	rve Single 90°		132		tric Curve Single		394	
	rve Double 30°		121		tric Curve Doubl		307	
	rve Double 45°		143		tric Curve Doubl		350	
	rve Double 60° rve Double 90°		154 176	iwin Baria	tric Curve Doubl	e ou	415	

DESCRIPTION	MODEL/SPECIES		COM 1	2	COL 3	FAI 4	BRIC GF 5	RADES 6	7	LEATHI 8	ER 9
	One-Seat, Full H ZOP3-M1F0F	eight Back	1466	1569	1673	1820	1988	2136	2304	2510	2728
	One-Seat, Full H ZOP3-M1F1_	eight Back with Shelf Option Beech/Laminate Maple/Palette	on 1801 1874	1904 1977	2008 2081	2155 2228	2324 2396	2471 2544	2639 2712	2846 2917	3064 3136
	- 42", 36" or 30" balance weight a	and chose required leg typ	ack with Shelf option please clearly specify on your order the required stype below. Freestanding, Start and End units with the shelf option requer, please add \$231 List upcharge per unit. Units with Shelf Option are r								
	One-Seat, Full H ZOP3-M1F2F	eight Back with Privacy Sc	creen Opti 1682	on 1784	1888	2035	2203	2351	2519	2725	2944
	ORDERING NO	TES: Units with Privacy Scr	reen Optic	on are no	ot available	with Rer	novable	Back Co	ver optio	n.	
	One-Seat, Mid H ZOP3-M1M0F	leight Back	1380	1461	1543	1658	1790	1905	2037	2200	2368
	ZOP3-M1M1_	leight Back with Shelf Opti Beech/Laminate Maple/Palette	1715 1788	1796 1868	1878 1950	1993 2066	2125 2197	2241 2313	2372 2445	2535 2608	2703 2776
Υ'	30" and chose rec	E: When ordering a back wit juired leg type below. Freesta please add \$231 List upcha	inding, Sta	rt and Er	nd units wit	h the she	f option r	equire co	unterbala	nce weig	ht added
	One-Seat, Mid H ZOP3-M1M2F	leight Back with Privacy So	creen Opti 1595	ion 1676	1758	1874	2005	2120	2253	2415	2583
Zola Privacy C	ORDERING NO	TES: Units with Privacy Scr \$ List	reen Optic	on are no	ot available	with Rer	movable		ver option \$ List	n.	
Moisture Barrie Seat Power Shelf Power Table Power Dual Leg (for M See page 176	r & CAL 133(per ya ultiple unit configur	rd) 49 488 457 449 rations 61	R R R	Removak Removak Removak Removak	ole Back Cole Back Cole Back Cole Seat Co	Covers Tv Covers Th overs Or overs Tw	vo-Seat iree-Sea ie-Seat o-Seat	ıt	52 75 93 36 52 65		
PRODUCT COD	Series	Chair Type	Seat C	ount	Bac	k Type	ı	Leg Type			
ZOP Zola	3 Lounge	M Modular	1 One S	Seat	Full He	0 ight Back	Frees	F standing l	Jnit		
		MB Modular Bariatric	2 Two S	Seat	Full Heigh Shelf		th S	S Start Unit			
			Three	Seat	F	2 nt Back wi		C enter Unit			
					M			E End Unit			
					Mid Heigh Shelf		ith				
					Mid Heigh Privacy So						
					S	EATING	& OCC	ASION	AI TARI	FS LUS	SA 177

DESCRIPTION	/MODEL/SPECIES		COM 1	2	COL 3	FAE 4	BRIC GR 5	ADES 6	7	LEATHEI 8	R 9
SCRIPTION			ı		<u> </u>	4	5	6		0	9
	One-Seat Bariatric, Full ZOP3-MB1F0F	Height Back	1839	1942	2045	2193	2361	2508	2676	2883	310
*	One-Seat Bariatric, Full	Height Back with	Shelf Option	on							
	_	n/Laminate e/Palette	2183 2257	2286 2360	2390 2464	2537 2611	2706 2779	2853 2927	3021 3095	3228 3301	344 351
	ORDERING NOTE: Whr - 42", 36" or 30" and ch balance weight added with Removable Back C	ose required leg ty to each seat unit, p	pe below. F	reestan	ding, Star	t and End	units wi	th the sh	elf optio	n require c	ounte
	One-Seat Bariatric, Full ZOP3-MB1F2F	Height Back with	Privacy Sc 2111	reen Op 2214	tion 2317	2465	2633	2780	2948	3155	337
	ORDERING NOTES: U	nits with Privacy So	creen Optic	on are no	ot available	e with Rer	novable l	Back Cov	ver optio	n.	
	One-Seat Bariatric, Mic ZOP3-MB1M0F	l Height Back	1756	1837	1919	2034	2166	2281	2413	2576	274
	One-Seat Bariatric, Mic		Shelf Option	on							
	ZOP3-MB1M1_ Beecl Maple	n/Laminate e/Palette	2100 2174	2181 2255	2263 2337	2380 2452	2510 2583	2627 2699	2758 2831	2921 2994	309 316
1	 - 36" or 30" and chose reweight added to each Removable Back Cover One-Seat Bariatric, Mic 	seat unit, please a option.	add \$231 L	List upc	harge pe						
	ZOP3-MB1M2F		2028	2109	2191	2306	2438	2553	2685	2848	301
	ORDERING NOTES: U	nits with Privacy So	creen Optic	on are no	ot available	e with Rer	novable l	Back Cov	ver optio	n.	
la Privacy (Option Upcharges	\$ List						\$	List		
	er & CAL 133(per yard)	49			ole Back (52		
at Power elf Power		488 457			ole Back (ole Back (t	75 93		
ble Power	Aultiple unit configurations	449			ole Seat C				36		
	Aultiple unit configurations for Bariatric Option upch	61 narges			ole Seat C ole Seat C				52 65		
RODUCT COD											
Line	Series	Chair Type	Seat C	Count		ck Type	L	_eg Type			
ZOP	3 Lounge	M Modular	One S	Seat		eight Back	Frees	F standing U	Jnit		
		MB Modular Bariatric	2 Two S	Seat	Full Heig	f Back wi f Option	th S	Start Unit			
			Three	Seat	Full Heig	ht Back wi		C enter Unit			
					N	10 eight Back	[E End Unit			
						11 ht Back wi	ith				
						40					

M2 Mid Height Back with Privacy Screen Option

DESCRIPTION/I	ESCRIPTION/MODEL/SPECIES Two-Seat, Full Height Back				COL 3	FAB 4	RIC GR. 5	ADES 6	7	LEATHER 8	9
	Two-Seat, Full Height ZOP3-M2F0F	Back	2307	2461	2613	2832	3081	3301	3548	3855	4182
	_	ech/Laminate ole/Palette /hen ordering a back w hose required leg type I to each seat unit, ple	below. Fr	reestand	ling, Start	and End	units wit	h the she	elf optio	n require co	unter-
	Two-Seat, Full Height ZOP3-M2F2F ORDERING NOTES:	·	2681	2833	2987 available	3205 with Rem	3455 novable E	3674 Back Cov	3813 er optior	4228 n.	4554
	Two-Seat, Mid Height ZOP3-M2M0F	Back	1978	2098	2220	2393	2590	2764	2960	3203	3457
	_	ech/Laminate ble/Palette lhen ordering a back w required leg type below seat unit, please ad	2385 2461 vith Shelf v. Freesta	nding, S	tart and E	nd units v	vith the s	shelf option	on requii	e counterba	alance
	Two-Seat, Mid Height ZOP3-M2M2F ORDERING NOTES:	Units with Privacy Scre	2351	2472	2593 available	2767 with Rem	2964 novable E		·	3576 n.	3831
Moisture Barrier Seat Power Shelf Power Table Power Dual Leg (for Mo	ption Upcharges - & CAL 133(per yard) - Ultiple unit configuration or Bariatric Option upgets - KEY Series		R R R R	lemovab lemovab lemovab lemovab	lle Back C lle Back C lle Back C lle Seat C lle Seat C	overs Twovers Thovers On	ro-Seat ree-Seat e-Seat o-Seat ree-Seat	t	52 75 93 36 52 65		
ZOP Zola	3 Lounge	M Modular MB Modular Bariatric	Two S	Seat Seat	Full Heiging Shelf Full Heiging Privacy Some Mid Heiging Shelf Mid Mid Heiging Shelf Mid Mid Heiging Shelf Mid Mid Mid Mid Mid Heiging Shelf Mid	o bight Back that Back wif Option 2 ht Back wicreen Opti	Free:	F standing U S Start Unit C C enter Unit E E End Unit			

ZOLA PRIVACY

DECODIDEIO» (MODEL /ODEOUEO		COM	0	COL		BRIC GR			LEATHE	
DESCRIPTION/	MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Three-Seat, Full Heig ZOP3-M3F0F	ght Back	3035	3240	3446	3738	4072	4365	4698	5109	5540
	ZOP3-M3F1_ B	ght Back Shelf Option eech/Laminate aple/Palette	3512 3591	3717 3797	3922 4002	4216 4296	4549 4629	4843 4923	5175 5255	5585 5665	6018 6098
	- 42", 36" or 30" and	When ordering a back we chose required leg type and to each seat unit, ple a Cover option.	below. Fi	reestand	ling, Start	and End	units wit	th the she	elf option	require c	ounter
	Three-Seat, Full Heig	ght Back with Privacy So	creen Op	tion							
	ZOP3-M3F2F		3567	3773	3978	4272	4605	4899	5231	5641	6074
	ORDERING NOTES	: Units with Privacy Scre	en Optio	n are no	t available	with Rer	novable	Back Cov	er option		
	Three-Seat, Mid Heig ZOP3-M3M0F	ght Back	2856	3026	3194	3436	3711	3954	4229	4567	4926
	ZOP3-M3M1_ B	ght Back Shelf Option eech/Laminate aple/Palette	3334 3413	3503 3583	3671 3751	3914 3994	4189 4269	4431 4511	4707 4786	5044 5123	5403 5483
	 36" or 30" and cho 	When ordering a back wase required leg type beat to each seat unit, please Cover option.	low. Free	standin	g, Start ar	nd End u	nits with	the shel	lf option r	equire c	ounter
	Three-Seat, Mid Heig ZOP3-M3M2F	ght Back with Privacy S	creen Op	tion 3559	3727	3969	4245	4487	4762	5099	5458
	ORDERING NOTES	: Units with Privacy Scre	en Optio	n are no	t available	with Rer	movable	Back Cov	er option		
Zola Privacy O	ption Upcharges	\$ List						\$	S List		
	r & CAL 133(per yard)	49			le Back C				52		
Seat Power Shelf Power		488 457			le Back C le Back C			+	75 93		
Table Power		449			ole Seat Co				36		
	ultiple unit configuratio f or Bariatric Option u				ole Seat Co ole Seat Co			t	52 65		
PRODUCT CODE Line	Series	Chair Type	Seat Co	ount	Back	Туре	l	_eg Type			
ZOP	3	M	1	7	F0		[F			
Zola	Lounge	Modular	One S	_ eat		 ght Back	Frees	tanding U	nit		
		MB Modular Bariatric	2 Two Se	eat	F1 Full Height		th S	Start Unit			
			3		F2		[С			
			Three S	seat	Full Height Privacy Sci	reen Opti		enter Unit			
					Mid Hei	ght Back	[E End Unit			
					M1 Mid Heigh Shelf		th				
					Mid Heigh		th				

Mid Height Back with Privacy Screen Option

ZOLA PRIVACY | SIDE PANELS

		COM		COL	FAE	BRIC GR	ADES		LEATHE	R		
DESCRIPTION/I	MODEL		1	2	3	4	5	6	7	8	9	
	Side Panel, Singl	e, Full Height No	Screen									
	ZOP3-MPF0S	Start	722	789	857	993	1128	1264	1399	1536	1806	
	ZOP3-MPF0C	Centre	931	998	1065	1201	1336	1472	1607	1742	2014	
	ZOP3-MPF0E	End	722	789	857	993	1128	1264	1399	1536	1806	
	Side Panel, Singl	e, Full Height wi	th Screen									
ما	ZOP3-MPF2S	Start	947	1015	1082	1217	1353	1488	1624	1760	2031	
	ZOP3-MPF2C	Centre	1155	1223	1291	1426	1562	1697	1833	1968	2239	
	ZOP3-MPF2E	End	947	1015	1082	1217	1353	1488	1624	1760	2031	
	Side Panel, Singl	e, Mid Height No	o Screen									
	ZOP3-MPM0S	Start	585	632	677	770	861	953	1045	1137	1320	
	ZOP3-MPM0C	Centre	801	846	892	983	1076	1167	1259	1351	1536	
	ZOP3-MPM0E	End	585	632	677	770	861	953	1045	1137	1320	
	Side Panel, Singl	e, Mid Height wi	th Screen									
	ZOP3-MPM2S	Start	810	856	901	995	1086	1179	1270	1361	1545	
	ZOP3-MPM2C	Centre	1025	1071	1117	1209	1300	1392	1484	1575	1760	
	ZOP3-MPM2E	End	810	856	901	995	1086	1179	1270	1361	1545	

ORDERING NOTE: Side Panels will only connect to Center seating units. Units with Privacy Screen Option are not available with Removable Back Cover option.

DIMENSIONS & COM REQUIREMENTS

DIMENSIONS &	COM REQUIREMEN	NTS						
		Overall Width	Overall Depth	Overall Height	Shipping Weight	Cubes	COM	
Side Panel, Singl	e, Full Height No Scr	een						
ZOP3-MPF0S	Start	3	27	43.75	38	3	2.7	
ZOP3-MPF0C	Centre	3	27	43.75	38	3	2.7	
ZOP3-MPF0E	End	3	27	43.75	38	3	2.7	
Side Panel, Singl	e, Full Height with So	creen						
ZOP3-MPF2S	Start	3	27	56.5	40	3	2.7	
ZOP3-MPF2C	Centre	3	27	56.5	40	3	2.7	
ZOP3-MPF2E	End	3	27	56.5	40	3	2.7	
Side Panel, Singl	e, Mid Height No Scr	reen						
ZOP3-MPM0S	Start	3	27	31.5	38	3	1.83	
ZOP3-MPM0C	Centre	3	27	31.5	38	3	1.83	
ZOP3-MPM0E	End	3	27	31.5	38	3	1.83	
Side Panel, Singl	e, Mid Height with So	creen						
ZOP3-MPM2S	Start	3	27	43.88	40	3	1.83	
ZOP3-MPM2C	Centre	3	27	43.88	40	3	1.83	
ZOP3-MPM2E	End	3	27	43.88	40	3	1.83	
PRODUCT CODE	KEY							
Line	Series	Chair Type	He	eight	Position			
ZOP	3	MP		F0	S			
Zola	Lounge	Modular Side Panel	Full	Height	Start			
			Full He	F2	C Center			
			Privacy So	reen Option				

Mid Height with Privacy Screen Option

M0

Mid Height

M2

Е

End

ZOLA PRIVACY | TWIN SEATS

DESCRIPTION/MODE	EL	COM 1	2	COL 3	FA 4	BRIC GRA	ADES 6	7	LEATHE 8	R 9
	Twin One-Seat, Full Height ZOP3-MT1F0F	Back 2172	2299	2425	2608	2812	2995	3201	3454	3724
	Twin One-Seat, Full Height ZOP3-MT1F2F	Back with 2387	Privacy S 2514	creen Op 2640	otion 2823	3028	3210	3416	3669	3939
	ORDERING NOTES: Units	with Privac	cy Screen	Option a	re not availa	ble with R	emovable I	Back Cove	er option.	
	Twin One-Seat, Mid Height ZOP3-MT1M0F	Back 2066	2174	2282	2438	2613	2769	2945	3161	3392
	Twin One-Seat, Mid Height ZOP3-MT1M2F	Back with 2281	Privacy S 2389	Screen Op 2497	ption 2653	2828	2985	3160	3376	3607
	ORDERING NOTES: Units	with Privac	cy Screen	Option a	ıre not availa	ble with R	emovable I	Back Cove	er option.	
	Twin One-Seat Bariatric, Fu ZOP3-MBT1F0F	ıll Height B 2907	ack 3034	3160	3343	3547	3730	3936	4189	4459
	Twin One-Seat Bariatric, Fu ZOP3-MBT1F2F	ıll Height B 3179	sack with	Privacy S 3432	Screen Optio 3615	on 3819	4002	4208	4461	4731
	ORDERING NOTES: Units	with Privac	cy Screen	Option a	re not availa	ble with R	emovable l	Back Cove	er option.	
	Twin One-Seat Bariatric, M ZOP3-MBT1M0F	id Height E 2791	3ack 2900	3008	3162	3338	3494	3670	3887	4116
	Twin One-Seat Bariatric, M ZOP3-MBT1M2F	id Height E 3063	Back with	Privacy S	Screen Option	on 3610	3766	3942	4158	4388
	ORDERING NOTES: Units	with Privac	cy Screen	Option a	ıre not availa	ble with R	emovable l	Back Cove	er option.	
PRODUCT CODE KEY										
Line	Series Chair		Seat C	ount	Back T	ype	Leg Ty	oe 		
ZOP Zola	Lounge Modula		One S	 Seat	Full Heigh	 t Back	Freestandir	ng Unit		
	MT Modular Tw		2 Two S	Seat	F2 Full Height E	Back with	S Start U	nit		
	ivioduidi IW	Danatiio	3		Privacy Screen	en Option		-		
			Three		Mid Heigh		Center U	 Jnit		
					Mid Height E Privacy Screen	 Back with	End Ur	nit		

ZOLA PRIVACY | TWIN SEATS

DESCRIPTION/MOD	El	COM 1	2	COL 3	FA 4	BRIC GR. 5	ADES 6	7	LEATHE 8	:R 9
<u>BESONII HONNIOS</u>	Twin Two-Seat, Full Height ZOP3-MT2F0F		3425	3623	3919	4249	4545	4875	5273	5726
	Twin Two-Seat, Full Height ZOP3-MT2F2F	Back Priva 3599	cy Screer 3798	Option 3997	4293	4623	4919	5248	5645	6100
	ORDERING NOTES: Units	with Privac	y Screen	Option are	e not availal	ole with R	emovable E	Back Cove	r option.	
	Twin Two-Seat, Mid Height ZOP3-MT2M0F	Back 3070	3241	3412	3662	3942	4191	4470	4814	5186
	Twin Two-Seat, Mid Height ZOP3-MT2M2F	Back with 3443	Privacy S 3615	creen Opt	tion 4035	4316	4565	4844	5186	5560
A A	ORDERING NOTES: Units	with Privac	y Screen	Option are	e not availal	ole with R	emovable E	Back Cove	r option.	
	Twin Three-Seat, Full Heigh ZOP3-MT3F0F	t Back 4433	4688	4942	5304	5716	6077	6487	6998	7524
	Twin Three-Seat, Full Heigh ZOP3-MT3F2F	t Back Priv 4965	acy Scree	en Option 5475	5836	6248	6610	7021	7530	8057
	ORDERING NOTES: Units	with Privac	y Screen	Option are	e not availal	ole with R	emovable E	Back Cove	r option.	
	Twin Three-Seat, Mid Heigh ZOP3-MT3M0F	t Back 4080	4303	4526	4847	5210	5531	5893	6341	6814
	Twin Three-Seat, Mid Heigh ZOP3-MT3M2F	4612	4837	5059	5381	5743	6064	6426	6874	7347
	ORDERING NOTES: Units	with Privac	y Screen	Option are	e not availal	ole with R	emovable E	Back Cove	r option.	
PRODUCT CODE KEY Line	Series Chair	Type	Seat C	Count	Back Ty	/ne	Leg Typ	ne .		
ZOP Zola	3 M Lounge Modula M Modular Twi	T Twin	1 One S	Seat Seat	Full Height F2 Full Height E Privacy Scree	t Back Back with	F Freestandin S Start Ui	g Unit		
			Three		Mid Heigh		Center L	 Jnit		

Е

End Unit

M2

Mid Height Back with Privacy Screen Option

ZOLA PRIVACY | TWIN SIDE PANELS

	COM		COL	FAB	RIC GRAD	ES	I	EATHER	
DESCRIPTION/MODEL	1	2	3	4	5	6	7	8	9
Side Panel, Twin, Full Height No S	creen								
ZOP3-MPTF0U Universal End	1087	1188	1289	1489	1690	1892	2092	2293	2694
ZOP3-MPTF0C Centre	1630	1731	1832	2032	2233	2433	2634	2834	3237
Side Panel, Twin, Full Height with	Screen								
ZOP3-MPTF2U Universal End	1528	1629	1730	1930	2132	2333	2533	2735	3135
ZOP3-MPTF2C Centre	2071	2172	2273	2473	2674	2874	3075	3275	3678
Side Panel, Twin, Med. Height No	Screen -								
ZOP3-MPTM0U Universal End	905	972	1040	1176	1311	1446	1582	1717	1988
ZOP3-MPTM0C Centre	1445	1515	1582	1717	1853	1988	2124	2259	2531
اللكي القادمة									
Side Panel, Twin, Med. Height with	Screen								
ZOP3-MPTM2U Universal End	1346	1413	1481	1617	1753	1888	2024	2159	2429
ZOP3-MPTM2C Centre	1887	1956	2024	2159	2294	2429	2565	2700	2972
ORDERING NOTE: Side Panels wi	ill only conn	ect to Ce	nter seatir	na units. U	nits with Pi	ivacy Scre	en Option	are not a	vailable

ORDERING NOTE: Side Panels will only connect to Center seating units. Units with Privacy Screen Option are not available with Removable Back Cover option.

DIMENSIONS & COM REQUIREMENTS

		Overall Width	Overall Depth	Overall Height	Shipping Weight	Cubes	COM	
Side Panel, Single	, Full Height No Screen							
ZOP3-MPTF0U	Universal	3	51.5	43.75	66	6	4	
ZOP3-MPTF0C	Centre	3	51.5	43.75	66	6	4	
Side Panel, Single	, Full Height with Screen							
ZOP3-MPTF2U	Universal	3	51.5	56.5	68	6	4	
ZOP3-MPTF2C	Centre	3	51.5	56.5	68	6	4	
Side Panel, Single	, Mid Height No Screen							
ZOP3-MPTM0U	Universal	3	51.5	31.5	46	4	2.7	
ZOP3-MPTM0C	Centre	3	51.5	31.5	46	4	2.7	
Side Panel, Single	, Mid Height with Screen							
ZOP3-MPTM2U	Universal	3	51.5	43.88	48	4	2.7	
ZOP3-MPTM2C	Centre	3	51.5	43.88	48	4	2.7	

PRODUCT CODE KEY

Line	Series	Chair Type	Height	Position	
ZOP	3	MPT	F0	U	
Zola	Lounge	Modular Side Panel Twin	Full Height	Universal (S or E)	

Full Height with
Privacy Screen Option

С

Center /Interim

M0

Mid Height

M2

Mid Height with Privacy Screen Option


			СОМ		COL	FAB	RIC GRA	DES		LEATHE	:R
DESCRIPTION/M	ODEL/SPECIES		1	2	3	4	5	6	7	8	9
111	Single-Seat, 30° Insid ZOP3-MCIS30DF0F	e Curve, Full Heigh	t Back 2613	2756	2900	3100	3328	3530	3757	4044	4330
	Single-Seat, 30° Insid 20P3-MCIS30DF1_	e Curve, Full Heigh Beech/Laminate Maple/Palette	t Back v 3083 3155	with Shelf 3227 3297	3370 3440	3570 3642	3799 3870	4000 4071	4228 4299	4514 4585	4800 4871
-	DRDERING NOTE: V 42", 36" or 30" and obtained weight added	chose required leg t	ype belo	ow. Freest	anding,	Start and En	ıd units w				_
	Single-Seat, 30° Insid ZOP3-MCIS30DF2F	e Curve, Full Heigh	t Back v 3065	with Privac 3208	cy Scree 3351	en 3553	3780	3981	4210	4496	4782
_	Single-Seat, 30° Insid 20P3-MCIS30DM0F	e Curve, Mid Heigh	t Back 2494	2619	2745	2921	3122	3297	3499	3750	4000
	Single-Seat, 30° Insid	e Curve Mid Heigh	nt Back v	with Shalf							
	ZOP3-MCIS30DM1_		2965 3036	3091 3161	3216 3287	3392 3462	3593 3664	3768 3839	3969 4040	4220 4292	4470 4542
a	36" or 30" and chosunce weight added to Single-Seat, 30° Inside COP3-MCIS30DM2F	each seat unit, ple	ase add	\$231 Lis	t upcha	rge per unit.		3750	3951	4202	4452
Zola Privacy Opt	ion Upcharges	\$ List							\$	List	
Seat Power Shelf Power Table Power Dual Leg (for Mult	CAL 133(per yard)		Rem Rem	ovable Se ovable Se	eat Cove eat Cove	ers One-Seaters Two-Seaters Three-Se k covers are	at	able on cu	3 5 6 irved bad	2 5	
	Bariatric Option up	cnarges									
Line	Series	Chair Type	C	Curve Style		Seat Degree	1	Back Type		Leg Typ	e
ZOP Zola	3 Lounge	MC Modular Curve MCB Modular Curve Bariatric		IS Curve -Sir Curve -Do		30D 45D	Full H	F0 Height Bac		F eestanding S Start Un	
		Baratrio	Outsid	OS le Curve -S	ingle	60D	Full H	F2 eight Back y y Screen Op		C Center U	nit
			Outside	e Curve -Do	ouble		Mid H S Mid H	Height Back of the Height Back of the Height Back of the Height Back of Screen Op	with	End Un	it

DESCRIPTION/	MODEL/SPECIES		COM 1	2	COL 3	FABRIO 4	C GRAD 5	ES 6	7	LEATHER 8	9
	Single-Seat, 45° Insid ZOP3-MCIS450DF0F		ht Back 2931	3090	3247	3478	3736	3967	4227	4543	4889
	Single-Seat, 45° Insid ZOP3-MCIS45DF1_ ORDERING NOTE: V - 42", 36" or 30" and counterbalance weigh	Beech/Laminate Maple/Palette When ordering a bad chose required	3415 3486 ack with the	3573 3645 Shelf optic below. Fr	3731 3804 on please eestand	ling, Start a	and End	units with			
	Single-Seat, 45° Insid ZOP3-MCIS45DF2F	le Curve, Full Heig	ht Back 3389	with Privac 3546	cy Scree 3705	en 3936	4194	4425	4685	5001	5340
	Single-Seat, 45° Insid ZOP3-MCIS45DM0F	le Curve, Mid Heig	ht Back 2775	2903	3031	3211	3418	3598	3805	4060	432
	Single-Seat, 45° Insid ZOP3-MCIS45DM1_ ORDERING NOTE: V	Beech/Laminate Maple/Palette	3259 3330	3386 3458	3515 3587	3695 3767	3901 3974	4082 4154	4289 4360	4544 4616	4804 487
	counterbalance weigh	it added to each o	cat unit,	picase au	u ֆՀ 311	List upchar	ge per u	nit.			
	Single-Seat, 45° Insid ZOP3-MCIS45DM2F						3875	4056	4262	4518	477
Moisture Barrie Seat Power Shelf Power Table Power Dual Leg (for M	Single-Seat, 45° Insid	\$ List 49 488 457 449 ns 61	ht Back 3232 Rem Rem Rem	with Privac 3360 ovable Sea ovable Sea ovable Sea	at Cover	en Option	3875	4056	\$	6 List 66 62 65	477
Moisture Barrie Seat Power Shelf Power Table Power Dual Leg (for M	Single-Seat, 45° Insid ZOP3-MCIS45DM2F Option Upcharges er & CAL 133(per yard)	\$ List 49 488 457 449 ns 61	Rem Rem Rom	with Privac 3360 ovable Sea ovable Sea ovable Sea	at Cover at Cover at Cover at Cover at Cover	en Option 3669 s One-Seat s Two-Seat s Three-Se	3875	4056	\$	6 List 66 62 65	4778

			COM		COL	FAE	RIC GRAD)ES	L	EATHER	
DESCRIPTION/M	IODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Single-Seat, 60° Insic ZOP3-MCIS60DF0F	le Curve, Full Heig	ht Back 3330	3530	3727	4013	4340	4622	4945	5341	5764
	Single-Seat, 60° Insic ZOP3-MCIS60DF1_ ORDERING NOTE: V - 42", 36" or 30" and counterbalance weight	Beech/Laminate Maple/Palette When ordering a bad chose required	3950 4023 ack with 9 leg type	4148 4221 Shelf optio below. Fre	eestandin	ıg, Start a	and End u	nits with			
	Single-Seat, 60° Insic ZOP3-MCIS60DF2F	le Curve, Full Heig	ht Back 3790	with Privac 3989	cy Screen 4187	4472	4795	5081	5404	5801	6223
	Single-Seat, 60° Insic ZOP3-MCIS60DM0F	le Curve, Mid Heig	ght Back 3173	3314	3457	3658	3887	4086	4316	4601	4887
	Single-Seat, 60° Insid ZOP3-MCIS60DM1_	_	ght Back 3791 3864	with Shelf 3934 4006	4077 4149	4277 4351	4505 4578	4706 4778	4934 5008	5220 5292	5507 5580
	- 36" or 30" and checounterbalance weight Single-Seat, 60° Insic ZOP3-MCIS60DM2F	nt added to each s	seat unit,	please ad	d \$231 Li	st upcha			4775	5060	5347
Zola Privacy Op	tion Upcharges	\$ List							\$	List	
Seat Power Shelf Power Table Power Dual Leg (for Mu	& CAL 133(per yard) Itiple unit configuration or Bariatric Option upo		Remo	ovable Sea ovable Sea ovable Sea : Removab	t Covers it Covers	Two-Seat Three-Se	at	ble on cur	36 52 69 ved bac	<u>2</u> 5	
PRODUCT CODE											
ZOP Zola	Series 3 Lounge	MC Modular Curve MCB Modular Curve Bariatric	Inside Inside I	IS Curve -Sing ID Curve -Doub OS e Curve -Sin OD Curve -Doub	lle [30D 45D 60D 90D	Full He Sh Full He Privacy Mid He Sh	F0 Height Back welf Option F2 Ight Back welf Option F2 Ight Back welf Option Height Back welf Option M1 Ight Back velf Option M2 Ight Back velf Option	vith vith tion k	Leg Type F eestanding S Start Uni C Center Ur E End Uni	u Unit
						OF ATIME		Screen Opt	ions	-0 110 4	140

		COM		COL		FABF	RIC GRAD	ES LI	EATHER		
DESCRIPTION/MODEL/SPECIES			1	2	3	4	5	6	7	8	9
	Single-Seat, 90° Insid ZOP3-MCIS90DF0F	e Curve, Full Height	Back 3803	4010	4219	4511	4844	5136	5470	5886	6303
	Single-Seat, 90° Insid ZOP3-MCIS90DF1_	e Curve, Full Height Beech/Laminate Maple/Palette	Back with 4468 4543	n Shelf 4677 4751	4885 4960	5177 5252	5510 5584	5802 5876	6136 6210	6551 6626	6969 7043

ORDERING NOTE: When ordering a back with Shelf option please clearly specify on your order the required Shelf Height - 42", 36" or 30" and chose required leg type below. Freestanding, Start and End units with the shelf option require counterbalance weight added to each seat unit, please add **\$231 List** upcharge per unit.



ORDERING NOTE: When ordering a back with Shelf option please clearly specify on your order the required Shelf Height - 36" or 30" and chose required leg type below. Freestanding, Start and End units with the shelf option require counterbalance weight added to each seat unit, please add **\$231 List** upcharge per unit.



Single-Seat, 90° Inside Curve, Mid Height Back with Privacy Screen Option

ZOP3-MCIS90DM2F 4208 4372 4534 4762 5023 5253 5513 5838 6165

PRODUCT CODE KEY

	=					
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MC	IS	30D	F0	F
Zola	Lounge	Modular Curve	Inside Curve -Single		Full Height Back	Freestanding Unit
		MCB	ID	45D	F1	S
		Modular Curve Bariatric	Inside Curve -Double		Full Height Back with Shelf Option	Start Unit
			OS	60D	F2	С
			Outside Curve -Single		Full Height Back with Privacy Screen Option	Center Unit
			OD Outside Curve -Double	90D	M0 Mid Height Back	End Unit
			Outside Oui ve -Double			Liid Ollit
					M1 Mid Height Back with	
					Shelf Option	
					M2	
					Mid Height Back with	
					Privacy Screen Options	

									- 1		
			COM		COL			BRIC GRAD		EATHER	
DESCRIPTIO	N/MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Single-Seat, 30° Outside ZOP3-MCOS30DF0F	Curve, Full Height	Back 2478	2614	2750	2940	3158	3348	3565	3837	4108
	Single-Seat, 30° Outside	Curve, Full Height	Back w	ith Shelf							
	ZOP3-MCOS30DF1_ Bi	eech/Laminate aple/Palette	2707 2775	2843 2910	2979 3047	3169 3237	3386 3454	3576 3644	3793 3861	4065 4133	4336 4404
·	ORDERING NOTE: Whe 42", 36" or 30" and ch counterbalance weight a	ose required leg	type be	low. Free	estandin	g, Start and	d End ι	units with t			
	Single-Seat, 30° Outside ZOP3-MCOS30DF2F	Curve, Full Height	: Back w 2748	vith Privac 2884	cy Screer 3020	n 3210	3428	3618	3835	4107	4378
	Single-Seat, 30° Outside ZOP3-MCOS30DM0F	Curve, Mid Heigh	t Back 2388	2506	2624	2791	2981	3147	3337	3573	3814
	Single-Seat, 30° Outside ZOP3-MCOS30DM1_ B M		t Back v 2616 2684	vith Shelf 2735 2802	2852 2919	3019 3087	3209 3276	3375 3443	3565 3633	3801 3869	4043 4110
	36" or 30" and chose req weight added to each se Single-Seat, 30° Outside ZOP3-MCOS30DM2F	at unit, please add	\$231 L	ist upcha	rge per ι	ınit.	vith the	shelf option 3417	3607	counterb 3842	alance 4084
Zola Privacy	Option Upcharges	\$ List							\$	List	
Seat Power Shelf Power Table Power Dual Leg (for See page 176	rier & CAL 133(per yard) Multiple unit configurations 6 for Bariatric Option upo		Remo	ovable Se ovable Se	at Covers at Covers	s One-Seat s Two-Seat s Three-Sea covers are		lable on cur	36 52 65 ved bac	5	
PRODUCT CO	Series	Chair Type	Cı	urve Style		Seat Degree		Back Type		Leg Type	
		MC MC		IS						F Leg Type	
ZOP Zola	3 Lounge	Modular Curve	Ineida	Curve -Sin	ale	30D	Eul	F0 II Height Back	(Er	eestanding	Unit
ZOIa	Lourige	MCB	IIISIGE	ID ID	gie	45D	i u	F1	\ 110	S	Offic
		Modular Curve	Inside (Curve -Dou	ıble	400	Full H	leight Back w	/ith	Start Uni	t
		Bariatric	г	-00		200		Shelf Option		С	
			Outside	OS Curve -Si	ngle	60D	Full F	F2 Height Back w	/ith	Center Ur	nit
			[OD Curve -Do		90D		M0 Meight Back		E End Uni	:

SEATING & OCCASIONAL TABLES | USA | 189

Mid Height Back with Shelf Option

M2
Mid Height Back with
Privacy Screen Options

DESCRIPTION	I/MODEL/SPECIES		COM 1	2	COL 3	4	FAB 5	RIC GRAD	DES 7	LEATHER 8	9
	Single-Seat, 45° Outsic ZOP3-MCOS450DF0F	-	ght Back 2672	2807	2943	3134	3351	3541	3758	4029	4301
	Single-Seat, 45° Outsid ZOP3-MCOS45DF1_ ORDERING NOTE: Wi 42", 36" or 30" and che	Beech/Laminate Maple/Palette hen ordering a bac	2897 2965 k with Sh	3033 3100 nelf option							-
	Single-Seat, 45° Outsid ZOP3-MCOS45DF2F	to each seat unit,	please ad	dd \$231 Li	st upchar	ge per un		3810	4027	4298	4570
	Single-Seat, 45° Outsic ZOP3-MCOS45DM0F	 de Curve, Mid Heig	ght Back 2576	2694	2811	2978	3167	3335	3525	3761	4001
	Single-Seat, 45° Outsic ZOP3-MCOS45DM1_		ght Back 2801 2869	with Shelf 2918 2987	3037 3104	3203 3270	3393 3460	3560 3627	3750 3817	3985 4053	4226 4294
	Single-Seat, 45° Outsic ZOP3-MCOS45DM2F	de Curve, Mid Heiç	ght Back 2845				3436	3603	3793	4029	4270
Moisture Barric Seat Power Shelf Power Table Power Dual Leg (for N	Option Upcharges er & CAL 133(per yard) Multiple unit configuration of for Bariatric Option up		Rem Rem	ovable Sea ovable Sea ovable Sea e: Removab	at Covers at Covers	Two-Seat Three-Se	at	able on cu	3 5 6	6 List 66 62 55 cks.	
PRODUCT CODI		Chair Time		un to Chido	0-	at Degree		ack Type		Leg Type	
Line	Series 3	Chair Type	UL	urve Style							

DESCRIPTION//	MODEL (SDECIES		COM	0	COL	4		RIC GRAD		EATHER	0
DESCRIPTION/I	MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Single-Seat, 60° Outsic ZOP3-MCOS60DF0F	le Curve, Full Heig	nt Back 2784	2919	3056	3246	3463	3653	3871	4142	4414
	Single-Seat, 60° Outsic	le Curve, Full Heig	ht Back	with Shelf							
R	ZOP3-MCOS60DF1_		3007	3142	3279	3468	3685	3875	4092	4363	4635
		Maple/Palette	3074	3209	3346	3536	3753	3943	4161	4431	4703
	ORDERING NOTES: W - 42", 36" or 30" and contemporary terbalance weight added	nose required leg t	ype bel	ow. Freesta	anding,	Start and Er	nd units				
	Single-Seat, 60° Outsic	le Curve. Full Heid	ht Back	with Privac	cv Scre	en					
	ZOP3-MCOS60DF2F		3039	3175	3311	3501	3719	3909	4126	4396	4668
\Box	Single-Seat, 60° Outsic	le Curve, Mid Heig	ht Back 2693	2811	2930	3096	3286	3453	3642	3879	4119
	ZOP3-MCOS60DM0F		2093	2011	2900	3090	3200	3433	3042	3073	4113
\Box	Single-Seat, 60° Outsic	le Curve, Mid Heig	ht Back	with Shelf							
	ZOP3-MCOS60DM1_	Beech/Laminate Maple/Palette	2914 2982	3034 3101	3152 3219	3317 3385	3507 3575	3674 3743	3863 3931	4101 4168	4340 4408
	single-Seat, 60° Outsic ZOP3-MCOS60DM2F						3540	3707	3896	4133	4374
Zola Privacy O	ption Upcharges	\$ List							\$ I	_ist	
	& CAL 133(per yard)	49				one-Seat			36		
Seat Power Shelf Power		488 457				s Two-Seat s Three-Seat	t		52 65		
	ultiple unit configurations					covers are r		able on cur	ved back	ks.	
. 0	or Bariatric Option upc	harges									
Line	Series	Chair Type	Cı	ırve Style	ç	Seat Degree		Back Type		Leg Type	
		MC MC		IS						F	
ZOP	3 Lounge	Modular Curve	Inside !	Curve -Singl	e	30D	Full	F0 Height Back	c Fre	estanding	Unit
2014		MCB		ID		45D		F1		S	0
		Modular Curve	Inside (Curve -Doub	le			eight Back w	/ith	Start Uni	t
		Bariatric	Γ	OS		60D	S	helf Option F2		С	
			Outside	Curve -Sing	jle			eight Back w y Screen Opt		Center Ur	iit
			Outside	OD Curve -Doul	ble	90D		M0 Height Back		End Unit	
								-			

SEATING & OCCASIONAL TABLES | USA | 191

Mid Height Back with Shelf Option

M2

Mid Height Back with Privacy Screen Options

DESCRIPTION	N/MODEL/SPECIES		COM 1	2	COL 3	4	FAE 5	BRIC GRAD 6	ES L	EATHER 8	9
	Single-Seat, 90° Outsid ZOP3-MCOS90DF0F	e Curve, Full Heigl	nt Back 3356	3493	3628	3818	4036	4226	4443	4715	4987
		Beech/Laminate Maple/Palette	3570 3637	3707 3773	3842 3909	4032 4099	4250 4316	4440 4505	4657 4722	4929 4994	5201 5266
1	ORDERING NOTE: Wh 42", 36" or 30" and cho balance weight added t	se required leg typ	e below	. Freestan	ding, St	art and End	units wi				
	Single-Seat, 90° Outsid ZOP3-MCOS90DF2F	e Curve, Full Heigl	nt Back	with Privac 3746	sy Scree 3881	en 4071	4289	4478	4695	4967	5239
	Single-Seat, 90° Outsid ZOP3-MCOS90DM0F	e Curve, Mid Heig	nt Back 3008	3125	3243	3410	3600	3766	3956	4192	4434
	Single-Seat, 90° Outsid ZOP3-MCOS90DM1_ I		nt Back 3221 3287	with Shelf 3339 3405	3457 3522	3624 3690	3814 3880	3980 4046	4170 4236	4406 4471	4648 4713
	36" or 30" and chose re weight added to each s Single-Seat, 90° Outsid ZOP3-MCOS90DM2F	eat unit, please ad	d \$231	List upcha	rge per	unit.	3853	4019	4209	4444	4686
Zola Privacy	Option Upcharges	\$ List							\$1	List	
Seat Power Shelf Power Table Power Dual Leg (for N	er & CAL 133(per yard) Multiple unit configuration for Bariatric Option upo		Remo	ovable Sea ovable Sea	t Covers t Covers	s One-Seat s Two-Seat s Three-Sea covers are r		able on cur	36 52 65 ved bac	<u>.</u>	
PRODUCT COL	Series	Chair Type		unyo Stylo		Soat Dograd		Back Type		Log Type	
ZOP	3 Lounge	MC Modular Curve		IS IS Curve -Sing		30D 45D		F0 Height Back	c Fre	Leg Type F eestanding	
		Modular Curve Bariatric		Curve -Doul		60D	S Full H	eight Back withelf Option F2 eight Back withelf Back withelf Back witheless the second	vith	Start Uni C Center Ur	
			Outside	OD e Curve -Dou	ıble	90D		y Screen Opt M0 Height Back		E End Uni	t

M2 Mid Height Back with Privacy Screen Options

M1
Mid Height Back with
Shelf Option

DESCRIPTION	/MODEL/SPECIES		COM 1	2	COL 3	4	FAB 5	RIC GRAD	DES I	LEATHER 8	9
	Double-Seat, 30° Inside ZOP3-MCID30DF0F	Curve, Full Height	Back 3765	3997	4227	4551	4921	5244	5613	6075	6537
	_	Beech/Laminate Maple/Palette en ordering a back se required leg typ	4353 4427 with Sh e below	4584 4658 nelf option	nding, St	art and End	units wi				
	Double-Seat, 30° Inside ZOP3-MCID30DF2F	Curve, Full Height	Back w 4485	vith Privac 4716	sy Screer 4947	n 5271	5640	5963	6332	6794	7256
	Double-Seat, 30° Inside ZOP3-MCID30DM0F	Curve, Mid Height	Back 3563	3758	3955	4229	4543	4817	5130	5521	5913
	Double-Seat, 30° Inside ZOP3-MCID30DM1_ E N N N N N N N N N N N N N N N N N N	Beech/Laminate Maple/Palette en ordering a back quired leg type belo	4150 4225 with Sh ow. Free	4346 4420 nelf option estanding,	4543 4617 please of Start and	d End units					
	Double-Seat, 30° Inside ZOP3-MCID30DM2F	Curve, Mid Height	Back v 4282	vith Privad 4478	cy Screer 4675	n Option 4949	5262	5536	5850	6241	6632
Zola Privacy O	ption Upcharges	\$ List							\$	List	
Moisture Barrie Seat Power Shelf Power Table Power Dual Leg (for M	r & CAL 133(per yard) ultiple unit configurations for Bariatric Option upc	49 488 457 449 61	Remo	vable Sea vable Sea	at Covers at Covers	one-Seat Two-Seat Three-Sea Covers are		able on cur	36 52 65	5	
PRODUCT CODE	E KEY										
ZOP Zola	Lounge	MC Modular Curve MCB Modular Curve Bariatric	Inside (Curve -Sing ID Curve -Dou OS e Curve -Sing OD Curve -Do	ble	30D 45D 60D 90D	Full Ho SI Full Ho Privacy Mid Mid Ho	F0 Height Back v helf Option F2 eight Back v y Screen Op M0 Height Bac M1 eight Back v	vith vith vition k	F eestanding S Start Uni C Center Ur E End Unit	it nit
							Mid H	helf Option M2 eight Back v Screen Opt			

Double-Seat, 45° Inside Curve, Full Height Back	LOLA	IIIVAOT OON	VLD									
Double-Seat, 45° Inside Curve, Full Height Back with Shelf ZOP3-MCID45DF1 BeckPlLaminate 4893 4928 5164 5496 5874 6206 6884 7054 7 7 7 7 7 7 7 7 7	DESCRIPTION	I/MODEL/SPECIES			2		4					9
ZOP3-MCID45P1 Beech/Laminate			Curve, Full Height		4317	4552	4884	5262	5594	5972	6442	6921
42", 36" or 30" and chose required leg type below. Freestanding, Start and End units with the shelf option require courbalance weight added to each seat unit, please add \$231 List upcharge per unit. Double-Seat, 45° Inside Curve, Full Height Back with Privacy Screen ZOP3-MCID45DF2F Double-Seat, 45° Inside Curve, Mild Height Back With Privacy Screen ZOP3-MCID45DM0F 3887 4089 4293 4581 4909 5198 5526 5932 6 Double-Seat, 45° Inside Curve, Mild Height Back With Shelf ZOP3-MCID45DM1_ Beach/Laminate 4498 4701 4904 5193 5521 5809 6137 6543 6 480 670 500 6		ZOP3-MCID45DF1_ Be	ech/Laminate	4693	4928							7532 7608
Double-Seat, 45° Inside Curve, Mid Height Back 20P3-MCID45DM0F 3887 4089 4293 4581 4909 5198 5526 5932 60 20 20 20 20 20 20 2		42", 36" or 30" and chos	e required leg typ	e below	. Freestan	ding, Sta	rt and End	units with				
ZOP3-MCID45DM0F 3887 4089 4293 4581 4909 5198 5526 5932 6 Double-Seat, 45° Inside Curve, Mid Height Back with Shelf ZOP3-MCID45DM1_Beech/Laminate 4498 4701 4904 5193 5521 5809 6137 6543 6 Maple/Palette 4573 4776 4980 5267 5596 5885 6212 6619 7 ORDERING NOTE: When ordering a back with Shelf option please clearly specify on your order the required Shelf Height added to each seat unit, please add \$231 List upcharge per unit. Double-Seat, 45° Inside Curve, Mid Height Back with Privacy Screen Option ZOP3-MCID45DM2F SList Double-Seat, 45° Inside Curve, Mid Height Back with Privacy Screen Option ZOP3-MCID45DM2F SList Moisture Barrier & CAL 133(per yard) 49 Removable Seat Covers One-Seat 52 Shelf Power 487 Removable Seat Covers Two-Seat 52 Shelf Power 449 Dual Leg (for Multiple unit configurations 61 See page 176 for Bariatric Option upcharges PRODUCT CODE KEY Line Series Chair Type Curve Style Seat Degree Back Type Leg Type Modular Curve Bariatric OB Outside Curve - Single Full Height Back with Shelf Option Control of Doutside Curve - Single Full Height Back with Shelf Option Control of Doutside Curve - Single Full Height Back with Shelf Option Control of Doutside Curve - Single Full Height Back With Shelf Option Control of Doutside Curve - Single Full Height Back With Shelf Option Control of Doutside Curve - Single Full Height Back With Shelf Option Control of Doutside Curve - Single Full Height Back With Shelf Option Control of Doutside Curve - Single Full Height Back With Shelf Option Control of Doutside Curve - Single Full Height Back With Shelf Option Control of Doutside Curve - Single Full Height Back With Shelf Option Control of Doutside Curve - Single Full Height Back With Shelf Option Control of Doutside Curve - Single Full Height Back With Shelf Option Control of Doutside Curve - Double Full Height Back With Shelf Option Control of Doutside Curve - Double Full Height Back With Shelf Option Control of Doutside Curve - Double Full Height Back With Shelf Option Control of Doutside Curve - Double Ful			Curve, Full Height				5612	5990	6321	6699	7170	7649
ZOP3-MCID45DM1_Beech/Laminate Maple/Palette 4498 4701 4904 5193 5521 5809 6137 6543 6212 6619 7 ORDERING NOTE: When ordering a back with Shelf option please clearly specify on your order the required Shelf Height 36" or 30" and chose required leg type below. Freestanding, Start and End units with the shelf option require counterbald weight added to each seat unit, please add \$231 List upcharge per unit. Double-Seat, 45° Inside Curve, Mid Height Back with Privacy Screen Option ZOP3-MCID45DM2F 4613 4817 5019 5308 5637 5925 6252 6659 7 Zola Privacy Option Upcharges \$List \$List Moisture Barrier & CAL 133(per yard) 49 Removable Seat Covers One-Seat 36 Seat Power 457 Removable Seat Covers Two-Seat 52 Shelf Power 457 Removable Seat Covers Three-Seat 65 Removable Seat Covers Three-Seat 65 Note: Removable Seat Covers are not available on curved backs. See page 176 for Bariatric Option upcharges PRODUCT CODE KEY Line Series Chair Type Curve Style Seat Degree Back Type Leg Type Modular Curve Bariatric Modular Curve Bariatric Modular Curve Bariatric OD Joutside Curve - Single Full Height Back with Privacy Screen Option 10 Start Unit Shelf			Curve, Mid Height		4089	4293	4581	4909	5198	5526	5932	6353
Double-Seat, 45° Inside Curve, Mid Height Back with Privacy Screen Option ZOP3-MCID45DM2F ZOP3-MCID45DM2F 4613 4817 5019 5308 5637 5925 6252 6659 7 ZOP3-MCID45DM2F A613 4817 5019 5308 5637 5925 6252 6659 7 ZOP3-MCID45DM2F SList Moisture Barrier & CAL 133(per yard) 49 Removable Seat Covers One-Seat 52 Shelf Power 488 Removable Seat Covers Two-Seat 52 Removable Seat Covers Three-Seat 65 Table Power 1449 Dual Leg (for Multiple unit configurations 52 ee page 176 for Barriatric Option upcharges PRODUCT CODE KEY Line Series Chair Type Curve Style Inside Curve - Single MCB Modular Curve Bariatric A57 Bariatric Back Type Back Type Back Type Back Type Leg Type Full Height Back with Start Unit Shelf Option Co C C C C C Center Unit Privacy Screen Option Mid Height Back With Privacy Screen Option Mid Height Back With Privacy Screen Option Mid Height Back With Privacy Screen Option Mid Height Back End Unit		ZOP3-MCID45DM1_ Be Ma ORDERING NOTE: Whe 36" or 30" and chose req	ech/Laminate ple/Palette n ordering a back uired leg type beld	4498 4573 with Sh ow. Free	4701 4776 nelf option standing,	4980 please cl Start and	5267 early spec End units	5596 ify on you	5885 r order the	6212 e require	6619 d Shelf H	
Moisture Barrier & CAL 133(per yard) Seat Power Shelf Power A457 Table Power A49 Dual Leg (for Multiple unit configurations See page 176 for Bariatric Option upcharges PRODUCT CODE KEY Line Series Chair Type Curve Style Seat Degree Back Type Leg Type ZOP Zola Lounge Modular Curve MCB Modular Curve Bariatric Modular			Curve, Mid Height			•	•	5637	5925	6252	6659	7081
Seat Power Shelf Power Shelf Power A457 Table Power A49 Dual Leg (for Multiple unit configurations See page 176 for Bariatric Option upcharges PRODUCT CODE KEY Line Series Chair Type Curve Style Seat Degree Back Type Leg Type ZOP Zola Lounge Modular Curve MCB Modular Curve Bariatric Obs Obs Obs Obs Obs Obs Obs Obs Obs Ob	Zola Privacy (Option Upcharges	\$ List							\$	List	
ZOP Zola Lounge MC IS 30D F0 F F F F Modular Curve Inside Curve -Single ID 45D F1 S Modular Curve Bariatric OS Outside Curve -Single Full Height Back Freestanding Ur F1 S Full Height Back with Shelf Option C C Center Unit Privacy Screen Option OD Outside Curve -Double Mid Height Back End Unit	Seat Power Shelf Power Table Power Dual Leg (for N See page 176	Aultiple unit configurations for Bariatric Option upch	488 457 449 61	Remo	vable Sea vable Sea	t Covers t Covers	Two-Seat Three-Sea		ble on cur	52 65	5	
Zola Lounge Modular Curve Inside Curve -Single Full Height Back Freestanding Ur MCB ID 45D F1 S Modular Curve Bariatric Inside Curve -Double Bariatric OS 60D F2 C Outside Curve -Single Full Height Back with Shelf Option Content Unit Privacy Screen Option OD 90D M0 E Outside Curve -Double Mid Height Back End Unit	Line	Series	Chair Type	Cu	irve Style	Se	at Degree	Ва	ack Type		Leg Type	
M1 Mid Height Back with			Modular Curve MCB Modular Curve Bariatric	Inside (Curve -Sing ID Curve -Doub OS Curve -Sing	ole [gle	45D 60D	Full Hei Sh Full Hei Privacy Mid H	Height Back F1 ght Back welf Option F2 ght Back w Screen Opt M0 Height Back	vith vith tion	eestanding S Start Unit C Center Un	it

M2 Mid Height Back with Privacy Screen Options

									O .	COIT	v LD
DESCRIPTION/	MODEL/SPECIES		COM 1	2	COL 3	FABF	RIC GRAI	DES 6	LI 7	EATHER 8	9
	Double-Seat, 60° Insid ZOP3-MCID60DF0F	e Curve, Full Height	Back 4501	4771	5040	5429	5869	6258	6698	7237	7818
	Double-Seat, 60° Insid ZOP3-MCID60DF1_ ORDERING NOTE: W 42", 36" or 30" and ch balance weight added	Beech/Laminate Maple/Palette hen ordering a back ose required leg typ	5155 5231 with Shoe below	5425 5500 nelf option v. Freestar	nding, Sta	art and End	d units w				
	Double-Seat, 60° Insid ZOP3-MCID60DF2F	e Curve, Full Height	t Back v 5233	vith Privac 5502	y Screen 5772	6161	6601	6989	7430	7968	8550
	Double-Seat, 60° Insid ZOP3-MCID60DM0F	e Curve, Mid Heigh	t Back 4257	4482	4704	5023	5385	5703	6065	6512	6979
	Double-Seat, 60° Insid ZOP3-MCID60DM1_ ORDERING NOTE: W 36" or 30" and chose reweight added to each	Beech/Laminate Maple/Palette hen ordering a backequired leg type belo	4911 4987 with Show. Free	5136 5211 nelf option estanding,	Start and	d End units					
	Double-Seat, 60° Insid ZOP3-MCID60DM2F	e Curve, Mid Heigh	t Back v 4989	with Privac 5213	cy Screer 5436	Option 5754	6116	6435	6796	7243	7711
Moisture Barrie Seat Power Shelf Power Table Power	ption Upcharges r & CAL 133(per yard)	\$ List 49 488 457 449	Remo	ovable Sea ovable Sea	t Covers t Covers	One-Seat Two-Seat Three-Sea			36 52 65	:	
	ultiple unit configuration for Bariatric Option up		Note:	Removab	le back (covers are	not avail	able on cur	ved bac	ks.	
Line	Series	Chair Type	Cı	ırve Style	S	eat Degree		Back Type		Leg Type)
ZOP Zola	Lounge	MC Modular Curve MCB Modular Curve Bariatric	Inside (IS Curve -Sing ID Curve -Doub OS Curve -Sin Curve -Sin Curve -Doub	ple gle	30D 45D 60D 90D	Full H S Full H Privac Mid Mid H	F0 Height Back whelf Option F2 eight Back wy Screen Op M0 Height Back M1 eight Back whelf Option M2	vith vith tion	Feestanding S Start Uni C Center Ur E End Uni	t nit
						CEATING	Privacy	eight Back v Screen Opt	ions	:0 1 10 1	110

Double-Seat, 90° Inside Curve, Full Height Back ZOP3-MCID90DF0F 5284 5563 5845 6255 6714 7125 7586 8146 81 20P3-MCID90DF0F 5284 5563 5845 6255 6714 7125 7586 8146 81 20P3-MCID90DF1_ Beech/Laminate 5988 6277 6559 6969 7429 7840 8300 8860 99 00 00 00 00 00 00 00 00 00 00 00 00				СОМ		COL	FABF	RIC GRA	DES	LE	EATHER	
### ZOP3-MCID90DF0F 5284 5563 5845 6255 6714 7125 7586 8146 8	DESCRIPTION	/MODEL/SPECIES		1	2	3	4	5	6	7	8	9
ZOP3-MCID90DF1_ Beech/Laminate 598 6277 6559 6969 7429 7840 8300 8860 97 7915 8376 8937 98 7915 8376 8937 98 7915 8376 8937 98 7915 8376 8937 98 7915 8376 8937 98 7915 8376 8937 98 7915 8376 8937 98 7915 8376 8937 98 7915 8376 8937 98 7915 8376 8937 98 7915 7915 7915 7915 8376 8937 98 7915		-	e Curve, Full Heigh		5563	5845	6255	6714	7125	7586	8146	8769
Double-Seat, 90° Inside Curve, Mid Height Back ZOP3-MCID90DM0F		ZOP3-MCID90DF1_ ORDERING NOTE: Wh 42", 36" or 30" and cho	Beech/Laminate Maple/Palette nen ordering a bac ose required leg ty	5998 6075 k with SI pe belov	6277 6354 helf optior v. Freesta	6634 n please onding, Sta	7046 clearly spec art and End	7505 cify on yo d units w	7915 our order th	8376 ne require	8937 d Shelf H	_
ZOP3-MCID90DM0F 4907 5131 5354 5673 6034 6353 6714 7163 76 Double-Seat, 90° Inside Curve, Mid Height Back with Shelf ZOP3-MCID90DM1_ Beech/Laminate 5621 5846 6068 6387 6749 7067 7429 7877 88 Maple/Palette 5698 5921 6145 6463 6824 7144 7505 7953 88 ORDERING NOTE: When ordering a back with Shelf option please clearly specify on your order the required Shelf Heig 36° or 30° and chose required leg type below. Freestanding, Start and End units with the shelf option require counterbala weight added to each seat unit, please add \$231 List upcharge per unit. Double-Seat, 90° Inside Curve, Mid Height Back with Privacy Screen Option ZOP3-MCID90DM2F 5673 5896 6120 6438 6800 7118 7480 7928 83			e Curve, Full Heigh					7480	7890	8351	8912	9534
ZOP3-MCID90DM1_ Beech/Laminate 5621 5846 6068 6387 6749 7067 7429 7877 88 Maple/Palette 5698 5921 6145 6463 6824 7144 7505 7953 88 ORDERING NOTE: When ordering a back with Shelf option please clearly specify on your order the required Shelf Heig 36" or 30" and chose required leg type below. Freestanding, Start and End units with the shelf option require counterbala weight added to each seat unit, please add \$231 List upcharge per unit. Double-Seat, 90° Inside Curve, Mid Height Back with Privacy Screen Option ZOP3-MCID90DM2F 5673 5896 6120 6438 6800 7118 7480 7928 83			e Curve, Mid Heigh		5131	5354	5673	6034	6353	6714	7163	7629
ZOP3-MCID90DM2F 5673 5896 6120 6438 6800 7118 7480 7928 83		ORDERING NOTE: What 36" or 30" and chose re	Beech/Laminate Maple/Palette nen ordering a bac equired leg type be	5621 5698 k with Sl low. Free	5846 5921 helf optionestanding,	6068 6145 n please o Start and	6463 clearly spec d End units	6824	7144 our order th	7505 ne require	7953 d Shelf H	_
		-	e Curve, Mid Heigh			•	•	6800	7118	7480	7928	8394
Line Series Chair Type Curve Style Seat Degree Back Type Leg Type	PRODUCT COD	E KEY										
	Line	Series	Chair Type	Cı	urve Style	S	Seat Degree		Back Type		Leg Type	9

DOCT CODE RE	-					
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MC	IS	30D	F0	F
Zola	Lounge	Modular Curve	Inside Curve -Single		Full Height Back	Freestanding Unit
		MCB	ID	45D	F1	S
		Modular Curve Bariatric	Inside Curve -Double		Full Height Back with Shelf Option	Start Unit
			OS	60D	F2	С
			Outside Curve -Single		Full Height Back with Privacy Screen Option	Center Unit
			OD	90D	MO	Е
			Outside Curve -Double		Mid Height Back	End Unit
					M1 Mid Height Back with Shelf Option	
					M2 Mid Height Back with Privacy Screen Options	

DESCRIPTION	/MODEL/SPECIES	COM 1	2	COL 3	FABF	RIC GRAD	ES 6	LE 7	ATHER 8	9
	Double-Seat, 30° Outside Curve, Full He ZOP3-MCOD30DFOF	ight Back 3500	3717	3935	4239	4586	4890	5237	5672	6106
	Double-Seat, 30° Outside Curve, Full He ZOP3-MCOD30DF1_ Beech/Laminate Maple/Palette ORDERING NOTES: When ordering a base of the control of	3927 3999 ack with \$	4145 4216 Shelf optio	4362 4434 on please						
	- 42", 36" or 30" and chose required leg shalance weight added to each seat unit, Double-Seat, 30° Outside Curve, Full He	please ac	dd \$231 L	ist upch	arge per un		in the shei	T option r	equire co	ounter-
	ZOP3-MCOD30DF2F	3956	4173	4391	4695	5043	5346	5694	6128	6563
	Double-Seat, 30° Outside Curve, Mid He ZOP3-MCOD30DMOF	eight Back 3351	3533	3712	3966	4255	4509	4797	5158	5520
	Double-Seat, 30° Outside Curve, Mid He ZOP3-MCOD30DM1_ Beech/Laminate Maple/Palette	eight Back 3779 3850	with She 3961 4031	4141 4212	4394 4465	4683 4755	4937 5008	5225 5296	5586 5658	5948 6019
	- 36" or 30" and chose required leg type be weight added to each seat unit, please a Double-Seat, 30° Outside Curve, Mid He ZOP3-MCOD30DM2F	dd \$231 I	List upch	arge per	unit.	s with the s	shelf option	n require	counterb	salance ———— 5976
Zola Privacy (Option Upcharges \$ List							\$ L	₋ist	
Seat Power Shelf Power Table Power Dual Leg (for N	er & CAL 133(per yard) 49 488 457 449 fultiple unit configurations 61 for Bariatric Option upcharges	Remo	ovable Se ovable Se	at Cover at Cover	s One-Seat s Two-Seat s Three-Sea covers are	at	ıble on cui	36 52 65 rved back		
PRODUCT COD	Series Chair Type	С	urve Style		Seat Degree	E	Back Type		Leg Type	e
ZOP	3 MC Lounge Modular Curve MCB Modular Curve Bariatric	Inside Outside	IS Curve -Sir ID Curve -Do OS e Curve -S OD c Curve -Do	uble	30D 45D 60D 90D	Full He SI Full He Privacy Mid Mid He	F0 Height Back vinelf Option F2 eight Back vinelf Option M1 eight Back vinelf Option M2	with with otion	F eestanding S Start Un C Center Ui E End Uni	it
					OF ATIN		eight Back of Screen Op	tions	0 1 0 4	1407

		СОМ		COL	FABF	RIC GRAD	ES	LE	EATHER	
DESCRIPTION	/MODEL/SPECIES	1	2	3	4	5	6	7	8	9
	Double-Seat, 45° Outside Curve, Full Heig ZOP3-MCOD45DFOF	ght Back 3656	3873	4090	4394	4742	5046	5393	5828	6263
	Double-Seat, 45° Outside Curve, Full HeigzOP3-MCOD45DF1_ Beech/Laminate Maple/Palette ORDERING NOTE: When ordering a bac 42", 36" or 30" and chose required leg ty balance weight added to each seat unit, page 150 per 150 p	4084 4155 k with Sh pe below	4301 4373 elf option . Freesta	4519 4590 n please c nding, Sta	art and End	d units wi				
	Double-Seat, 45° Outside Curve, Full Heig ZOP3-MCOD45DF2F	ght Back 4112	with Priv 4330	acy Scree 4547	en 4850	5199	5502	5850	6285	6719
	Double-Seat, 45° Outside Curve, Mid Hei ZOP3-MCOD45DMOF	ght Back 3490	3670	3852	4104	4393	4647	4935	5297	5659
	Double-Seat, 45° Outside Curve, Mid Hei ZOP3-MCOD45DM1_ Beech/Laminate Maple/Palette ORDERING NOTE: When ordering a bac 36" or 30" and chose required leg type be weight added to each seat unit, please ac	3918 3989 k with Sh low. Free	4099 4169 self option	4279 4351 n please c Start and	l End units					
	Double-Seat, 45° Outside Curve, Mid Hei ZOP3-MCOD45DM2F	ght Back 3946	with Priv 4127	vacy Scree 4308	en Option 4560	4849	5102	5392	5753	6115

PRODUCT CODE KEY

Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MC	IS	30D	F0	F
Zola	Lounge	Modular Curve	Inside Curve -Single		Full Height Back	Freestanding Unit
		MCB	ID	45D	F1	S
		Modular Curve Bariatric	Inside Curve -Double		Full Height Back with Shelf Option	Start Unit
			OS	60D	F2	С
			Outside Curve -Single		Full Height Back with Privacy Screen Option	Center Unit
			OD	90D	MO	Е
			Outside Curve -Double		Mid Height Back	End Unit
					M1 Mid Height Back with Shelf Option	
					M2 Mid Height Back with Privacy Screen Options	

SEATING & OCCASIONAL TABLES | USA | 199

DESCRIPTION	/MODEL/SPECIES		COM 1	2	COL 3	_ FABF	IIC GRAD	ES 6	LI 7	EATHER 8	9
DESCRIPTION					<u> </u>	4	<u> </u>			0	
	Double-Seat, 60° Outsi ZOP3-MCOD60DFOF	de Curve, Full Hei	ght Back 3847	4064	4281	4585	4932	5237	5584	6019	6453
	Double-Seat, 60° Outsi ZOP3-MCOD60DF1_		ght Back 4273 4343	with She 4490 4560	lf 4708 4777	5011 5081	5359 5428	5663 5732	6011 6080	6445 6515	6878 6948
N—T	ORDERING NOTE: What 42", 36" or 30" and choose balance weight added	se required leg ty	pe below	. Freestar	nding, S	Start and End	units with				
	Double-Seat, 60° Outsi ZOP3-MCOD60DF2F	de Curve, Full Hei	ght Back 4302	with Priv. 4520	acy Scr 4737	een 5040	5388	5693	6040	6475	6907
	Double-Seat, 60° Outsi ZOP3-MCOD60DMOF	de Curve, Mid Hei	ght Back 3656	3836	4018	4271	4559	4813	5101	5464	5825
	Double-Seat, 60° Outsi ZOP3-MCOD60DM1_	· ·	ght Back 4082 4152	with She 4262 4332	elf 4443 4513	4696 4766	4985 5055	5238 5308	5528 5597	5889 5959	6250 6320
	36" or 30" and chose re weight added to each s Double-Seat, 60° Outsi ZOP3-MCOD60DM2F	eat unit, please ac	dd \$231 I	List upch	arge pe	r unit.	5014	5267	5557	5918	6279
Zola Privacy (Option Upcharges	\$ List							\$	List	
	er & CAL 133(per yard)	49 488 457 449	Remo	vable Se	at Cove	rs One-Seat rs Two-Seat rs Three-Sea	ıt		36 52 65	<u> </u>	
	Aultiple unit configuration for Bariatric Option up		Note	Remova	ble bac	k covers are	not availa	ble on cu	rved bac	ks.	
PRODUCT COD		3.1									
Line	Series	Chair Type	С	urve Style		Seat Degree	В	ack Type		Leg Typ	<u>е</u>
ZOP	3	MC		IS		30D		F0		F	1
Zola	Lounge	Modular Curve	Inside	Curve -Sir	igle		Full	Height Bac	k Fr	eestanding	g Unit
		MCB		ID		45D		F1		S]
		Modular Curve	Inside	Curve -Do	uble			eight Back	with	Start Un	it
		Bariatric		OS		60D	Sn	elf Option F2		С]
			Outside	e Curve -Si	ngle	002		ight Back v		Center U	nit
							Privacy	Screen Op	otion	Е	1
			Outside	OD Curve -Do	ouble	90D	[Mid	M0 Height Bac	ck	End Uni	j t
							[Mid He	M1 eight Back			
						SEATING	Mid He Privacy	M2 eight Back of Screen Op	tions	-0.1	Lies

DESCRIPTION	/MODEL/SPECIES	COM 1	2	COL 3	FABI 4	RIC GRAD	ES 6	LE 7	ATHER 8	9
	Double-Seat, 90° Outside Curve, Full H ZOP3-MCOD90DF0F	eight Back 4311		4745	5049	5396	5701	6048	6483	6917
	Double-Seat, 90° Outside Curve, Full H ZOP3-MCOD90DF1_ Beech/Laminate Maple/Palette ORDERING NOTES: When ordering a l - 42", 36" or 30" and chose required leg balance weight added to each seat unit	4733 4802 pack with S	4950 5019 Shelf option	5168 5237 on please anding, Sta	art and En	d units wit				_
	Double-Seat, 90° Outside Curve, Full H ZOP3-MCOD90DF2F	eight Back 4760	with Priv 4977	acy Scree 5195	en 5498	5846	6150	6497	6932	7365
	Double-Seat, 90° Outside Curve, Mid F ZOP3-MCOD90DM0F	leight Back 4195	4443	4692	5076	5498	5883	6304	6801	7418
	Double-Seat, 90° Outside Curve, Mid FZOP3-MCOD90DM1_ Beech/Laminate Maple/Palette ORDERING NOTES: When ordering a law of 36" or 30" and chose required leg type weight added to each seat unit, please	4617 4687 below. Free	4865 4934 Shelf options standing	5114 5183 on please , Start and	d End units					
	Double-Seat, 90° Outside Curve, Mid F ZOP3-MCOD90DM2F	leight Back 4645	with Priv 4892	acy Scree 5141	en Option 5526	5947	6331	6753	7250	7867

PRODUCT CODE KEY

RODUCT CODE KE	Y					
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MC	IS	30D	F0	F
Zola	Lounge	Modular Curve	Inside Curve -Single		Full Height Back	Freestanding Unit
		MCB	ID	45D	F1	S
		Modular Curve Bariatric	Inside Curve -Double		Full Height Back with Shelf Option	Start Unit
			OS	60D	F2	С
			Outside Curve -Single		Full Height Back with Privacy Screen Option	Center Unit
			OD Outside Curve -Double	90D	M0 Mid Height Back	End Unit
			Outside Curve -Double		Wild Height Back	Elia Ollit
					M1 Mid Height Back with Shelf Option	
					M2 Mid Height Back with Privacy Screen Options	

ZOLA PRIVACY | SIDE PANELS

			COM		COL	FAB	RIC GRAD	DES	LE	EATHER	
DESCRIPTION	/MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Side Panel, Singl ZOP3-MPF0S ZOP3-MPF0C ZOP3-MPF0E	e, Full Height No S Start Centre End	Screen 722 931 722	789 998 789	857 1065 857	993 1201 993	1128 1336 1128	1264 1472 1264	1399 1607 1399	1536 1742 1536	1806 2014 1806
	Side Panel, Singl ZOP3-MPF2S ZOP3-MPF2C ZOP3-MPF2E	e, Full Height with Start Centre End	Screen 947 1155 947	1015 1223 1015	1082 1291 1082	1217 1426 1217	1353 1562 1353	1488 1697 1488	1624 1833 1624	1760 1968 1760	2031 2239 2031
	Side Panel, Singl ZOP3-MPM0S ZOP3-MPM0C ZOP3-MPM0E	e, Mid Height No S Start Centre End	Screen 585 801 585	632 846 632	677 892 677	770 983 770	861 1076 861	953 1167 953	1045 1259 1045	1137 1351 1137	1320 1536 1320
	ZOP3-MPM2S ZOP3-MPM2C ZOP3-MPM2E	e, Mid Height with Start Centre End	810 1025 810	856 1071 856	901 1117 901	995 1209 995	1086 1300 1086	1179 1392 1179	1270 1484 1270	1361 1575 1361	1545 1760 1545

ORDERING NOTE: Side Panels will only connect to Center seating units. Units with Privacy Screen Option are not available with Removable Back Cover option.

DIMENSIONS & COM REQUIREMENTS

	COM REQUIREME	Overall Width	Overall Depth	Overall Height	Shipping Weight	Cubes	COM	
Side Panel, Sing	le, Full Height No Scr	reen						
ZOP3-MPF0S	Start	3	27	43.75	38	3	2.7	
ZOP3-MPF0C	Centre	3	27	43.75	38	3	2.7	
ZOP3-MPF0E	End	3	27	43.75	38	3	2.7	
Side Panel, Sing	le, Full Height with So	creen						
ZOP3-MPF2S	Start	3	27	56.5	40	3	2.7	
ZOP3-MPF2C	Centre	3	27	56.5	40	3	2.7	
ZOP3-MPF2E	End	3	27	56.5	40	3	2.7	
Side Panel, Sing	le, Mid Height No Sc	reen						
ZOP3-MPM0S	Start	3	27	31.5	38	3	1.83	
ZOP3-MPM0C	Centre	3	27	31.5	38	3	1.83	
ZOP3-MPM0E	End	3	27	31.5	38	3	1.83	
Side Panel, Sing	le, Mid Height with S	creen						
ZOP3-MPM2S	Start	3	27	43.88	40	3	1.83	
ZOP3-MPM2C	Centre	3	27	43.88	40	3	1.83	
ZOP3-MPM2E	End	3	27	43.88	40	3	1.83	
PRODUCT CODE	KEY							
Line	Series	Chair Type	He	eight	Position			
ZOP	3	MP		F0	S			
Zola	Lounge	Modular Side Panel	Full	Height	Start			
				F2	С			
			Full He	eight with	Center			

Privacy Screen Option

M0 Mid Height

M2 Mid Height with Privacy Screen Option

SEATING & OCCASIONAL TABLES | USA | 201

Е

End

DESCRIPTION/MOD	EL		COM 1	2	COL 3	FABF 4	RIC GRAD	DES 6	LE 7	ATHER 8	9
	Twin Single-Se ZOP3-MCTS30	at, 30° Curve, Full H DDF0F	leight Ba 3964	ck 4203	4441	4775	5156	5491	5872	6349	6825
	Twin Single-Se ZOP3-MCTS30	at, 30° Curve, Full H DDF2F	leight Ba 4416	ck with P 4655	rivacy Sc 4893	creen Optio 5227	on 5609	5942	6324	6801	7278
	Twin Single-Se ZOP3-MCTS30	at, 30° Curve, Mid I DDM0F	Height Ba	ack 3971	4185	4485	4827	5127	5470	5897	6326
	Twin Single-Se ZOP3-MCTS30	at, 30° Curve, Mid I DDM2F	Height Ba	ack with I 4422	Privacy S 4636	creen Optio 4937	on 5280	5579	5921	6350	6778
	Twin Single-Se ZOP3-MCTS4	at, 45° Curve, Full I 5DF0F	Height Ba	ack 4717	4966	5315	5712	6059	6458	6955	7451
	Twin Single-Se ZOP3-MCTS4	at, 45° Curve, Full I 5DF2F	Height Ba 4927	ack with F 5175	Privacy So 5424	creen Optio 5772	on 6169	6517	6916	7412	7909
Zola Privacy Option	n Upcharges	\$ List							\$1	_ist	
Moisture Barrier & C Seat Power Shelf Power Table Power Dual Leg (for Multipl See page 176 for B PRODUCT CODE KEY	e unit configuration ariatric Option u		Remo	ovable Se ovable Se	at Covers at Covers	s One-Seat s Two-Seat s Three-Sea covers are	at	able on cui	36 52 65 rved back		
Line	Series	Chair Type	Cu	ırve Style	S	seat Degree	В	Back Type		Leg Type	·
ZOP Zola	3 Lounge	MCT Modular Curve Twin		S all Radius- gle Width		30D	Full	F0 Height Back	c Fre	F estanding	Unit
		MCTB Modular Curve Twin Bariatric		D all Radius- uble Width		45D		F2 eight Back w		S Start Uni	t
						60D		M0		С	

90D

Mid Height Back

M2

Mid Height Back with Privacy Screen Options Center Unit

End Unit

Е

DESCRIPTION/MODE	EL		COM 1	2	COL 3	FAB	RIC GRA 5	ADES 6	7	EATHER 8	9
	Twin Single-Seat, ZOP3-MCTS45DN		Height Backers	ack 4457	4680	4994	5353	5666	6025	6475	6922
	Twin Single-Seat, ZOP3-MCTS45DM		Height Ba	ack with 4428	Privacy S 4641	Screen Opti 4942	on 5285	5584	5928	6355	6783
	Twin Single-Seat, ZOP3-MCTS60DF		Height Ba	ack 5367	5660	6068	6536	6944	7411	7995	8579
	Twin Single-Seat, ZOP3-MCTS60DF		Height Ba	ack with 1 5827	Privacy S 6120	Screen Optio 6528	on 6996	7404	7871	8455	9039
	Twin Single-Seat, ZOP3-MCTS60DM		Height Ba	ack 5061	5320	5682	6096	6458	6871	7388	7906
	Twin Single-Seat, ZOP3-MCTS60DN		Height Ba	ack with 6029	Privacy S 6358	Screen Opti 6821	on 7352	7815	8343	9004	9665
Zola Privacy Option	· •	\$ List							\$	List	
Moisture Barrier & CA Seat Power Shelf Power Table Power Dual Leg (for Multiple See page 176 for Ba	e unit configurations ariatric Option upcl		Remo	ovable Se ovable Se	eat Cover eat Cover	rs One-Sea rs Two-Sea rs Three-Se < covers are	t eat	ilable on cu	5 6	6 2 5 cks.	
Line PRODUCT CODE KEY	Series	Chair Type	C	urve Style		Seat Degree		Back Type		Leg Typ	oe .
	3	MCT		S		30D		F0		F	
ZOP Zola		Modular Curve Tw		nall Radius			Fu	ıll Height Bac	k F	reestandin	ıg Unit
		Modular Curve Twi MCTB Modular Curve Twin Bariatric	Si Sm) }-	45D	Full I	III Height Bac	with	reestandin S Start Ur	

SEATING & OCCASIONAL TABLES | USA | 203

Center Unit

Е

End Unit

Mid Height Back

M2

Mid Height Back with

Privacy Screen Options

90D

DESCRIPTION/MODE	EL		COM 1	COL 2 3	- FABF 4	RIC GRAI 5	DES 6	LI 7	EATHER 8	9
	Twin Single-Sea ZOP3-MCTS90I	t, 90° Curve, Full He DF0F	eight Back 6332 662	9 6926	7346	7823	8241	8719	9313	9917
	Twin Single-Sea ZOP3-MCTS90I	t, 90° Curve, Full He DF2F	ight Back wit 7058 735		Screen Optio 8071	n 8549	8966	9443	10037	10641
	Twin Single-Sea ZOP3-MCTS90I	t, 90° Curve, Mid Ho DM0F	eight Back 5952 621	5 6480	6852	7276	7648	8071	8598	9135
	Twin Single-Sea ZOP3-MCTS90I	t, 90° Curve, Mid Ho DM2F	eight Back wi 5674 597		Screen Optio	on 7160	7576	8052	8646	9240
	Twin Double-Sea ZOP3-MCTD30I	at, 30° Curve, Full H DF0F	leight Back 5238 556	9 5899	6361	6892	7355	7883	8544	9206
	Twin Double-Sea ZOP3-MCTD30I	at, 30° Curve, Full H DF2F	leight Back w 5958 628		Screen Opt 7082	ion 7611	8074	8603	9265	9925
Zola Privacy Option	Upcharges	\$ List						\$	List	
Moisture Barrier & CA Seat Power Shelf Power Table Power Dual Leg (for Multiple	unit configuration		Removable Removable	Seat Cove Seat Cove	rs One-Seat rs Two-Seat rs Three-Sea k covers are	at	able on cur	36 52 65 ved bac	5	
See page 176 for Ba	rriatric Option up	cnarges								
Line	Series	Chair Type	Curve St	yle	Seat Degree		Back Type		Leg Type	
ZOP Zola	3 Lounge	MCT Modular Curve Twin	S Small Rad Single Wi	lius-	30D		F0 Height Back	: Fr	F]
		MCTB Modular Curve Twin Bariatric	D Small Rad Double W		45D	Full H Privac	F2 leight Back w	rith :ion	S Start Un	it
					60D		M0	_	С]

90D

Mid Height Back

M2

Mid Height Back with Privacy Screen Options Center Unit

Е

End Unit

DESCRIPTION/MOD	EL		COM 1	2	COL 3	FABR 4	IC GRAD 5	ES 6	LE 7	ATHER 8	9
		eat, 30° Inside Curve, DM0F	Mid Hei 4949	ght Back 5246	5544	5960	6435	6851	7327	7922	8515
	Twin Double-Se ZOP3-MCTD30	eat, 30° Inside Curve, DM2F	Mid Hei 5668	ght Back 5966	with Priv 6264	vacy Screer 6680	n Option 7155	7571	8047	8641	9235
	Twin Double-Se ZOP3-MCTD45	eat, 45° Inside Curve, DF0F	Full Heig 5906	ght Back 6246	6586	7061	7605	8079	8623	9302	9982
	Twin Double-Se ZOP3-MCTD45	eat, 45° Inside Curve, DF2F	Full Heig 6632	ght Back 6974	with Priv 7313	/acy Screer 7788	Option 8332	8807	9351	10030	10709
	Twin Double-Se ZOP3-MCTD45	eat, 45º Inside Curve, DM0F	Mid Hei 5597	ght Back 5904	6210	6639	7129	7557	8047	8660	9272
	Twin Double-Se ZOP3-MCTD45	eat, 45° Inside Curve, DM2F	Mid Hei 6325	ght Back 6630	with Priv 6938	vacy Screer 7365	n Option 7856	8285	8774	9386	10000
Zola Privacy Option	Upcharges	\$ List							\$ L	.ist	
Moisture Barrier & Co Seat Power Shelf Power Table Power Dual Leg (for Multiple See page 176 for Ba	e unit configuratio ariatric Option up		Remov Remov	able Seat able Seat	Covers Covers	One-Seat Two-Seat Three-Sea covers are r		able on curv	36 52 65 red back		
Line PRODUCT CODE KEY	Series	Chair Type	Cur	ve Style	9	eat Degree		Back Type		Leg Type	
ZOP Zola	3 Lounge	MCT Modular Curve Twin	Smal	S I Radius-	5	30D		F0 Height Back	Fre	F estanding	
		MCTB Modular Curve Twin Bariatric	Smal	D Il Radius- ole Width		45D		F2 eight Back wir Screen Opti		S Start Uni	t
						60D		M0		С	

Mid Height Back

M2

Mid Height Back with Privacy Screen Options

Center Unit

End Unit

Е

90D

		COM		COL	FAB	RIC GRAD)ES	LI	EATHER	
DESCRIPTION/MOD	DEL	1	2	3	4	5	6	7	8	9
	Twin Double-Seat, 60° Inside Cur		_							
	ZOP3-MCTD60DF0F	6443	6789	7133	7615	8167	8649	9201	9890	10579
	Twin Double-Seat, 60° Inside Cur	ve. Full Hei	aht Back	with Priva	acv Scree	n Option				
	ZOP3-MCTD60DF2F	7175	7521	7865	8347	8898	9381	9932	10622	11311
	Twin Double-Seat, 60° Inside Cur			6712	7148	7647	0001	0501	0004	0005
	ZOP3-MCTD60DM0F	6090	6401	6/12	7148	7647	8081	8581	9204	9825
	Twin Double-Seat, 60° Inside Cur	ve Mid Hei	ight Back	with Priv	acy Scree	n Ontion				
	ZOP3-MCTD60DM2F	6821	7133	7444	7880	8377	8813	9313	9935	10557

ORDERING NOTES:

The 90° size is not available in a Double-Seat unit, order two 45° degree single units.

Zola Privacy Option Upcharges	\$ List		\$ List
Moisture Barrier & CAL 133(per yard)	49	Removable Seat Covers One-Seat	36
Seat Power	488	Removable Seat Covers Two-Seat	52
Shelf Power	457	Removable Seat Covers Three-Seat	65
Table Power	449		
Dual Leg (for Multiple unit configurations	61	Note: Removable back covers are not available on	curved backs.
See page 176 for Bariatric Option upcharges			

PRODUCT CODE KEY

Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP Zola	3 Lounge	MCT Modular Curve Twin	Small Radius- Single Width	30D	F0 Full Height Back	F Freestanding Unit
		MCTB Modular Curve Twin Bariatric	D Small Radius-Double Width	45D	F2 Full Height Back with Privacy Screen Option	Start Unit
				60D	M0 Mid Height Back	C Center Unit
				90D	M2	E
					Mid Height Back with Privacy Screen Options	End Unit

ZOLA PRIVACY | TWIN SIDE PANELS

DESCRIPTION/	MODEL			COM 1	2	CO 3	L FABF	RIC GRAD 5	ES 6	LE 7	EATHER 8	9
	Side Panel, Twin, ZOP3-MPTF0U ZOP3-MPTF0C	Full Height No Sc Universal End Centre	reen	1087 1630	1188 1731	1289 1832		1690 2233	1892 2433	2092 2634	2293 2834	2694 3237
	Side Panel, Twin, ZOP3-MPTF2U ZOP3-MPTF2C	Full Height with S Universal End Centre	creen	1528 2071	1629 2172	1730 2273		2132 2674	2333 2874	2533 3075	2735 3275	3135 3678
	Side Panel, Twin, ZOP3-MPTM0U ZOP3-MPTM0C	Med. Height No S Universal End Centre	Gcreen -	905 1445	972 1515	1040 1582		1311 1853	1446 1988	1582 2124	1717 2259	1988 2531
	Side Panel, Twin, ZOP3-MPTM2U ZOP3-MPTM2C	Med. Height with Universal End Centre	Screen	1346 1887	1413 1956	1481 2024		1753 2294	1888 2429	2024 2565	2159 2700	2429 2972
	ORDERING NOT with Removable B		ll only c	onnect t	to Center	seatin	g units. Units	with Priva	acy Screer	n Option a	are not av	vailable
DIMENSIONS	& COM REQUIRE	MENTS Over Wid		Overall Depth			Shipping Weight	Cubes	CON	Л		
Side Panel, Sin ZOP3-MPTF0U ZOP3-MPTF0C		Screen 3		51.5 51.5	43.7 43.7		66 66	6 6	4 4			
Side Panel, Sin ZOP3-MPTF2L ZOP3-MPTF20		h Screen 3 3		51.5 51.5	56. 56.		68 68	6 6	4 4			
Side Panel, Sin ZOP3-MPTM00 ZOP3-MPTM00		Screen 3		51.5 51.5	31. 31.		46 46	4 4	2.7 2.7			
Side Panel, Sin ZOP3-MPTM20 ZOP3-MPTM20		h Screen 3 3		51.5 51.5	43.8 43.8		48 48	4 4	2.7 2.7			
PRODUCT COD	E KEY											
Line	Series	Chair Ty	/pe	ı	Height		Position					
ZOP	3 Lounge	MPT Modular Sid Twin	⊔ e Panel	[Fu	F0 II Height	ι	U Jniversal (S or	E)				
				Full F	F2 Height with	1	C Center /Interin	า				
					Screen Op							
				Mi	d Height							
				[M2							
					Height with Screen Op							

ZOLA PRIVACY | ARMS & REPLACEMENT ARMS

DESCRIPTION/MC	DEL	COM 1	2	COL 3	FAE 4	BRIC GR	ADES 6	7	LEATHER 8	9		SHIPPING WEIGHT	CUBES
	Left, Right,or II ZOL3 MAL ZOL3 MAR	nterim Ar 374	m 405	434	496	555	616	675	735	819	1.5	19	3.1
	ZOL3 MAI	266	279	290	314	339	363	387	410	447	0.33	13	1.8
	Left, Right,or II	nterim Ar 472	m - Uret 501	hane Cap 531	592	650	712	772	832	916	1.5	20.5	3
	ZOL3 MARU ZOL3 MAIU	338	349	362	380	409	433	457	481	517	0.33	13	1.8
	between arms	RDERING NOTES: The Interim Arm was designed to fit in between two seating units and therefore shore tween arms by 1" per seating unit. The interim Arm does not compromise the overall width of the combola Arms (left or right) are specified when seated.											
	Left or Right A ZOP3 MATL ZOP3 MATR	rm- Twin 374	Seats 405	434	496	555	616	675	735	819	1.5	19	3.1
	ZOP3 MATLU ZOP3 MATRU	472	501	531	592	650	712	772	832	916	1.5	20.5	3
	Replacement F				m								
	ZOL3 RAMR ZOL3 RAML	332	363	392	453	512	573	634	693	777	1.5	14	3
7	ZOL3 RAMRU	429	458	488	550	609	669	729	789	873	1.5	15.5	3
	Replacement F ZOL3 RAMR	Right or L 332	eft Upho 363	olstered Ar 392	m for 1 453	Twin seat 512	ing 573	634	693	777	1.5	14	3
	ZOL3 RAML ZOL3 RAMRU	429	458	488	550	609	669	729	789	873	1.5	15.5	3
	Replacement A	Arm Cove	ers Right	, Left or In	terim								
	ZOL3 RCAR ZOL3 RCAL	206	242	279	350	423	496	567	640	735	1.5	2.5	1.7
	ZOL3 RCAI ZOL3 RCARU ZOL3 RCALU	134 206	145 242	158 279	182 350	206 423	230 496	255 567	279 640	308 735	0.33 1.5	1.5 2.5	1.7 1.7
	Replacement A	Arm Cove	ers Riaht	. Left or In	terim fo	or Twin s	eating						
	ZOL3 RCAR ZOL3 RCAL	206	242	279	350	423	496	567	640	735	1.5	2.5	1.7
	ZOL3 RCAI ZOL3 RCARU ZOL3 RCALU	134 206	145 242	158 279	182 350	206 423	230 496	255 567	279 640	308 735	0.33 1.5	1.5 2.5	1.7 1.7
	ORDERING No arm covers for				•	_	ht) are s	pecified	d as seated	d. ZOL	.3 RCARU 8	k ZOL3 RCA	ALU are
	Urethane Arm ZOL3 AUR ZOL3 AUL	Cap 97										1.5 1.5	0.3 0.3
	ZOL3 AIU	72										1.0	0.3

ORDERING NOTES:

Pricing for replacement backs can be custom-quoted as required, contact Customer Service.

ZOLA PRIVACY | REPLACEMENT COMPONENTS

DESCRIPTION/MO	DDEL	PRICE	WEIGHT	CUBE
	Leg ZOL3 RLS	44	1	0.125
	Dual leg ZOL3 RLC	77	1	0.125
	Leg Glide (4) ZOL3 RLG	19	0.2	0.01
	Replacement Seat-to-Seat Bracket ZOL3 RLKB2	73	1	0.125
	Replacement Table-to-Seat Bracket ZOL3 RLKB1	87	3	0.125
	Replacement Shelf Support Bracket Kit (inc ZOP3-RSSB	cludes 90eg bracket, curved bracket, fasteners) 51	2	0.32
(I)	Back Alignment Hardware Kit(includes male ZOP3-LKBC	e & female bracket, fasteners) 44	2	0.32
	Privacy Screen Hardware (includes Bracket, ZOP3-RSH	fasteners) 57	2	0.32
	Back-to-Seat Linking hardware ZOP3-RLKS	129	3	0.32
	Twin Back-to-Seat Linking Hardware ZOP3-RLKT	143	4	0.32

ORDERING NOTES:

Pricing for replacement backs can be custom-quoted as required, contact Customer Service.


ZOLA PRIVACY | REPLACEMENT ELECTRICAL COMPONENTS

DESCRIPTION/MO	DDEL	PRICE	WEIGHT	CUBE
	ZOL3-POWERDOC - Undermount	435	3	0.375
Day Day of	Can be field installed to the underside of specified with a Powerdoc. Standard with	Seats and Tables as a replacement part or installed on 2 Power and 2 USB outlets.	on units not	previously
	ZOL3-POWERDOC2	494	3	0.375
0 0 0 E	Replacement unit only for Seats, Benches option. Standard with 2 Power and 2 USB	or Square/Rectangular tables which were originally or outlets.	rdered with	this power
	ZOP3-POWERDOC3 - Shelves only	503	3	0.375
0.00 8	Replacement unit only for Shelves which w Standard with 2 Power and 2 USB outlets.	vere originally ordered with this power option.		
	Wire Manager Shroud ZOL3 WM10	92	1	0.375
5	ORDERING NOTES: Comes in a 10' lengt	h when ordered. Can be cut to size on site.		

SUTTON



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 8.09%

POST-CONSUMER RECYCLED CONTENT = 15.29%

Up to 23.38% of Sutton product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Sutton products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



AIR EMISSIONS

All Sutton products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come.

Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

SUTTON

DESCRIPTION/M	ODEL/EINISH	FS	COM 1	2	COL 3	FAB	RIC GRAD	ES 6	ا 7	LEATHER 8	9
DEGOTIII TIOIVIVI			<u>'</u>			7					
	ONE-SEAT SUT3-1-0-1	Cherry, Oak, Maple, Walnut, Anigre	1588	1732	1900	2155	2315	2490	2701	3224	3870
	SUT3-1-0-2		1739	1906	2093	2399	2574	2766	3003	3584	4254
•	SUT3-1-1-1	Cherry, Oak, Maple, Walnut, Anigre	1689	1852	2031	2329	2498	2686	2915	3480	4129
	SUT3-1-1-2	Cherry, Oak, Maple, Walnut, Anigre	2011	2173	2330	2490	2651	2812	2969	3161	3809
	TWO-SEAT										
	SUT3-2-0-1	Cherry, Oak, Maple, Walnut, Anigre	2124	2252	2386	2551	2742	2931	3492	3963	4790
	SUT3-2-0-2	rramas, rungio	2362	2505	2654	2839	3048	3262	3662	4408	5258
ı	SUT3-2-1-1	Cherry, Oak, Maple, Walnut, Anigre	2294	2432	2576	2756	2959	3165	3553	4280	5105
	SUT3-2-1-2	Cherry, Oak, Maple, Walnut, Anigre	2612	2777	2944	3147	3352	3554	3758	4021	4843
	THREE-SEAT	г									
	SUT3-3-0-1	Cherry, Oak, Maple, Walnut, Anigre	2881	3045	3224	3397	3569	3750	3941	4774	5928
	SUT3-3-0-2	Walliat, Alligio	3207	3389	3584	3778	3973	4169	4381	5310	6498
	SUT3-3-1-1	Cherry, Oak, Maple, Walnut, Anigre	3113	3290	3480	3668	3856	4048	4254	5157	6309
	SUT3-3-1-2	Cherry, Oak, Maple, Walnut, Anigre	3415	3677	3947	4276	4608	4938	5271	5649	6804

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
SUT3101	27.5	29.5	30.5	16.75	26	20.25	20.25	85	16.75	3.8
SUT3102	27.5	29.5	30.5	16.75	26	20.25	20.25	85	16.75	3.8
SUT3111	27.5	29.5	30.5	16.75	26	20.25	20.25	85	16.75	2.8
SUT3112	27.5	29.5	30.5	16.75	26	20.25	20.25	85	16.75	2.8
SUT3201	47.5	29.5	30.5	16.75	26	40.25	20.25	125	28.5	5.6
SUT3202	47.5	29.5	30.5	16.75	26	40.25	20.25	125	28.5	5.6
SUT3211	47.5	29.5	30.5	16.75	26	40.25	20.25	125	28.5	4.0
SUT3212	47.5	29.5	30.5	16.75	26	40.25	20.25	125	28.5	4.0
SUT3301	67.5	29.5	30.5	16.75	26	60.25	20.25	155	41	7.6
SUT3302	67.5	29.5	30.5	16.75	26	60.25	20.25	155	41	7.6
SUT3311	67.5	29.5	30.5	16.75	26	60.25	20.25	155	41	5.5
SUT3312	67.5	29.5	30.5	16.75	26	60.25	20.25	155	41	5.5

PRODUC Line	CT CODE KEY Series	Seat Count	Arm/Back Style	Base Style
SUT	3	1	0	1
Sutton	Soft Seating	One-Seat	Fully Upholstered Surround	Wood Base & Legs
		Two-Seat	Wood Surround	Metal Base & Legs
		3 Three-Seat		-

STANDARD FINISHES

Oak finishes on wood surround versions are applied on Rift Oak. For a complete list of standard wood finishes please see page 4

METAL BASE OPTION

Metal base is available in silver metallic only.

Note: Rift Oak surround can only be specified with a silver metallic base.


REMOVABLE UPHOLSTERED SEAT COVERS

Sutton Lounge Chairs are available with a removable upholstered seat cover at an upcharge of \$121 list per one-seater chair, \$242 list per two-seater chair and \$363 list per three-seater chair.

CARLYLE | LEED CI CREDIT SUMMARY

CARLYLE





PRE-CONSUMER
RECYCLED CONTENT = 3.96%

POST-CONSUMER
RECYCLED CONTENT = 14.38%

Up to 37.5% of Carlyle product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Carlyle products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



AIR EMISSIONS

All Carlyle products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CARLYLE

			COM		COL	FA	BRIC GRA	DES		LEATHER	
DESCRIPTION/MO	DEL/FINISHES		1	2	3	4	5	6	7	8	9
	ONE-SEAT CAR311	Cherry, Maple, Walnut, Anigre	2505	2586	2664	2822	2978	3138	3296	3585	4080
	CAR312		2505	2586	2664	2822	2978	3138	3296	3585	4080
	TWO-SEAT										
	CAR321	Cherry, Maple, Walnut, Anigre	3383	3502	3619	3817	4017	4214	4409	4839	5636
	CAR322		3383	3502	3619	3817	4017	4214	4409	4839	5636
	THREE-SEAT										
Fig. 1	CAR331	Cherry, Maple, Walnut, Anigre	4562	4708	4850	5115	5381	5641	5907	6434	7421
	CAR332		4562	4708	4850	5115	5381	5641	5907	6434	7421

DIMENSIONS & COM REQUIREMENTS

	Overall Width		Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
CAR311	33	30	32	17.5	26	20	22	60	24	4.5
CAR312	33	30	32	17.5	26	20	22	60	24	4.5
CAR321	59.5	30	32	17.5	26	47	22	94	43	7.25
CAR322	59.5	30	32	17.5	26	47	22	94	43	7.25
CAR331	84	30	32	17.5	26	70.5	22	135	62	9.0
CAR332	84	30	32	17.5	26	70.5	22	135	62	9.0

ORDERING NOTES


Carlyle Lounge Chairs are available with a removable upholstered seat cover at an upcharge of \$121 list per one-seater chair, \$242 list per two-seater chair and \$363 list per three-seater chair.

PRODUCT CODE KEY		Seat	Base	STANDARD FINISHES
Line	Series	Count	Style	For a complete list of standard wood finishes please see page 4
CAR	3	1	1	
Carlyle	Soft Seating	One-Seat	Wood Base	CARLYLE LOUNGE
			& Legs	Carlyle is available in both wood base and silver metallic base
		2	2	versions.
		Two-Seat	Metal Base	
			& Legs	
		3		
		Three-Seat		

BRIO







PRE-CONSUMER RECYCLED CONTENT = 7.09%

POST-CONSUMER RECYCLED CONTENT = 9.43%

Up to 11.34% of Brio product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Brio products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



AIR EMISSIONS

All Brio products are supplied air-emissions certified. Contact customer service for information.

FSC[®]

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

BRIO

DESCRIPTION/MODEL/EINIGHES			COM		COL		BRIC GRA			LEATHER	
DESCRIPTION/MODE	L/FINISHES		1	2	3	4	5	6	7	8	9
	ONE-SEAT 4100-1	Cherry, Maple Walnut, Anigre		1732	1900	2155	2315	2490	2701	3224	3870
	TWO-SEAT 4100-2	Cherry, Maple Walnut, Anigre		2252	2386	2551	2742	2931	3492	3963	4790
	THREE-SEA 4100-3	AT Cherry, Maple Walnut, Anigre		3045	3224	3397	3569	3750	3941	4774	5928

ORDERING NOTES

Brio Lounge Chairs are available with a removable upholstered seat cover at an upcharge of \$121 list per one-seater chair, \$242 list per two-seater chair, and \$363 list per three-seater chair.

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
4100-1 4100-2	31.5 54	31.5 31.5	34 34	18 18	26 26	22.5 45	20.75 20.75	97 120	22 41	5.9 7.5
4100-3	76	31.5	34	18	26	67.5	20.75	145	55	10.5

ORDERING PROCEDURE

To order please specify the following:

- 1. Krug product model number
- 2. Fabric name and number
- 3. Color name and number

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

STANDARD FINISHES


For a complete list of standard wood finishes please see page 4

BRIO

Brio has fixed seat cushions

SLOANE





PRE-CONSUMER
RECYCLED CONTENT = 6.94%

POST-CONSUMER
RECYCLED CONTENT = 15.22%

Up to 29.22% of Sloane product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Sloane products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



AIR EMISSIONS

All Sloane products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Contact customer service for further information, pricing and leadtimes.



The mark of responsible forestry

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

SLOANE

DESCRIPTION/MODEL		COM 1	2	COL 3	FA 4	BRIC GRA	ADES 6	7	LEATHER 8	9
	ONE-SEAT SLO3-10 SLO3-11	2011 2194	2173 2356	2330 2514	2490 2712	2651 2945	2812 3036	2969 3190	3161 3385	3809 4034
	TWO-SEAT SLO3-20 SLO3-21	2612 2942	2777 3105	2944 3273	3147 3512	3352 3722	3554 3917	3758 4128	4021 4383	4843 5207
	THREE-SEAT SLO3-30	3415	3677	3947	4276	4608	4938	5271	5649	6804
	SLO3-31	3744	4007	4277	4645	4976	5303	5640	6017	7171

DIMENSIONS & COM REQUIREMENTS

	Overall Width		Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
SLO3-10	32.25	30.5	30.75	17.5	26	22.5	20.25	95	19	5.9
SL03-11	32.25	30.5	30.75	17.5	26	22.5	20.25	95	19	5.9
SLO3-20	54.75	30.5	30.75	17.5	26	45	20.25	143	31	7.5
SLO3-21	54.75	30.5	30.75	17.5	26	45	20.25	143	31	7.5
SLO3-30	77.25	30.5	30.75	17.5	26	67.5	20.25	190	43	10.5
SLO3-31	77.25	30.5	30.75	17.5	26	67.5	20.25	190	43	10.5

ORDERING NOTES

Sloane Lounge Chairs are available with a removable upholstered seat cover at an upcharge of \$121 list per one-seater chair, \$242 list per two-seater chair and \$363 list per three-seater chair.

PRODUCT COLLine	DE KEY Series	Seat Count	Upholstery Style	SLOANE LEG FINISH Legs are available in metal with a silver metallic finish only, as shown
SLO	3	1	0	
Sloane	Soft Seating	One-Seat	Standard	
	-		Upholstery	
		2	1	
		Two-Seat	Top Stitching	
			& Buttons	
		3		
		Three-Seat		

BENCHES


220 Tate226 Zola235 Carlyle

TATE BENCHES | LEED CI CREDIT SUMMARY

TATE BENCHES

MATERIAL CONTENT:





PRE-CONSUMER RECYCLED CONTENT = 9.09%

POST-CONSUMER RECYCLED CONTENT = 24.26%

Up to 26.97% of this Tate product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION







FSC* C021699

level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Tate Benches products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.

AIR EMISSIONS

All Tate Benches products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Tate and other Krug products can be specifie with one of two types of FSC® Certification:

(a) FSC®-certified (which includes FS ®-certified lumbe, veneer and substrate material) (b) FSC®-mix certified (which includes substrate material onl, and is a lower cost option certification Contact customer service for further information, pricing and leadtimes.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.



TATE BENCHES | FEATURES

STYLE

Tate Benches feature three design styles; Fully Upholstered, Gable End and Table End.



Fully Upholstered



Gable End

Tate Benches gable ends are 2" wide x 20" deep x 6" high on standard depth units and 2" wide x 25" deep x 6" high on deep seat units



Table End

Tate Benches table ends are 10" wide x 20" deep x 6" high on standard depth units and 10" wide x 25" deep x 6" high on deep seat units.



LEGS

Tate Benches legs feature polished chrome structural steel legs with non-marring glides.



Tate Benches are uniquely designed to allow major components to be field replaced, providing a very cost effective means to significally extend the life of the product. Gable ends, table ends and legs are field replaceable.

WEIGHT CAPACITIES

Tate Benches have the following maximum weight ratings: 2 seater - 975 lbs 3 seater - 1,200 lbs

ANTI-MICROBIAL FINISH

Tate Benches wood surfaces come with an anti-microbial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria

FINISH DURABILITY

The Krug Enduraguard finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.

OPTIONS

Removable Covers

Optional Removeable covers can be quickly installed on Tate Benches products that were originally ordered with the Removable cover option. Replacement covers can also be installed on Tate Benches products that were not originally ordered with the Removable cover option, with some simple staple removal.

CAL 133 & Moisture Barrier

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge of \$49 list per yard.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$700 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

TATE BENCHES | DIMENSIONS & COM REQUIREMENTS

	Overall Length	Overall Depth	Overall Height	Seat Length	Shipping Weight	Cube	COM Yardage	
TAT5-2210	43	21	17	43	48	10.7	1.4	
TAT5-2260	43	26	17	43	57	13.2	1.6	
TAT5-3210	65	21	17	65	62	15.7	2.0	
TAT5-3260	65	26	17	65	74	19.4	2.3	
TAT5-2211	47	21	17	43	56	10.7	1.4	
TAT5-2261	47	26	17	43	65	13.2	1.6	
TAT5-3211	69	21	17	65	70	15.7	2.0	
TAT5-3261	69	26	17	65	82	19.4	2.3	
TAT5-2212	63	21	17	43	70	14.3	1.4	
TAT5-2262	63	26	17	43	83	17.7	1.6	
TAT5-3212	84.5	21	17	65	84	19.2	2.0	
TAT5-3262	84.5	26	17	65	100	23.8	2.3	

DIMENSIONS:

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

VENEERS & FINISHES

WOOD FINISHES

Standard wood finishes are:

SPECIES FINISH

OAK Light Oak

SilverGrey on Oak Espresso Oak

MAPLE Clear Maple

Wheat Maple

WALNUT Natural Walnut

SilverGrey on Walnut Regular Walnut Dark Walnut

VENEERS

Tate Benches veneers are quarter cut, except for White Oak, which is rift cut - both quarter cut and rift cut veneers provide a straight grain appearance. The grain direction of the veneers on vertical faces is horizontal.

NON-STANDARD VENEER SPECIES

In addition to range of standard wood species, Tate can be made with virtually any commercially available veneers. Please contact customer service for information and pricing on wood species not included in Tate's standard offering.

NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

CUSTOM WOOD FINISHES

Add 10% list to your order for special finishes, minimum upcharge is \$500 list per finish per order. (For example, on all orders up to \$5000 list, an upcharge of \$500 will apply, on orders \$5000 and up add 10% list to your order.)

For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

ENDURAGUARD FINISH

Tate Benches features the Krug Enduraguard finish, a proprietary catalyzed varnish formulation, that has repeatedly shown through independent laboratory testing to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors and is uniquely suited to the demands of high traffic environments.

PALETTE FINISHES

Black White Sand Soft Green Steel Blue Slate

TATE BENCHES | FULLY UPHOLSTERED & GABLE END

DESCRIPTION/MODEL/SF	PECIES		COM 1	2	COL 3	FAE 4	BRIC GR. 5	ADES 6	7	8	LEATHER 9
	Two-seat, 2 TAT5-2210	1", fully upholstered	756	794	829	878	936	986	1043	1115	1187
	Two-seat, 2 TAT5-2260	6", fully upholstered	843	889	935	999	1074	1138	1211	1302	1395
	Three-seat, TAT5-3210	21", fully upholstered	909	959	1010	1082	1163	1235	1316	1418	1520
	Three-seat, TAT5-3260	26", fully upholstered	1002	1063	1125	1211	1309	1395	1493	1615	1738
		1", gable end Maple, Oak, Laminate Walnut, Palette		1172 1235	1208 1270	1254 1321	1309 1378	1357 1428	1412 1486	1479 1557	1546 1628
		6", gable end Maple, Oak, Laminate Walnut, Palette		1279 1348	1323 1393	1384 1458	1454 1531	1516 1595	1584 1669	1673 1761	1760 1853
		21", gable end Maple, Oak, Laminate Walnut, Palette		1330 1400	1378 1451	1446 1522	1523 1604	1592 1676	1670 1758	1767 1860	1864 1962
Tate Benches Option Upo	harges	\$ List								List	
CAL 133 & Moisture Barrie Two-seat, 21" - Removable Two-seat, 26" - Removeab	Seat Covers	49 59 61				- Remova - Remova				75 78	
PRODUCT CODE KEY											
Line	Series	Seat Cour	nt	5	Seat Dep	oth	Arı	m Style			
TAT Tate	5 Benches	Z Two-Sea	t		21"		Fully U	0 Ipholstered			
		3 Three-Sea	at		26 26"]	Gal	1 ble End			
							Tat	2 ole End			

TATE BENCHES | GABLE END & TABLE END

DESCRIPTION/MODEL/S	PECIES		COM 1	2	COL 3	FAB 4	RIC GRAD	DES 6	LE 7	ATHER 8	9
	Three-seat, TAT5-3261	26", gable end Maple, Oak, Laminate	1395	1453	1511	1593	1685	1767	1861	1977	2093
D		Walnut, Palette	1467	1529	1590	1676	1773	1860	1958	2082	2203
	Two-seat, 2 TAT5-2212	1", table end Maple, Oak,	1541	1575	1608	1656	1712	1759	1814	1881	1949
		Laminate Walnut, Palette	1623	1657	1693	1743	1801	1852	1908	1980	2051
	T	0, 1, 1, 1									
		6", table end Maple, Oak, Laminate	1674	1717	1761	1821	1894	1953	2024	2111	2198
		Walnut, Palette	1762	1809	1854	1919	1992	2057	2130	2222	2314
		21", table end Maple, Oak, Laminate	1683	1733	1780	1848	1926	1995	2071	2170	2265
	7	Walnut, Palette	1771	1822	1874	1946	2027	2099	2180	2283	2385
		26", table end Maple, Oak,	1834	1890	1950	2031	2125	2205	2299	2414	2531
	IA10 0202	Laminate									
		Walnut, Palette	1929	1990	2052	2137	2235	2321	2419	2543	2664

te Benches Option	Upcharges	\$ List			\$ List
AL 133 & Moisture Ba	arrier (per yard)	49	Three-seat, 21" - Remo	vable Seat Covers	75
wo-seat, 21" - Remov	able Seat Covers	59	Three-seat, 26" - Remo	78	
wo-seat, 26" - Remov	o-seat, 26" - Removeable Seat Covers				
PRODUCT CODE KEY					
Line	Series	Seat Count	Seat Style	Arm Style	
TAT	5	2	21	0	
Tate	Benches	Two-Seat	21"	Fully Upholstered	
		3	26	1	
		Three-Seat	26"	Gable End	
				2	
				Table End	


TATE BENCHES | REPLACEMENT COMPONENTS

DESCRIPTION/MODEL	/SPECIES	COM 1	2	COL 3	F <i>A</i> 4	ABRIC (GRADE:	S 7	8	LEATHER 9 V		Γ CUBE
	Two-seat, 21" Replacement Se TAT5-RS221	eat 584	620	656	706	763	812	870	942	1014	34	4.5
	Two-seat, 26" Replacement Se TAT5-RS226	eat 634	672	714	772	836	894	960	1041	1124	43	5.5
	Three-seat, 21" Replacement S TAT5-RS321	Seat 733	785	836	909	990	1061	1098	1245	1348	52	6
	Three-seat, 26" Replacement S TAT5-RS326	Seat 797	855	915	996	1090	1172	1267	1384	1501	74	7.3
	Two-seat, 21" Replacement Se TAT5-RSC221	eat Covers 230	267	303	351	409	459	517	588	661	5	1.0
	Two-seat, 26" Replacement Se TAT5-RSC226	eat Covers 250	291	331	389	454	511	577	660	741	6	1.2
	Three-seat, 21" Replacement S TAT5-RSC321	Seat Cover 299	s 350	401	473	555	625	707	810	913	7	1.5
	Three-seat, 26" Replacement S TAT5-RSC326	Seat Cover 323	s 382	441	523	617	699	794	912	1028	8	1.7
	Replacement Gable End 21" TAT5-RGE21 Maple, Oak Laminate	κ, 279									4	.30
	Walnut, Pa	lette 334										
	Replacement Gable End 26" TAT5-RGE26 Maple, Oal Laminate Walnut, Pa										5	.50
70	Replacement Table End 21" TAT5-RTE21 Maple, Oal Laminate	κ, 469										
	Walnut, Pa	lette 573									11	1.1
	Replacement Table End 26" TAT5-RTE26 Maple, Oak Laminate	k, 512									13	1.3
	Walnut, Pa	lette 621										
H	21" Replacement Legs TAT5-RL21	140									7	1.1
u/	26" Replacement Legs TAT5-RL26	152									9	1.5

ZOLA | LEED CI CREDIT SUMMARY

ZOLA





PRE-CONSUMER
RECYCLED CONTENT = 6.43%

POST-CONSUMER RECYCLED CONTENT = 16.25%

Up to 38.93% of this Zola product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola Bench products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



The mark of responsible forestry

AIR EMISSIONS

All Zola Bench products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ZOLA | MODULAR & MODULAR BARIATRIC BENCH STANDARD DEPTH

DIMENSIONS

	Overall Width	Overall Depth	Overall (Seat) Height	Shipping Weight	Cubes
One-seat	23	22.25	18.5	28	5.2
Two-seat	46	22.25	18.5	48	9.4
Three-seat	69	22.25	18.5	64	14
One-seat (Bariatric)	30	22.25	18.5	31	6.1
Two-seat (Bariatric)	46	22.25	18.5	48	9.4
Three-seat (Bariatric	69	22.25	18.5	64	14

COM YARDAGES

	COM Yardage Bench	COM Yardage 2 Benches	COM Yardage 3 Benches	COM Yardage 4 Benches	
One-seat	1.25	2	2.75	4	
Two-seat	1.70	3.5	4.91	6.6	
Three-seat	2.5	4.5	7	8.9	
One-seat (Bariatri	ic) 1.25	2.6	3.98	5.3	

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

- 5 Units = Take the yardage for 4 units and add the yardage for 1 unit
- 7 Units = Take the yardage for 4 units and add the yardage for 3 units
- 8 Units = Take the yardage for 4 units and multiple by 2
- 9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit
- 10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units
- 20 Units = Take the yardage for 4 units, multiply by 5

ZOLA | MODULAR & MODULAR BARIATRIC BENCH FULL DEPTH

DIMENSIONS

	Overall Width	Overall Depth	Seat Height	Shipping Weight	Cubes
One-seat	23	26	18.5	33	11.5
Two-seat	46	26	18.5	55	21
Three-seat	69	26	18.5	72	32
One-seat (Bariatric)	30	26	18.5	45	16
Two-seat (Bariatric)	46	26	18.5	57	21
Three-seat (Bariatric)	69	26	18.5	75	32

COM YARDAGES

	COM Yardage Bench	COM Yardage 2 Benches	COM Yardage 3 Benches	COM Yardage 4 Benches	
One-seat	1.4	2.2	3.6	4.4	
Two-seat	1.85	3.7	5.6	7.4	
Three-seat	2.8	5.6	8.4	11.2	
One-seat (Bariatric)	1.85	3.7	5.6	7.4	
Two-seat (Bariatric)	1.85	3.7	5.6	7.4	
Three-seat (Bariatric)	2.8	5.6	8.4	11.2	

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

- 5 Units = Take the yardage for 4 units and add the yardage for 1 unit
- 7 Units = Take the yardage for 4 units and add the yardage for 3 units
- 8 Units = Take the yardage for 4 units and multiple by 2
- 9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit
- 10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units
- 20 Units = Take the yardage for 4 units, multiply by 5

Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List
Arms (Right or Left)	59	One-seat standard depth seat	36
Interim Arm	47	Two-seat standard depth seat	52
One-seat back	52	Three-seat standard depth seat	65
Two-seat back	75	One-seat bariatric standard depth seat	47
Three-seat back	93	One-seat full depth seat	40
One-seat bariatric back	60	Two-seat full depth seat	57
		Three-seat full depth seat	65
		One-seat bariatric full depth seat	51

SEATING & OCCASIONAL TABLES | USA | 227

ZOLA | MODULAR & MODULAR BARIATRIC BENCH STANDARD DEPTH

		COM		COL	FAE	BRIC GRA	DES		LEATHER	
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9
	One-Seat ZOL3 MS1S1	664	699	735	802	868	935	1001	1065	1169
	One-Seat Bariatric ZOL3 MSB1S1	838	873	911	982	1055	1127	1199	1271	1379
	ORDERING NOTES: One-s	eat Bariatr	ic Bench i	s 30" wide	Э.					
	Two-Seat ZOL3 MS2S1	928	970	1013	1103	1193	1283	1374	1464	1614
	Two-Seat Bariatric ZOL3 MSB2S1	989	1036	1084	1174	1266	1355	1445	1537	1687
	ORDERING NOTES: The To	vo-Seat Ba	ariatric cor	mes stand	ard with a	fifth leg fo	r extra su	pport.		
	Three-Seat ZOL3 MS3S1	1187	1247	1307	1435	1561	1687	1813	1941	2095
	Three-Seat Bariatric ZOL3 MSB3S1	1410	1469	1531	1637	1747	1855	1964	2071	2244
	ORDERING NOTES: The Th	ree-Seat I	Bariatric c	omes stan	dard with	a fifth leg	for extra s	upport.		

ZOLA | MODULAR & MODULAR BARIATRIC BENCH FULL DEPTH

		COM		COL	FAI	BRIC GRA	DES		LEATHER	1
DESCRIPTION/MO	DEL	1	2	3	4	5	6	7	8	9
	One-Seat ZOL3 MS1F1	733	770	805	855	913	962	1019	1090	1184
	One-Seat Bariatric ZOL3 MSB1F1	882	931	978	1044	1119	1186	1262	1355	1451
	ORDERING NOTES: One	e-seat Bariatı	ric Bench	is 30" wid	э.					
	Two-Seat ZOL3 MS2F1	1082	1129	1178	1243	1318	1384	1461	1554	1650
	Two-Seat Bariatric ZOL3 MSB2F1	1123	1170	1217	1283	1358	1425	1500	1705	1690
	ORDERING NOTES: The	Two-Seat B	ariatric co	mes stanc	lard with a	fifth leg fo	or extra su	pport.		
	Three-Seat ZOL3 MS3F1	1463	1536	1606	1703	1820	1921	2035	2178	2321
H	Three-Seat Bariatric ZOL3 MSB3F1	1515	1588	1658	1760	1874	1974	2089	2231	2375

ORDERING NOTES: Zola Bench Seating is available with 4 casters, for an upcharge of \$81 list per chair. Please add a '2' at the end of the model number for casters ie; ZOL31112. Zola Bench Seating is available with 2 legs and 2 casters version, for an upcharge of \$59 list per chair. Please add a '3' at the end of the model number for leg/caster version ie; ZOL3F1113. Please note, bariatric versions are not available with either of these options.

ORDERING NOTES: The Three-Seat Bariatric comes standard with a fifth leg for extra support.

PRODUCT CODE KEY

Line	Series	Chair Type	Seat Count	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MS Modular	1 One Seat	S Standard Depth	1 Standard Leg &
					Glide
		MSB	2	F	2
		Modular Bariatric	Two Seat	Full Depth	Casters
			3		3
			Three Seat		Combination 2 Front Standard Leg

& 2 Rear Casters

ZOLA | MODULAR CURVE

אוח	SIO	NIC.	INICIDE	CURVE

DIMILIAGIONO II	IOIDE COITTE						
	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
Single seat							
30°	36	28.5	34	18.5	22.5	50	18
45°	42	29	34	18.5	22.5	54	19
60°	48	29	34	18.5	22.5	57	22
90°	59	31	34	18.5	22.5	69	26
Double seat							
30°	58	30	34	18.5	22.5	90	32
45°	64	31	34	18.5	22.5	97.2	33
60°	70	33	34	18.5	22.5	102.6	39
90°	81	36	34	18.5	22.5	124.2	46

COM Yardages


	COM Yardage	COM Yardage	COM Vardaga	COM Yardage	
	Entire Unit	2 Entire Units	COM Yardage 3 Entire Units	4 Entire Units	
	Littile Offit	Z LITTIE OTITS	3 Little Offits	4 Little Offics	
Single seat					
30°	3.70	7.4	11.1	14.8	
45°	4.40	8.8	13.2	17.6	
60°	4.40	8.8	13.2	17.6	
90°	4.61	9.2	13.83	18.44	
Double seat					
30°	6.3	12.6	18.9	25.2	
45°	6.4	12.8	19.2	25.6	
60°	8.2	16.4	24.6	32.8	
90°	8.2	16.4	24.6	32.8	

COM Yardages - Individual Components


	COM Yardage Per Back	COM Yardage Per 2 Backs	COM Yardage Per 3 Backs	COM Yardage Per 4 Backs	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats
Single seat								
30°	1.9	3.8	5.7	7.6	1.8	3.6	5.4	7.2
45°	2.6	5.2	7.8	10.4	1.8	3.6	5.4	7.2
60°	2.6	5.2	7.8	10.4	1.8	3.6	5.4	7.2
90°	2.8	5.6	8.4	11.2	1.8	3.6	5.4	7.2
Double seat								
30°	2.9	5.8	8.7	11.6	3.4	6.8	10.2	13.6
45°	3	6.0	9.0	12.0	3.4	6.8	10.2	13.6
60°	4.8	8.8	13.5	17.4	3.4	6.8	10.2	13.6
90°	4.8	8.8	13.5	17.4	3.4	6.8	10.2	13.6




One-Seat, Uph 30° Inside Curve



One-Seat, Uph 45° Inside Curve




One-Seat, Uph 60° Inside Curve




One-Seat, Uph 90° Inside Curve




Two-Seat, Uph 30° Inside Curve



Two-Seat, Uph 45° Inside Curve



Two-Seat, Uph 60° Inside Curve



Two-Seat, Uph 90° Inside Curve

Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	47	Double-seat curve 30° seat	71
Single-seat curve 45° seat	49	Double-seat curve 45° seat	78
Single-seat curve 60° seat	66	Double-seat curve 60° seat	95
Single-seat curve 90° seat	86	Double-seat curve 90° seat	97

ZOLA | MODULAR CURVE

DIMENSIONS OUTSIDE CURVE

	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
Single seat							
30°ັ	33.75	28.25	34	18.5	22.5	48	23
45°	38.75	28.75	34	18.5	22.5	49	24
60°	43.5	29.25	34	18.5	22.5	50	29
90°	52	29.75	34	18.5	22.5	51	34
Double seat							
30°	55.75	29.75	34	18.5	22.5	83	36
45°	60.75	31	34	18.5	22.5	84	40
30°	65.75	32.25	34	18.5	22.5	86	45
90°	74	34.5	34	18.5	22.5	96	56

COM Yardages


	COM Yardage	COM Yardage	COM Yardage	COM Yardage	
	Entire Unit	2 Entire Units	3 Entire Units	4 Entire Units	
Single seat					
30°	3.32	6.14	9.46	12.28	
45°	3.32	6.14	9.46	12.28	
60°	3.32	6.14	9.46	12.28	
90°	3.32	6.14	9.46	12.28	
Double seat					
30°	6.50	13.0	19.5	26.0	
45°	6.50	13.0	19.5	26.0	
60°	6.50	13.0	19.5	26.0	
90°	6.50	13.0	19.5	26.0	

COM Yardages - Individual Components

Com raraagoo	mairiadai oc	mpononto						
	COM Yardage Per Back	COM Yardage Per 2 Backs	COM Yardage Per 3 Backs	COM Yardage Per 4 Backs	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats
Single seat								_
30°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
45°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
60°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
90°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
Double seat								
30°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6
45°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6
60°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6
90°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6




One-Seat, Uph 30° Curve



Two-Seat, Uph 30° Curve




One-Seat, Uph 45° Curve




Two-Seat, Uph 45° Curve




One-Seat, Uph 60° Curve



Two-Seat, Uph 60° Curve



One-Seat, Uph 90° Curve



Two-Seat, Uph 90° Curve

Upcharge for Removable Upholstery Covers:

	=		
Option	\$ List	Option	\$ List
Single-seat curve 30° seat	47	Double-seat curve 30° seat	71
Single-seat curve 45° seat	49	Double-seat curve 45° seat	78
Single-seat curve 60° seat	66	Double-seat curve 60° seat	95
Single-seat curve 90° seat	86	Double-seat curve 90° seat	97

ZOLA | MODULAR CURVE BENCH

		COM		COL		RIC GRAD			EATHER	
DESCRIPTION/MODI	EL	1	2	3	4	5	6	7	8	9
	Single-Seat, 30° Curve, Standard ZOL3 MCS30DS1	Depth 953	1038	1125	1245	1381	1501	1638	1812	1982
	Single-Seat, 45° Curve, Standard ZOL3 MCS45DS1	Depth 1038	1164	1289	1464	1665	1840	2040	2291	2541
	Single-Seat, 60° Curve, Standard ZOL3 MCS60DS1	Depth 1173	1299	1424	1600	1798	1974	2175	2425	2676
	Single-Seat, 90° Curve, Standard ZOL3 MCS90DS1	Depth 1353	1490	1628	1821	2042	2235	2455	2733	3008
	Single-Seat, 30° Curve, Full Deptl ZOL3 MCS30DF1	n 1048	1142	1237	1370	1520	1652	1804	1991	2180
	Single-Seat, 45° Curve, Full Deptl ZOL3 MCS45DF1	n 1143	1280	1418	1610	1832	2024	2244	2519	2796
	Single-Seat, 60° Curve, Full Deptl ZOL3 MCS60DF1	n 1291	1428	1566	1759	1979	2172	2391	2667	2943
	Single-Seat, 90° Curve, Full Deptl ZOL3 MCS90DF1	n 1488	1638	1791	2004	2246	2460	2701	3006	3309

ORDERING NOTES: Please note when Zola Modular Benches are ordered, each bench is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down). Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.

PRODUCT CODE KEY

FRODUCT CODE I	<u> </u>					
Line	Series	Chair Type	Seat Count	Seat Degree	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MC Modular MCB Modular Bariatric	Single Double	30D 30 Degree 45D 45 Degree 60D 60 Degree	Standard F Full	1 Standard Leg + Glide
				90D		
				90 Degree		

ZOLA | MODULAR CURVE BENCH

		COM		COL	FAB	RIC GRAD	ES	LE	ATHER	
DESCRIPTION/MODE	EL	1	2	3	4	5	6	7	8	9
	Double-Seat, 30° Curve, Standar ZOL3 MCD30DS1	rd Depth 1668	1817	1968	2177	2418	2629	2869	3169	3470
	Double-Seat, 45° Curve, Standar ZOL3 MCD45DS1	rd Depth 1817	2036	2255	2561	2911	3218	3568	4006	4444
	Double-Seat, 60° Curve, Standar ZOL3 MCD60DS1	rd Depth 2052	2272	2491	2798	3147	3454	3805	4242	4680
	Double-Seat, 90° Curve, Standar ZOL3 MCD90DS1	rd Depth 2366	2608	2849	3187	3574	3912	4297	4780	5262
	Double-Seat, 30° Curve, Full Dep ZOL3 MCD30DF1	oth 1917	2089	2262	2504	2780	3022	3299	3644	3989
	Double-Seat, 45° Curve, Full Dep ZOL3 MCD45DF1	oth 2089	2341	2592	2945	3348	3701	4104	5153	5111
	Double-Seat, 60° Curve, Full Dep ZOL3 MCD60DF1	oth 2361	2612	2864	3216	3620	3972	4375	4879	5383
	Double-Seat, 90° Curve, Full Dep ZOL3 MCD90DF1	oth 2721	2998	3275	3665	4109	4498	4941	5497	6053

ORDERING NOTES: Please note when Zola Modular Benches are ordered, each bench is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down). Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.

PRODUCT CODE KEY

TODUCT CODE K	- 1					
Line	Series	Chair Type	Seat Count	Seat Degree	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MC Modular	S Single	30D 30 Degree	S Standard	1 Standard Leg + Glide
		MCB Modular Bariatric	D Double	45D 45 Degree 60D 60 Degree	F Full	
				90D 90 Degree		

ZOLA | MODULAR CURVE - REPLACEMENT COMPONENTS

DESCRIPTION	MODEL	COM 1	2	COL 3	FA 4	BRIC GI 5	RADES 6	7	LEATHE 8	ER 9	COM YARDAGE	- WEIGHT	CLIRE
DESCRIPTION						<u> </u>					TANDAGE	VVLIGITI	COBL
	Replacement Back Sing	-											
	ZOL3 RMCBIS30D	890	951	1013	1100	1196	1284	1382	1506	1628	1.9	20	8
1	ZOL3 RMCBIS45D	1032		1167		1372	1466	1575	1711	1847	2.6	22	8
	ZOL3 RMCBIS60D	1256		1442	1573	1720	1852	2001	2187	2371	2.6	23	10
	ZOL3 RMCBIS90D	1403	1499	1596	1731	1886	2020	2175	2368	2561	2.8	28	11
	Replacement Back Dou					0004	0045	0447	0000	0040	0.0	00	10
)\	ZOL3 RMCBID30D ZOL3 RMCBID45D	1556 1805		1771 2042	1923 2208	2094 2399	2245 2565	2417 2755	2633 2992	2848 3230	2.8	38	13
θ	ZOL3 RMCBID45D	2198		2524		3012	3240	3501	3826	4150	3 4.8	42 43	13.5 16
	ZOL3 RMCBID90D	2453		2792		3299	3536	3806	4144	4482	4.8	52.5	18
	ZOLO I IIVIODIDOOD										4.0	32.3	10
	Replacement Back Sing	gle-seat	Outsid	e Curv	е								
	ZOL3 RMCBOS30D	802	856	912	990	1078	1155	1244	1355	1465	1.7	15	5.0
\ (ZOL3 RMCBOS45D	928	990	1052	1137	1235	1320	1418	1540	1662	1.7	17	7.0
	ZOL3 RMCBOS60D	1110	1214	1298	1416	1549	1668	1799	1968	2135	1.7	20	9.0
	ZOL3 RMCBOS90D	1263	1350	1437	1559	1697	1818	1958	2132	2306	1.7	25	9.0
	Replacement Back Dou												
)	ZOL3 RMCBOD30D	1401		1595		1884	2020	2176	2369	2564	3.1	30	9.0
	ZOL3 RMCBOD45D	1625		1838	1988	2159	2308	2478	2693	2907	3.1	34	11.0
	ZOL3 RMCBOD60D	1979			2476		2915	3149	3443	3735	3.1	35	14.0
	ZOL3 RMCBOD90D	2208	2361	2514	2725	3313	3182	3426	3730	4034	3.1	40	14.0
	Replacement Seat Sing	le-seat	Standa	rd Dep	th Cur	/e							
	ZOL3 RMCSS30DS	872			1165		1422	1560	1731	1902	1.8	30	11
	ZOL3 RMCSS45DS	959		1100	1383	1584	1761	1959	2210	2461	1.8	32	12
	ZOL3 RMCSS60DS	1095	1218	1344	1519	1718	1895	2094	2344	2596	1.8	34	13
	ZOL3 RMCSS90DS	1246	1383	1522	1715	1935	2129	2348	2625	2901	1.8	41	16
-													
	Replacement Seat Dou				•								
	ZOL3 RMCSD30DS	1587			2096		2548	2789	3090	3390	3.4	52.2	19.5
	ZOL3 RMCSD45DS	1737		2175	2481	2830	3138	3488	4270	4363	3.4	56	21
	ZOL3 RMCSD60DS	1972 2260		2410	3080	3068 3467	3373 3805	3724 4191	4162 4674	4601 5156	3.4	60	23
	ZOL3 RMCSD90DS	2200	2301	2143	3000	3407	3003	4131	4074	3130	3.4	72	28
	Replacement Seat Sing	le-seat	Full De	pth Cu	rve								
	ZOL3 RMCSS30DF	968	1061	1157	1289	1440	1572	1724	1910	2100	1.94	36	13.5
	ZOL3 RMCSS45DF	1062			1531			2163	2439	2715	1.94	39	14.5
	ZOL3 RMCSS60DF	1211		1486		1899	2091		2588	2863	1.94	41	15.5
	ZOL3 RMCSS90DF	1381	1533	1684	1898	2139	2354	2594	2898	3203	1.94	49	19
	Replacement Seat Do	uble-se	at Full f)enth (Curve								
	ZOL3 RMCSD30DF					2700	20/10	2010	3562	3000	3.7	63	24
	ZOL3 RMCSD45DF	1836 2009		2181 2512		2700 3267	2942 3621	3218 4023	3563 4526	3909 5030	3.7	69	25.5
	ZOL3 RMCSD60DF	2280		2783		3539	3892		4798	5302	3.7	72	27
	ZOL3 RMCSD90DF	2614			3558		4391		5390	5946	3.7	86	33.5
	Replacement Seat Cov											_	
	ZOL3 RMCBSCS30DS		213	257	318	388	450	519	607	695	1.8	2.5	1
	ZOL3 RMCBSCS45DS		218	262	323	394	455	525	613	700	1.8	3.1	1
	ZOL3 RMCBSCS60DS		245	289	350	420	481	553	640	727	1.8	3.7	1.5
	ZOL3 RMCBSCS90DS	219	263	307	368	437	499	569	658	745	1.8	4.3	1.5
	Ponlacoment Seet Con	or Doub	lo coct	Stond	ard Da	oth Cur	10						
	Replacement Seat Cov							059	1123	1289	2 /	10	1.5
	ZOL3 RMCBSCD30DS ZOL3 RMCBSCD45DS		377 385	460 468	577 583	708 716	825 831	958 963	1123	1294	3.4 3.4	4.8 5.9	1.5 1.5
4	ZOL3 RMCBSCD45DS		423	506	621	753	869	1001	1167	1332	3.4 3.4	5.9 7.0	2.5
	ZOL3 RMCBSCD00DS		436	518	635	768		1016	1181	1347	3.4	8.2	2.5
	_01011110000000000										5.7	J.L	2.0

DESCRIPTION	MODEL	COM 1	2	COL 3	FAE 4	BRIC GF 5	RADES 6	7	_EATHE 8	R 9	COM YARDAGE	WEIGHT	CUBE
	Replacement Seat Cov	er Sinal	e-seat	t Full De	epth Cu	rve							
	ZOL3 RMCBSCS30DF	188	238	289	359	436	507	586	685	784	1.94	2.9	1
	ZOL3 RMCBSCS45DF	195	244	294	364	443	512	592	690	789	1.94	3.6	1
VE	ZOL3 RMCBSCS60DF	225	273	323	393	473	541	620	720	818	1.94	4.3	1.5
	ZOL3 RMCBSCS90DF	239	289	339	408	487	556	637	734	834	1.94	4.9	1.5
	Replacement Seat Cov	er Doub	ole-sea	at Full D	epth C	urve							
	ZOL3 RMCBSCD30DF	330	424	519	650	803	936	1085	1275	1464	3.7	5.5	1.5
	ZOL3 RMCBSCD45DF	336	431	525	659	809	941	1092	1281	1470	3.7	6.8	1.5
VE .	ZOL3 RMCBSCD60DF		472	566	698	850	982	1133	1322	1511	3.7	8.1	2.5
	ZOL3 RMCBSCD90DF	403	498	592	724	874	1007	1160	1349	1537	3.7	9.4	2.5
ZOLA SEA	TABLES												
		СОМ		COL	FAE	BRIC GE	RADES		_EATHE	R	COM		
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBE
	Round Seatable												
	ZOL5-18D	528	545	563	588	617	642	670	706	742	1.3	18	5.2
	ZOL5-24D	681	720	758	811	872	926	989	1064	1141	1.5	26	8.5
	ZOL5-30D	857	900	944	1005	1076	1137	1206	1292	1379	1.7	38	10.5
	Square Seatable ZOL5-1818	578	613	646	695	750	800	854	922	992	1.3	27	5.2
$\leq \sqrt{\Lambda}$	ZOL5-1616 ZOL5-2424	689	728	765	819	880	935	996		1149	1.5	38	8.5
	ZOLJ-2424	003	720	700	013	000	900	990	1073	1143	1.5	30	0.5
	Rectangular Seatable	00.4	007	700	754	000	054	040	070	4047	4.0	0.4	0.0
	ZOL5-2418 ZOL5-4824	634 897	667 944	702 992	751 1058	806 1133	854 1199	910 1275	978 1371	1047 1464	1.3 2.4	31 62	6.6 12.6
	ZOLJ-4024	091	944	992	1036	1133	1199	1275	1371	1404	2.4	02	12.0
ZOLA TAB	LETS												
DESCRIPTION	MODEL	SPECIE	S	PRICE								WEIGHT	CUBE
	Wood Tablet												
	ZOL3 T1	Beech Maple /Cherry	,	392 410								12	2
	Tablet with Palette Finis												

Tablet with Palette Finish ZOL3 T2 n/a 314 12 Glass Tablet 597 2 ZOL3 T3 13 n/a Laminate Tablet 405 n/a ZOL3 T4 12 2

ORDERING NOTES: The laminate tablet comes standard with a polymer edge. Please note Zola Tablets are universally handed and do not need to be specified right or left when ordering.

CARLYLE BENCH | LEED CI CREDIT SUMMARY

CARLYLE BENCH



PRE-CONSUMER
RECYCLED CONTENT = 15%

POST-CONSUMER RECYCLED CONTENT = 17.97%

Up to 49.33% of this Carlyle product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Carlyle Bench products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



AIR EMISSIONS

All Carlyle Bench products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CARLYLE BENCH

		COM		COL	FAI	BRIC GRA	DES		LEATHER	?
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	TWO-SEAT CAR5-2-0	1305	1371	1436	1502	1572	1643	1713	1805	1936
	TWO-SEAT - BUTTON DE CAR5-2-1	TAILING 1682	1747	1813	1879	1949	2018	2090	2180	2314
	THREE-SEAT CAR5-3-0	1716	1811	1900	1990	2082	2173	2265	2375	2669
	THREE-SEAT - BUTTON I CAR5-3-1	DETAILING 2300	2392	2481	2573	2664	2754	2847	2957	3251

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
CAR5-2-0	54	26.5	17.5	-	-	-	_	75	16	2.4
CAR5-2-1	54	26.5	17.5	-	-	-	-	75	16	2.4
CAR5-3-0	81	26.5	17.5	-	-	-	-	110	25	3.6
CAR5-3-1	81	26.5	17.5	-	-	-	-	110	25	3.6

PRODUCT CODE	E KEY Series	Seat Count	Upholstery Style
CAR	5	2	0
Carlyle	Bench	Two-Seat	Upholstery Standard
		3	1
		Three-Seat	Top Stitching and Buttons

CARLYLE

Base is available in silver metallic only.

OCCASIONAL TABLES


238 Chit Chat 241 Avatar 243 Karma 248 Cressida 251 Leyton 253 Zola 258 Sutton 260 Virtu 263 Millennium 264 Prado 266 Carlyle

CHIT CHAT TABLES | LEED CI CREDIT SUMMARY

CHIT CHAT TABLES



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 81%

POST-CONSUMER
RECYCLED CONTENT = 3%

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Chit Chat tables products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



The mark of responsible forestr

AIR EMISSIONS

All Chit Chat Table products are supplied air-emissions certified. Contact customer service for information.

FSC®






(b) FSC®-mix certified (which includes substrate material onl, and is a lower cost option certification Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CHIT CHAT TABLES | PRODUCT FEATURES & DIMENSIONS

TOP SHAPE & GRAIN DIRECTION



Radius Edge - D


EDGE PROFILES




Chit Chat Table tops are 1-1/4" thick and available in two edge profiles. **Note**: Solid Surface is only available in the D Radius edge profile.

BASES

Flat Edge - T



Chit Chat Table bases are available in Brushed Stainless Steel, Matte Black or White finishes with non-marring glides.



with disc base









Brushed Stainless Matte Black (-14) White (-44) Steel (-13)

DIMENSIONS

Model	Width	Depth	Height	Shipping Weight	Cubes
Occasional					
Square Table -Rounded Corners					
7261242416	24	24	16	35	10.25
7261303016	30	30	16	40	15
7261363616	36	36	16	47	20.5
Rectangular Table -Rounded Corr	ners				
7261233016	23	30	16	37	12.5
7261243016	24	30	16	37	12.5
7261463016	45.75	30	16	54	21.75
7261483016	48	30	16	75	22.75
7261693016	68.75	30	16	91	31.5
7261723016	72	30	16	107	32.75
Round Table					
72052416	24D		16	35	10.25
72053016	30D		16	40	15
72053616	36D		16	57	20.5

CHIT CHAT | OCCASIONAL

DESCRIPTION/MODEL		Laminate PVC Edge	HPL PVC Edge	Solid Surface top Grade A - White	Solid Surface top Grade A - Color	Solid Surface top Grade B	Solid Surface top Grade C
Square Table, -Rounded Corners	Square Plate Base 7261242416Sq 7261303016Sq 7261363616Sq	661 714 815	793 857 978	1052 1196 1569	1117 1274 1677	1197 1398 1866	1319 1567 2116
Rectangular Table, -Rounded Corners	Square Plate Base 7261233016Sq 7261243016Sq 7261443016Sq 7261483016Sq 7261693016Sq 7261723016Sq Round Disc Base 7261233016DB 7261243016DB 7261463016DB 7261483016DB 7261483016DB 7261483016DB 7261723016DB 7261693016DB 7261723016DB 7261723016DB					1275 1275 2116 2192 2850 2963 1249 1249 2065 2141 2799 2912	1414 1414 2372 2461 3223 3355 1388 1388 2321 2410 3172 3304
Round Table	Round Disc Base 72052416DB 72053016DB 72053616DB	636 686 794	763 823 953	1007 1148 1523	1071 1225 1628	1166 1373 1855	1299 1549 1761

Model		Price		Shipping Weight	Cubes
Square Plate Base	72541815	262		37	1.1
\wedge	72542415	307		58	1.4
	ORDERING NOTE A single 18" base of	tops up to a maximum of 30 inches.			
Round Disc Base	72141815	236		37	1.1
\wedge	72142415	289		58	1.4
	ORDERING NOTE A single 18" base of		tops up to a maximum of 30 inches.		


ORDERING PROCEDURE	BASE FINISH	MATERIALS & FINISHES
To order please specify the following:	Round Disc Base, Brushed Stainless- DB-13	For a complete list of standard wood finishes please see page 4.
 Select model number Select top material Select a finish for top (page 4) Select base finish (page 239) Select edge profile (page 239) 	Square Plate Base, Brushed Stainless- Sq-13 Round Disc Base, White- DB-44 Square Plate Base, White- Sq-44 Round Disc Base, Matte Black- DB-14 Square Plate Base, Matte Black- Sq-14	For a complete list of Laminate colors please see page 4.

AVATAR | LEED CI CREDIT SUMMARY

AVATAR TABLE



MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT = 48.95%

POST-CONSUMER RECYCLED CONTENT = 20.26%

Up to 61.05% of this Avatar product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION









level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Avatar products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.

All Avatar products are supplied with air emissions-certified materials. Contact customer service for specifi test results.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Avatar and other Krug products can be specified with one of two types of FSC® Certification:

- (a) FSC®-certified (which includes FS ®-certified lumbe, veneer and substrate material)
- (b) FSC®-mix certified (which includes substrate material onl, and is a lower cost option certification Contact customer service for further information, pricing and leadtimes.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

AVATAR | TABLES

Description	Model	Rift Oak	W	D	Н	WEIGHT	CUBE
吴	Square AVA4-S181817 AVA4-S222217	875 944	18 22	18 22	17 17	24 29	6.6 9
4.4	Rectangular AVA4-R442217	1532	44	22	17	53	16
2	Round AVA4-R18D17 AVA4-R22D17	873 940	18 22	18 22	17 17	23 27	6.6
57	Elliptical AVA4-E442217	1528	44	22	17	53	16

AVATAR | VENEERS & FINISHES

WOOD FINISHES

Standard wood finishes are:

Finishes on Rift Oak

Light Oak
Harvest Oak
SilverGrey on Oak
Mahogany Oak
Medium Cherry on Oak
Mellow Oak
Walnut on Oak
Espresso on Oak

VENEERS

Avatar veneers are rift cut White Oak, which provides a straight grain appearance.

NON-STANDARD VENEER SPECIES

In addition to range of standard wood species, Avatar can be made with virtually any commercially available veneers. Please contact customer service for information and pricing on wood species not included in Avatar's standard offering.

NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

CUSTOM WOOD FINISHES

Add 10% list to your order for special finishes, minimum upcharge is \$500 list per finish per order. (For example, on all orders up to \$5000 list, an upcharge of \$500 will apply, on orders \$5000 and up add 10% list to your order.)


For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

FINISH

Avatar features the Krug's finish, a proprietary catalyzed varnish formulation, that has repeatedly shown through independent laboratory testing to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors and is uniquely suited to the demands of high traffic environments.

KARMA

MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT = 29.17%

POST-CONSUMER RECYCLED CONTENT = 42.67%

Up to 46.67% of this Karma product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION





The mark of responsible forestry



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Karma products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.

All Karma products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Karma and other Krug products can be specified with one of two types of FS ® Certification:

- (a) FSC®-certified (which includes FS ®-certified lumbe, veneer and substrate material)
- (b) FSC®-mix certified (which includes substrate material onl, and is a lower cost option certification Contact customer service for further information, pricing and leadtimes.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

KARMA | FREE STANDING TABLES

Description	Model	Beech/ Palette	Laminate top w/Wood Edge	Laminate top w/ Polymer Edge	Solid Surface	W	D	Н	Weight	Cube
	Square & Rectangular Tables, M	atte Black c	r Silver Metallio	leas						
	KAR4C 18-18-18	569	688	458	1056	17.5	17.5	17.5	15	2.6
	KAR4C 22-18-18	597	707	471	1070	22	17.5	17.5	16.5	2.6
	KAR4C 42-18-18	896	1110	794	1523	42	17.5	17.5	24.5	4.6
	KAR4C 18-18-21	581	698	471	1068	17.5	17.5	21	17	3
<u>u</u>	KAR4C 22-18-21	609	719	481	1082	22	17.5	21	18.5	3
	KAR4C 42-18-21	909	1123	804	1535	42	17.5	21	26.5	4.6
	Square & Rectangular Tables, Po	olished Chro	me legs							
	KAR4C 18-18-18	671	789	560	1159	17.5	17.5	17.5	15	2.6
	KAR4C 22-18-18	700	809	572	1172	22	17.5	17.5	16.5	2.6
	KAR4C 42-18-18	998	911	895	1627	42	17.5	17.5	24.5	4.6
	KAR4C 18-18-21	695	811	583	1182	17.5	17.5	21	17	3
	KAR4C 22-18-21	723	832	595	1195	22	17.5	21	16.5	2.6
	KAR4C 42-18-21	1022	1067	917	1648	42	17.5	21	24.5	4.6
	ORDERING NOTE: For leg fini C for Polished Chrome	sh add to t	ne end of the r	nodel number	; B for Mat	te Blac	k, S fo	or Silv	er Metal	lic and
	Round Tables, Matte Black or Si	lver Metallic	elegs							
	KAR4C 24D-18	705	963	553	1238	24	-	17.5	19	3.5
	KAR4C 36D-18	965	1086	607	1935	36	-	17.5	31	7.3
	KAR4C 24D-21	717	975	564	1249	24	-	21	21	3.5
	KAR4C 36D-21	976	1098	618	1947	36	-	21	33	7.3
	Round Tables, Polished Chrome	legs								
	KAR4C 24D-18	808	1065	654	1340	24	-	17.5	19	3.5
	KAR4C 36D-18	1097	1217	738	2067	36	-	17.5	31	7.3
	KAR4C 24D-21	830	1088	678	1362	24	_	21	21	3.5
	KAR4C 36D-21	1119	1241	761	2090	36	-	21	33	7.3

ORDERING NOTE: For leg finish add to the end of the model number; B for Matte Black, S for Silver Metallic and C for Polished Chrome

KARMA | LINKING TABLES

Description	Model	Beech/ Palette	Laminate top w/Wood Edge	Laminate top w/ PVC Edge	Solid Surface	W	D	Н	Weight	Cube			
•	Square Straight Linking Table, Matte Black or Silver Metallic, Left or Right handed (Same direction seating)												
	KAR4C-LKII-18-18	551	668	439	1037		17.5	-	15	2.5			
	Square Straight Linking Table, KAR4C-LKIL-18-18	Matte Black o 551	r Silver Metallio 668	c, Left hande 439	d as seated 1037		sed se 17.5	ating) -	15	2.5			
	Square Straight Linking Table, KAR4C-LKIR-18-18	Matte Black o 551	r Silver Metallid 668	c, Right hand 439	ed as seated 1037		osed s 17.5	eating -	1) 15	2.5			
	Square Straight Linking Table,	Polished Chro	me, Left or Rig	ht handed (S	ame direction	on sea	ting)						
	KAR4C-LKII-18-18	671	789	560	1159		17.5	-	15	2.5			
	Square Straight Linking Table,		-			0,							
	KAR4C-LKIL-18-18	671	789	560	1159	17.5	17.5	-	15	2.5			
	Square Straight Linking Table, KAR4C-LKIR-18-18	Polished Chro 671	me, Right hand 789	ded as seated 560	d (Opposed 1159		g) 17.5	-	15	2.5			
	Square Straight Linking End Ta	ble, Matte Bla	ick or Silver Me	etallic legs, Le	eft handed a	s seat	ed						
*	KAR4C-LKEL-18-18*	558	675	447	1044	17.5	17.5	17.5	15	2.5			
	Square Straight Linking End Ta KAR4C-LKER-18-18	ble, Matte Bla 558	ick or Silver Me 675	etallic legs, R 447	ight handed 1044		ated 17.5	17.5	15	2.5			
U	Square Straight Linking End Ta KAR4C-LKEL-18-18*	ble, Polished 682	Chrome legs, l 801	eft handed a 572	s seated 1168	17.5	17.5	17.5	15	2.5			
	Square Straight Linking End Ta KAR4C-LKER-18-18	ble, Polished 682	Chrome legs, F 801	Right handed 572	as seated 1168	17.5	17.5	17.5	15	2.5			

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order. See page 242 for suggested configurations.

KARMA | LINKING TABLES

Description	Model	Beech/ Palette	Laminate top w/Wood Edge	Laminate top w/ PVC Edge	Solid Surface	W	D	Н	Weight	Cube
	Rectangular Straight Linking									
	KAR4C-LKII-22-18	580	689	451	1052	22	17.5	-	16.5	2.8
	Rectangular Straight Linking KAR4C-LKIL-22-18	580	689	vietailic, Leπ na 451	anded as se 1052	,	Oppose 17.5	ea sea -	16.5	2.8
	Rectangular Straight Linking KAR4C-LKIR-22-18	Table, Matte B 580	lack or Silver 689	Metallic, Right I 451	nanded as s 1052		l (Oppo: 17.5	sed se	eating) 16.5	2.8
	Rectangular Straight Linking KAR4C-LKII-22-18	Table, Polished 701	d Chrome, Lef 810	t or Right hand 572	ed (Same d 1172		n seatir 17.5	ng) -	16.5	2.8
	Rectangular Straight Linking KAR4C-LKIL-22-18	Table, Polished 701	d Chrome, Lef 810	t handed as sea 572	ated (Oppos 1172	sed se 22	eating) 17.5	-	16.5	2.8
	Rectangular Straight Linking KAR4C-LKIR-22-18	Table, Polished 701	d Chrome, Rig 810	ht handed as s 572	eated (Opp 1172	osed s 22	seating) 17.5	-	16.5	2.8
*	Rectangular Straight Linking I KAR4C-LKEL-22-18*	End Table, Ma 586	tte Black or Si 696	lver Metallic, Le 458	eft handed a		ited (Op	•	d seating) 16.5	2.8
	Rectangular Straight Linking I KAR4C-LKER-22-18	End Table, Ma 586	tte Black or Si 696	lver Metallic, R 458	ight handed 1058		eated (C 17.5		ed seatin 16.5	g) 2.8
Ü	Rectangular Straight Linking I KAR4C-LKEL-22-18*	End Table, Pol 710	ished Chrome 819	, Left handed a 583	s seated (C 1183		ed seati 17.5	٠,	16.5	2.8
	Rectangular Straight Linking I KAR4C-LKER-22-18	End Table, Pol 710	ished Chrome 819	, Right handed 583	as seated (1183		sed sea 17.5		16.5	2.8
	Curvilinear Connector Table 4 KAR4C-LKCI-RF45	5°, Matte Blac 792	ck or Silver Me	tallic, Left or Ri	ight handed	I (Sam 28	e direct	tion, i ı	nward se	eating) 4.2
	Curvilinear Connector Table 45 KAR4C-LKCO-RF45	5°, Matte Black 792	c or Silver Meta 1154	allic, Left or Rig 628	ht handed (1403	Same 28	direction 24	n, out -	ward sea	ating) 4.2
	Curvilinear Connector Table 4 KAR4C-LKCL-RF45	5°, Matte Blac 792	k or Silver Me 1154	tallic, Left hand 628	ded as seate 1403	ed (O p 28	posed 24	seatii	ng) 19	4.2
	Curvilinear Connector Table 4 KAR4C-LKCR-RF45	5°, Matte Blac 792	ck or Silver Me 1154	tallic, Right har 628	nded as sea 1403	ted (C 28	Oppose 24	d sea	ting) 19	4.2
	Curvilinear Connector Table 4 KAR4C-LKCI-RF45	913	1167	750	1524	28	24	-	19	4.2
	Curvilinear Connector Table 4 KAR4C-LKCO-RF45	913	1167	750	1524	28	24	'd sea -	ting) 19	4.2
	Curvilinear Connector Table 4 KAR4C-LKCL-RF45	913	1167	750	1524	28	24	-	19	4.2
	Curvilinear Connector Table 4 KAR4C-LKCR-RF45						24	-	19	4.2
	Curvilinear Connector Table 4 inward seating)	5° Matte Blac	k or Silver Me	allic,with Flat e	dge, Left o	r Right	hande	d (Sar	me direct	ion,
	KAR4C-LKCI-RR45	818	1188	659	1403	28	24	-	19	4.2
	Curvilinear Connector Table 45 outward seating)			•		Ü		(Same		
	KAR4C-LKCO-RR45 Curvilinear Connector Table 45	818 ° Matte Black	1188 or Silver Metal	659 llic. with Flat edd	1403 ne. Left hand	28 ded as	24 seated	- (Opp	19 osed seat	4.2 tina)
	KAR4C-LKCL-RR45	818	1188	659	1403	28	24	-	19	4.2
	Curvilinear Connector Table 45 KAR4C-LKCR-RR45	5° Matte Black 818	or Silver Meta 1188	llic, with Flat ed 659	ge, Right ha 1403	nded 28	as seate 24	ed (O -	oposed s 19	eating) 4.2
	Curvilinear Connector Table 45° KAR4C-LKCI-RR45	° Polished Chro 940	ome, with Flat on 1309	edge, Left or Rig 780	ht handed (\$ 1524	Same o	directior 24	ո, inw a -	ard seatin 19	ıg) 4.2
	Curvilinear Connector Table 45° KAR4C-LKCO-RR45	940	1309	780	1524	28	24	-	19	ng) 4.2
	Curvilinear Connector Table 4 KAR4C-LKCL-RR45	940	1309	780	1524	28	24	-	19	4.2
	Curvilinear Connector Table 4 KAR4C-LKCR-RR45	.5° Polished C 940	hrome, with Fl 1309	at edge, Right 780	handed as : 1524	seated 28	24 24	sed s -	eating) 19	4.2


ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order. See page 242 for suggested configurations.

KARMA | LINKING TABLES

			Laminate top	Laminate top w/						
Description	Model	Beech/ Palette	w/Wood Edge	PVC Edge	Solid Surface	W	D	Н	Weight	Cube
	Curvilinear Connector Table 90 KAR4C-LKCI-RR90	1029	1493	826	2003	38	24	-	22	5.5
	Curvilinear Connector Table 90° KAR4C-LKCO-RR90 Curvilinear Connector Table 90	1029 °, Matte Blac	1493 k or Silver Me	826 tallic, Left hand	2003 led as seate	38 ed (Op r	24 cosed	-	22 ng)	5.5
	KAR4C-LKCL-RR90 Curvilinear Connector Table 90	1029 Matte Blac	1493 k or Silver Me	826 tallic Right har	2003 Ided as sea	38 ted (O r	24	- d saa	22 tina)	5.5
	KAR4C-LKCR-RR90	1029	1493	826	2003	38	24	-	22	5.5
	Curvilinear Connector Table 90	•	-	•	•	-		seat	0,	
	KAR4C-LKCI-RR90 Curvilinear Connector Table 90	1151 Polished C	1614 hrome Left o	947 r Right handed	2123 L(Same dire	38	24 outwa	rd sa:	22 ating)	5.5
	KAR4C-LKCO-RR90	1151	1614	947	2123	38	24	- u 300	22	5.5
	Curvilinear Connector Table 90									
	KAR4C-LKCL-RR90	1151	1614	947	2123	38	24	-	22	5.5
	Curvilinear Connector Table 90	•			,		٠,		00	
	KAR4C-LKCR-RR90	1151	1614	947	2123	38	24	-	22	5.5
	Curvilinear Connector Table 90 inward seating)	o with Matte	Black or Silve	er Metallic, Fla	at edge, Lef	t or Rig	jht har	ided	(Same di	rection,
1	KAR4C-LKCI-RF90	971	1538	851	2003	38	24	-	22	5.5
	Curvilinear Connector Table 90	o, Matte Blac	ck or Silver Me	etallic, with Fla	it edge, Lef	t or Rig	jht har	ıded ((Same di	rection,
	outward seating) KAR4C-LKCO-RF90	971	1538	851	2003	38	24	-	22	5.5
	Curvilinear Connector Table 90° KAR4C-LKCL-RF90	, Matte Black 971	or Silver Met 1538	allic, with Flat e 851	edge, Left ha 2003	anded a 38	as seat 24	ed (0 -	pposed s	seating) 5.5
	Curvilinear Connector Table 90°, KAR4C-LKCR-RF90	Matte Black 971	or Silver Meta 1538	llic, with Flat ec 851	lge, Right ha 2003	anded a 38	as seate 24	∌d (O -	pposed s 22	seating) 5.5
	Curvilinear Connector Table 90° KAR4C-LKCI-RF90	Polished Ch 1182	rome, with Fla 1657	t edge, Left or 972	Right hande 2123	ed (Sam 38	ne dired 24	ction, -	inward s	seating) 5.5
	Curvilinear Connector Table 90° KAR4C-LKCO-RF90	Polished Chr 1182	rome, with Fla 1657	t edge, Left or F 972	Right handed 2123	d (Same 38	e direct 24	tion, c	outward s 22	seating) 5.5
	Curvilinear Connector Table 90 KAR4C-LKCL-RF90	° Polished Cl 1182	hrome, with F 1657	lat edge, Left h 972	anded as se 2123	eated (9 38	Oppos 24	ed se	eating) 22	5.5
	Curvilinear Connector Table 90 KAR4C-LKCR-RF90	° Polished Cl 1182	hrome, with F 1657	lat edge, Right 972	handed as 2123	seated 38	(Oppo	sed s	seating) 22	5.5
	Rectilinear Corner Connector T	able 90° Mat	te Black or Sil	ver Metallic, wi	th Flat edge	, Left o	or Righ	t han	ded (San	ne di-
	rection, inward seating) KAR4C-LKCI-SF90	1152	1670	923	2062	30	30	_	26	5.5
	Rectilinear Connector Table 90 outward seating)							d (Sa		
	KAR4C-LKCO-SF90	1152	1670	923	2062	30	30	-	26	5.5
	Rectilinear Connector Table 90° KAR4C-LKCL-SF90	т, матте віаск 1152	or Silver Met 1670	allic, with Flat e 923	eage Leπ na 2062	naea a: 30	s seate 30	;a (O ¢	o posea s 26	eating) 5.5
	Rectilinear Connector Table 90° KAR4C-LKCR-SF90							∍d (O -		
	Rectilinear Corner Connector T ward seating)	able 90° Poli			e, Left or Ri	ght han	ided (S	ame	direction	
	KAR4C-LKCI-SF90	1322	1840	1095	2232	30	30	-	26	5.5
	Rectilinear Connector Table 90° KAR4C-LKCO-SF90	1322	1840	1095	2232	30	30	-	26	seating) 5.5
	Rectilinear Connector Table 90 KAR4C-LKCL-SF90	1322	1840	1095	2232	30	30	-	26	5.5
	Rectilinear Connector Table 90 KAR4C-LKCR-SF90	° Polished Ch 1322	nrome, with F 1840	at edge, Right 1095	handed as 2232	seated 30	(Oppo	sed :	seating) 26	5.5

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order. See page 242 for suggested configurations.

KARMA | LINKING TABLES CONFIGURATIONS




ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

CRESSIDA | LEED CI CREDIT SUMMARY

CRESSIDA | TABLES



MATERIAL CONTENT:




PRE-CONSUMER RECYCLED CONTENT - 36.34%

POST-CONSUMER RECYCLED CONTENT - 26.4%

Up to 31.25% of this Cressida product is recyclable at the end of its useful life.



MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT - 30.77%

POST-CONSUMER RECYCLED CONTENT - 25.68%

Up to 27.88% of this Cressida product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood	1 point(s)
	(MUST BE REQUESTED)	

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cressida products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



The mark of responsible forestry

AIR EMISSIONS

All Cressida products are supplied air-emissions certified. Contact customer service for information.







(b) FSC®-mix certified (which includes substrate material onl, and is a lower cost option certification Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CRESSIDA | TABLE FEATURES

ANTI-MICROBIAL FINISH

Cressida wood surfaces come with an anti-microbial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 4. Cressida tables are available in 22 standard finishes.

LAMINATE

Cressida Box-style tables are available in laminate with wood side or laminate side. See page 4 for laminate information.

SOLID SURFACE



Cressida Box-style & Slab-style tables are available with 1/2" solid surface tops. Cressida Light-style tables are available with full solid surface tops, 1" thick. Please contact customer service for a quote on additional solid surface color options.

CRESSIDA | BOX-STYLE TABLES

DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE	LAMINATE TOP L W/BEECH SIDES	AMINATE TOP W/ MAPLE SIDES	W	D	Н	WEIGHT	CUBE
	Square Tables CRE4A 181816 CRE4A 242416	898 1110	935 1155	933 1149	969 1194	18 24		15.75 15.75		3 5
		TABLE SIZE 181816 242416	351 624	OLID SURFACE TOP	UPCHARGE				34 52	3 5
	Rectangular Tabl CRE4A 241816 CRE4A 482416	es 987 1588	1026 1651	1020 1644	1061 1708	24 48		15.75 15.75		4 10
		TABLE SIZE 241816 482416	WHITE SO 469 1249	OLID SURFACE TOP	UPCHARGE				42 67	4 10
	Round Tables CRE4A 18D16 CRE4A 24D16 CRE4A 30D16	741 905 1583	771 941 1647	764 1020 1731	796 1061 1799	18 24 30	- - -	15.75 15.75 15.75	23	3 5 8
		TABLE SIZE 18D16 24D16 30D16	351 624 977	OLID SURFACE TOP	UPCHARGE				23 37 75	3 5 8
	Rectangular Rou CRE4 B181816 CRE4 B241816 CRE4 B242416 CRE4 B482416	nd Corner 963 1086 1206 1752	1002 1130 1253 1821	999 1132 1284 1875	1038 1178 1335 1949	18 24 24 48	18 24	15.75 15.75 15.75 15.75	25 30	3 4 5 10
		TABLE SIZE 181816 241816 242416 482416	WHITE S 351 469 624 1249	OLID SURFACE TO	P UPCHARGE				26 31 38 68	3 4 5 10
	Oval Tables CRE4A E241816 CRE4A E322416 CRE4A E482916	1235	1040 1284 1630	1100 1336 1677	1143 1391 1743	24 32 48	24	15.75 15.75 15.75	34	4 7 12
		TABLE SIZE 241816 322416 482916	WHITE 9 469 833 1510	SOLID SURFACE TO	P UPCHARGE				27 38 72	4 7 12

CRESSIDA | BOX-STYLE TABLES


DESCRIPTION/MC	DDEL	BEECH PALETTE LAMINATE	MAPLE	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE SIDES	W	D	Н	WEIGHT	CUBE
	Triangular Round C CRE4B T1618-45 CRE4B T2124-45 CRE4B T2529-45	Corner 905 1036 1269	941 1078 1320	918 1075 1341	955 1117 1396	16 21 25	18 24 29	15.75 15.75 15.75	18 23 28	2.5 4.5 7
	CRE4B T2818-90 CRE4B T3624-90 CRE4B T4429-90	1124 1340 1611	1168 1395 1676	1168 1403 1627	1215 1460 1692	28 36 44	18 24 29	15.75 15.75 15.75		3 7.5 11
		TABLE SIZE		WHITE SOLID SURI	FACE TOP UPCHA	RGE				
		CRE4B T1618 CRE4B T2124 CRE4B T2529	1-45	313 546 786					21 27 34	2.5 4.5 7
		CRE4B T2818 CRE4B T3624 CRE4B T4429	1-90	546 938 1383					31 38 45	3 7.5 11
TRIANGULAR TA	BLE DIMENSIONS	— 45° —							- 90° —	
45° 15 3/4" 18" R 3"	45° 20 1/2" 20 1/2" 24° R3°	25" ————————————————————————————————————	30*	90°	90° 36 1/4°	24"		R3"-	90° 44 1/2" ORAN ORECTON	30"

CRESSIDA | LIGHT-STYLE TABLES

DESCRIPTION/MO	DDEL	BEECH PALETTE LAMINATE	MAPLE	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE SIDES	FULL WHITE SOLID SURFACE	W	D	Н	WEIGH ⁻	Γ CUBE
	Square Tables CRE4D 222216 CRE4D 222221 CRE4D 422216	449 458 634	467 477 659	512 523 760	533 543 789	880 891 1608	22 22 42	22 22 22	16 21 16	32 34 55	5 7 9
	Soft Square Table	es									
	CRE4D 181816S		422	454	473	619	18	18	16	22	3
	CRE4D 242416S		469	524	544	1020	24	24	16	33	5
	CRE4D 363616S	644	669	772	803	2182	36	36	16	65	12
- ل	CRE4D 181821S	415	431	464	482	636	18	18	21	25	4
	CRE4D 242421S		479	533	555	1029	24	24	21	35	5

LEYTON

MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT = 34.73%

POST-CONSUMER RECYCLED CONTENT = 15.68%

Up to 62.16% of this Leyton product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION





level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Leyton products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.

AIR EMISSIONS

All Leyton products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Leyton and other Krug products can be specified with one of two types of FSC® Certification:

- (a) FSC®-certified (which includes FS ®-certified lumbe, veneer and substrate material)
- (b) FSC®-mix certified (which includes substrate material onl, and is a lower cost option certification Contact customer service for further information, pricing and leadtimes.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

LEYTON | TABLES


DESCRIPTION/MODEL		MAPLE,OAK WALNUT PALETTE LAMINATE	CHERRY ANIGRE SYCAMORE (5 UNIT MINIMUM)	WHITE SOLID SURFACE	W	D	Н	WEIGHT	CUBES
	LEY4122412	445	495	658	12	24	12	17.5	.7
	LEY4182412	465 488	530	786	18	24	12	22	1.1
	LEY4242412		567	921	24	24	12	28	1.4
	LEY4302412	511	605	1045	30	24	12	32	1.8
	LEY4362412	533	641	1041	36	24	12	37	2.2
	LEY4422412	648	773	1323	42	24	12	41.5	2.5
	LEY4183012	508	583	898	18	30	12	23	1.1
	LEY4243012	534	634	1055	24	30	12	28	1.4
	LEY4303012	566	679	1218	30	30	12	33	1.8
	LEY4363012	595	725	1385	36	30	12	37.5	2.2
l	LEY4423012	703	851	1550	42	30	12	42.5	2.5
	LEY4182416	477	541	798	18	24	16	27	1.4
	LEY4242416	500	579	934	24	24	16	33	1.8
	LEY4302416	523	617	1056	30	24	16	39	2.2
	LEY4362416	544	651	1053	36	24	16	45	2.7
	LEY4422416	661	784	1334	42	24	16	51	3.1
	LEY4183016	519	595	911	18	30	16	28	1.4
U 1	LEY4243016	545	644	1065	24	30	16	34	1.8
I	LEY4303016	578	690	1231	30	30	16	40	2.2
I	LEY4363016	606	735	1398	36	30	16	46	2.7
1	LEY4423016	714	863	1562	42	30	16	52	3.1

Note: Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 tables (any combination of sizes) per species.

Description	Model	Price	Weight	Cubes
	Replacement Table Lev	gs (pair) 181	8	1
	LEY4R2416	188	10	1.25
	LEY4R3012	210	10	2
	LEY4R3016	233	12	2.25
	Replacement Glides - LEY3RG	Lounge & Table (set of four) 15	1	.25
D_ 0 0 0 0	LEY3-POWERDOC - L	Indermount 435	3	0.375

Can be field installed to the underside of Seats and Tables as a replacement part or installed on units not previously specified with a PowerDoc. Standard with 2 Power and 2 USB outlets.





PRE-CONSUMER RECYCLED CONTENT = 58.82%

POST-CONSUMER RECYCLED CONTENT =17.25%

Up to 29.41% of this Zola product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION







mark of responsible forestr



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.

AIR EMISSIONS

All Zola products are supplied air-emissions certified. Contact customer service for information.

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Zola and other Krug products can be specified with one of two types of FS ® Certification:

(a) FSC®-certified (which includes FS ®-certified lumbe, veneer and substrate material)

(b) FSC®-mix certified (which includes substrate material onl, and is a lower cost option certification Contact customer service for further information, pricing and leadtimes.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ZOLA | TABLES FEATURES

TABLES MATERIALS OPTION

Tables are available in veneer, plastic laminate, and Palette finishes - and an optional solid surface top. Tables feature leveling glides on every leg.

SOLID SURFACE TOPS

The Solid Surface Top option features Solid Surface material:

composed of minerals, acrylic resins and colors, it is a nonporous, scratch and dentresistant material that does not stain, and does not allow microbes and bacteria to penetrate the surface. Color is throughout the material, so surface scratches are not as visible.

POWER OPTION

The flush-mounted Power unit provides dual power/USB outlets for multiple devices. It can be located on the front face of Middle or End Tables (not available on curvilinear models) To specify, clearly mark on the order and add \$449 list.

UNDER-MOUNT POWER OPTION

The Under-mount Power unit provides dual power/USB outlets for multiple devices. It can be located below tables.

See page 208 for pricing.

ZOLA | MODULAR LINKING TABLES

DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE CHERRY	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE/CHERRY SIDES	W	D	Н	WEIGH	T CUBE		
	Middle Linking M	odular Table										
	ZOL4 LKM12	753	789	829	869	12	16	-	22	2.8		
	ZOL4 LKM18	796	838	874	921	18	16	-	24	4.5		
	ZOL4 LKM24	819	880	900	968	24	16	-	29	5.7		
	ORDERING NOT	ORDERING NOTE: Middle Linking Modular Table ships with 2 KB1 brackets.										
		TABLE SIZE		ITE SOLID SURFA PUPCHARGE	ACE							
		LKM12		242					28	2.8		
		LKM18		351					33	4.5		
		LKM24		374					40	5.7		
	Rectangular End	Table Square C	orner									
	ZOL4 LKE12	802	844	882	928	12		14.75		2.8		
	ZOL4 LKE18	838	880	921	968	18	16	14.75		4.5		
A I	ZOL4 LKE24	873	916	962	1008	24	16	14.75	28	5.7		
	ORDERING NOTE: End Linking Modular Table ships with 1 KB1 bracket.											
		TABLE SIZE		TE SOLID SURFA	CE							
		LKE12	101	242					25	0.0		
		LKE12 LKE18		242 351					32	2.8 4.5		
		LKE24		374					39	5.7		
	End Table Round	ed Corner										
	ZOL4 ECLKH12	914	950	940	978	12	12	14.75	18	2.5		
	ZOL4 ECLKH18	987	1026	1023	1063	18	12	14.75	24	3		
l a	ORDERING NOTE: End Linking Modular Table ships with 1 KB1 bracket.											
		TABLE SIZE		TE SOLID SURFA UPCHARGE	CE							
		LKH12		242					21	2.5		
		LKH18		351					28	3		
	Curvilinear 30° Ta	ıble										
	ZOL4 LKC30	777	819	856	900	16	16.5	-	15	2.3		
		TABLE SIZE		TE SOLID SURFA UPCHARGE	CE							
		LKC30		390					19	2.3		
	Curvilinear 45° Ta	ıble										
	ZOL4 LKC45	838		880	968	16	17	-	17	2.9		
- B-		TABLE SIZE		TE SOLID SURFA	CE							
		LKC45		482					24	2.9		


ORDERING NOTES: Middle Linking Tables are automatically supplied with two ZOL3 RLKB1 (table to seat bracket) brackets for fastening to benches. End tables are automatically supplied with one ZOL3 RLKB1 (table to seat bracket) bracket for fastening to benches. When fastening two linking tables (ZOL4 LKC90X2) together, mounting hardware will be provided when ordered, that will include one leg per table (to a maximum of two legs), which will be mounted on the adjoining seam. Please note in model ZOL4 LKH12, the "12" corresponds to the length

ZOLA | MODULAR LINKING TABLES

DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE CHERRY	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE/CHERRY SIDES	W	D	Н	WEIGH	T CUBE
	Curvilinear 60° T	able								
	ZOL4 LKC60	873	921	962	1015	16	17.5	-	20	3.7
		TABLE SIZE		SOLID SURFACE CHARGE						
		LKC60		579					20	3.7
	Curvilinear 90° T	able								
	ZOL4 LKC90	977	1031	1075	1133	16	19	-	24	5.4
		TABLE	WHITE	SOLID SURFACE						
9 9		SIZE	TOP UP	PCHARGE						
		LKC90		675					38	5.4
	Curvilinear 90°x2	2 Table								
	ZOL4 LKC90X2	1941	2000	2134	2199	16	19	-	55	10
		TABLE	WHITE	SOLID SURFACE						
		SIZE	TOP UP	PCHARGE						
		LKC90X2		1422					55	10
	Curvilinear Table	<u> </u>								
	ZOL4 LKH12	850	892	936	981	16	19	14.75	18	2.3
	NOTE: Curviline	ar End Round Ta	ble ships with	1 KB1 bracket.						
		TABLE SIZE		SOLID SURFACE PCHARGE						
		LKH12		242					23	2.3

ORDERING NOTES: Middle Linking Tables are automatically supplied with two ZOL3 RLKB1 (table to seat bracket) brackets for fastening to benches. End tables are automatically supplied with one ZOL3 RLKB1 (table to seat bracket) bracket for fastening to benches. When fastening two linking tables (ZOL4 LKC90X2) together, mounting hardware will be provided when ordered, that will include one leg per table (to a maximum of two legs), which will be mounted on the adjoining seam. Please note in model ZOL4 LKH12, the "12" corresponds to the length of the table. Zola Middle tables have the ability to be easily reconfigured, as they are universal and non-handed. They can be moved to a reverse position in almost any configuration to provide a high level of flexibility when specifying.

CURVILINEAR TABLE DIMENSIONS



SEATING & OCCASIONAL TABLES | USA | 255

ZOLA | FREESTANDING TABLES

DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE CHERRY	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE/CHERRY SIDES	W	D	Н	WEIGHT	CUBE
	Square Tables									
	ZOL4 181815 ZOL4 242415	838 905	880 953	921 994	968 1047	18 24		14.75 14.75		3 5
u u		TABLE SIZE	TOP UPO	OLID SURFACE CHARGE						
		181815 242415	303 507						34 52	3 5
	Rectangular Table									_
	ZOL4 241815 ZOL4 482415	868 1036	917 1100	955 1140	1010 1209	24 48		14.75 14.75		4 10
•		TABLE SIZE	WHITE S	OLID SURFACE CHARGE						
		241815 482415	434 1013						42 67	4 10
	Round Tables									
	ZOL4 18D15	892	948	981	1041	18		14.75		3
	ZOL4 24D15 ZOL4 30D15	953 1060	1005 1123	1047 1166	1106 1234	24 30		14.75 14.75		5 8
		TABLE SIZE	WHITE S	OLID SURFACE CHARGE						
		18D	326						23	3
		24D 30D	543 699						37 75	5 8
	Square Table - Ro									
	ZOL4 EC181815	972 1092	1011 1137	1007 1138	1048 1184	18		14.75		3
	ZOL4 EC241815 ZOL4 EC242415	1201	1248	1284	1335	24 24		14.75 14.75		4 5
	ZOL4 EC482415	1725	1793	1835	1907	48		14.75		10
		TABLE SIZE	WHITE S	OLID SURFACE CHARGE						
		181815	351						26	3
		241815	469						31	4
		242415 482415	624 1249						38 68	5 10
	Ellipse Table									
	ZOL4 E241815	1010	1050	1142	1188	24		14.75		4
	ZOL4 E322415 ZOL4 E482915	1226 1536	1276 1598	1361 1717	1416 1787	32 48		14.75 14.75		7 12
		TABLE SIZE	WHITE SO TOP UPO	OLID SURFACE HARGE						
		241815	469						27	4
		322415 482915	833 1510						38 72	7 12

ORDERING NOTES

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4 18D15**S** is **\$892** list for beech, plus **\$326** list upcharge for the white solid surface option. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).


ZOLA | FREESTANDING TABLES

		BEECH	CH LAMINATE TOP LAMINATE TOP V							
		PALETTE	MAPLE	W/BEECH	MAPLE/CHERRY					
DESCRIPTION	MODEL	LAMINATE	CHERRY	SIDES	SIDES	W	D	Η۷	WEIGHT	CUBE
_	Triangular Tables -	Rounded Cori	ners							
	ZOL4 CR45D1815	908	944	920	958	15.75	18	14.75	17	2.5
	ZOL4 CR45D2415	1031	1073	1070	1111	20.5	24	14.75	22	4.5
	ZOL4 CR45D2915	1248	1299	1321	1374	25	29	14.75	27	7
	ZOL4 CR90D1815	1117	1162	1165	1208	17.5	18	14.75	23	3
	ZOL4 CR90D2415	1318	1372	1381	1437	36.25	24	14.75	29	7.5
	ZOL4 CR90D2915	1575	1637	1607	1672	44.5	29	14.75	35	11
		1373	1007	1007	1012					
		TABLE	WHITE S	OLID SURFACE						
		SIZE	TOP UPO	CHARGE						
		45D1815	313						21	2.5
		45D2415	546						27	4.5
		45D2915	786						34	7
		90D1815	546						31	3
		90D2415	937						38	7.5
		90D2915	1383						45	11

ORDERING NOTES


The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed in the Solid Surface Onlay column ie: ZOL4 CR45D1815**S** is **\$908** list for beech, plus **\$313** list upcharge for the White Solid Surface option. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).

TRIANGULAR TABLE DIMENSIONS



SUTTON | LEED CI CREDIT SUMMARY

SUTTON



PRE-CONSUMER
RECYCLED CONTENT = 75.72%

POST-CONSUMER RECYCLED CONTENT = 10.43%

Up to 5.80% of this Sutton product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Sutton products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



The mark of responsible forestry

AIR EMISSIONS


All Sutton products are supplied air-emissions certified. Contact customer service for information.

FSC®





(b) FSC®-mix certified (which includes substrate material onl, and is a lower cost option certification Contact customer service for further information, pricing and leadtimes.





SUTTON

DESCRIPTION/MODEL	(LAMINATE	FINISHES DAK, CHERRY, MAPLE, WALNUT, ANIGRE	DIM W	ENSION D	NS H	SHIPPING WEIGHT	CUBIC FEET
SUTTON SQUARE SUT4-24-24-16 SUT4-24-24-21 SUT4-30-30-11 SUT4-30-30-16 SUT4-48-24-16 SUT4-48-30-11 SUT4-48-30-16	756 792 851 868 979 1003 1050 1074	842 880 944 964 1088 1115 1166 1192	24 24 30 30 48 48 48	24 24 30 30 24 24 30 30	16 21 11 16 16 21 11	48 49 65 69 83 84 96 98	8 10 7 11 14 18 11

ORDERING PROCEDURE

To order please specify the following:

- 1. Select model number
- 2. Select a finish or laminate for the tabl

STANDARD FINISHES

Sutton is available in Maple, Cherry, Oak, Walnut and Anigre finishes Oak finishes a e available on Rift Oak veneer.

For a complete list of standard wood finishes please see page 4

BASES

Bases are available in silver metallic only.

LAMINATE

Sutton is available in laminate. Please seep pricing above. Please see page 4 for laminate chart.

Laminate is not available on KrugExpress.


WOOD SPECIES

Actual wood species available: Cherry, Maple, Rift Oak.

VIRTU | LEED CI CREDIT SUMMARY

VIRTU





PRE-CONSUMER
RECYCLED CONTENT = 67.31%

POST-CONSUMER
RECYCLED CONTENT = 12.15%

Up to 45.80% of this Virtu product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION


BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Virtu products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



AIR EMISSIONS

All Virtu products are supplied air-emissions certified. Contact customer service for information.

FSC®






rk of responsible forestry

(a) FSC®-certified (which includes FS ®-certified lumbe, veneer and substrate material)
 (b) FSC®-mix certified (which includes substrate material onl, and is a lower cost option certification Contact customer service for further information, pricing and leadtimes.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

FINISHES							
OAK,	CHERRY,	MAPLE,					

		WALNUT, ANIGRE	DIM	1ENSIO	NS	SHIPPING	CUBIC
DESCRIPTION/MODE	EL	STYLE 1	W	D	Н	WEIGHT	FEET
	VIRTU SQUARE - FROS	TED GLASS TOP					
	VIR4-18-18-21-1	1210	18	18	21	40	8
	VIR4-24-24-16-1	1291	24	24	16	52	13
	VIR4-24-24-21-1	1436	24	24	21	52	13
	VIR4-30-30-21-1	1742	30	30	21	63	19
U	VIR4-36-36-16-1	2071	36	36	16	85	27
	VIR4-42-42-16-1	2264	42	42	16	95	21
	VIR4-48-24-16-1	2468	48	24	16	78	25
	VIRTU ROUND - FROST	ED GLASS TOP					
	VIR4-24D-16-1	1400	24	-	16	52	13
	VIR4-36D-16-1	2477	36	-	16	85	27
	VIR4-24D-21-1	1614	24	-	21	52	13



		WALN	IUT, ANIGRE		DIN	MENSIC	NS	SHIPPING	CUBIC
DESCRIPTION/MODE	_	STYLE 1	STYLE 2	LAMINATE	W	D	Н	WEIGHT	FEET
	VIRTU SQUARE - WOOI	O TOP							
	VIR4-18-18-21-0	978	1048	1055	18	18	21	40	8
	VIR4-24-24-16-0	1024	1079	1120	24	24	16	52	13
	VIR4-24-24-21-0	1098	1173	1192	24	24	16	52	13
	VIR4-30-30-21-0	1300	1390	1385	30	30	21	63	19
T	VIR4-36-36-16-0	1529	1626	1650	36	36	16	85	27
	VIR4-42-42-16-0	2229	2337	2348	42	42	16	95	21
	VIR4-48-24-16-0	2046	2190	2108	48	24	16	78	25
	ORDERING NOTES								
	A Style (1 or 2) must be s	selected and n	oted clearly	on Purchase Or	der.				
	VIRTU ROUND - WOOD	TOP							
	VIR4-24D-16-0	732	784	844	24	-	16	52	13
	VIR4-36D-16-0	1397	1494	1590	36	-	16	85	27
	VIR4-24D-21-0	948	1014	1060	24	-	21	52	13



A Style (1 or 2) must be selected and noted clearly on Purchase Order.

ORDERING PROCEDURE

To order please specify the following:

- 1. Select model number
- 2. Select a finish for the tabl
- 3. Select Style 1 or Style 2

CODE DESCRIPTION

STYLE 1 - Book matched veneer top

STYLE 2 - Reverse diamond patterned veneer top (recommended in a clear or light finish only

METAL DETAILING

Metal detailing is available in silver metallic only.

GLASS

Glass is available in frosted only. Glass tempered and 8mm thick. Floats on clear rubber bumpers.


WOOD SPECIES

Actual wood species available: Cherry, Maple, Rift Oak.

MILLENNIUM | LEED CI CREDIT SUMMARY

MILLENNIUM





PRE-CONSUMER
RECYCLED CONTENT = 6.43%

POST-CONSUMER
RECYCLED CONTENT = 16.25%

Up to 38.93% of this Millennium product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Millennium products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



The mark of responsible forestry

AIR EMISSIONS

All Millennium products are supplied air-emissions certified. Contact customer service for information.

FSC®






(a) FSC®-certified (which includes FS ®-certified lumbe, veneer and substrate material) (b) FSC®-mix certified (which includes substrate material onl, and is a lower cost option certification Contact customer service for further information, pricing and leadtimes.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

MILLENNIUM

			FINISHES					
			CHERRY, MAPLE	DIME	NSION:	S	SHIPPING	CUBIC
DESCRIPTION/MODE	L	OAK	WALNUT, ANIGRE	L	W	Н	WEIGHT	FEET
	MILLENNIUM SQUARE, A	AND RECTANG	ile					
	6800-18-18-21	556	639	18	18	21	19	5
	6800-18-18-29	585	675	18	18	29	23	9
	6800-24-18-21	612	709	24	18	21	20	6
	6800-24-24-21	636	726	24	24	21	23	8
V	6800-26-26-21	662	750	26	26	21	26	9
\bigvee	6800-30-30-16	733	833	30	30	16	34	8
	6800-48-18-16	800	926	48	18	16	36	9
	6800-48-18-29	964	1086	48	18	29	46	15
	MILLENNIUM ROUND							
	6800-24Dia.	918	1056	24 Dia.	-	2	1 27	8
	6800-30Dia.	971	1102	30 Dia.	_	10	6 38	8
	6800-36Dia.	1052	1184	36 Dia.	-	10	6 42	12

MILLENNIUM EDGE DETAIL PROFILES



An edge detail profile must be selected for Millennium occasional tables

ORDERING NOTES

Optional laminate inlay available at a 10% upcharge. Please contact Customer Service for more information. Laminate is not available on *KrugExpress*.

ORDERING PROCEDURE

To order please specify the following:

- 1. Select model number
- 2. Select a finish for the tabl
- 3. Select and edge detail profil

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

STANDARD FINISHES

For a complete list of standard wood finishes please see page 4

BIRDSEYE MAPLE

Bookmatched Birdseye Maple Veneer is available on Millenium occasional tables at an upcharge of \$55 list per square foot. Birdseye Maple is recommended in a clear finish onl.

LAMINATE INLAY

Optional laminate inlay available at a 10% list upcharge. Please contact Customer Service for more information. Laminate is not available on *KrugExpress*.


WOOD SPECIES

Actual wood species available: Cherry, Maple Oak.

PRADO | LEED CI CREDIT SUMMARY

PRADO





PRE-CONSUMER
RECYCLED CONTENT = 60%

POST-CONSUMER
RECYCLED CONTENT = 15%

Up to 88.5% of this Prado product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Prado products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



rk of responsible forestry

AIR EMISSIONS

All Prado products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Prado and other Krug products can be specified with one of two types of FS ® Certification:



(a) FSC®-certified (which includes FS ®-certified lumbe, veneer and substrate material)

(b) FSC®-mix certified (which includes substrate material onl, and is a lower cost option certification Contact customer service for further information, pricing and leadtimes.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.



FINISHES							
CHERRY, MAPLE,							
WALNUT ANIGRE							

		1JAW	NUT, ANIGRI	≣	DIN	JENSIC	NS	SHIPPING	CUBIC
DESCRIPTION/MODE	L	STYLE 1	STYLE 2	LAMINATE	L	W	Н	WEIGHT	FEET
~	PRADO SQUARE AND RI	ECTANGULA	R						
	5610-18-18-16	1015	1091	1015	18	18	16	40	3
	5610-18-18-21	1024	1106	1024	18	18	21	42	4
	5610-18-24-16	1050	1129	1050	18	24	16	47	4
/ / /	5610-18-24-21	1068	1145	1068	18	24	21	49	5
8	5610-24-24-16	1089	1172	1089	24	24	16	53	5 5
8	5610-24-24-21	1109	1192	1109	24	24	21	55	7
	5610-30-30-16	1130	1235	1130	30	30	16	69	8
	5610-30-30-21	1168	1256	1168	30	30	21	72	11
	5610-36-36-16	1196	1284	1196	36	36	16	88	14
	5610-36-36-21	1214	1306	1214	36	36	21	90	15
	5610-48-24-16	1229	1325	1229	48	24	16	102	11
	5610-48-24-21	1250	1346	1250	48	24	21	108	14
	ORDERING NOTES								
	A Style (1 or 2) must be se	elected and n	oted clearly	on Purchase Or	der.				
	PRADO ROUND								
	5611-18D-16	1139	1224	1139		Dia	16	35	3
	5611-18D-21	1168	1256	1168		Dia	21	37	4
	5611-24D-16	1209	1296	1209		Dia	16	46	5
/ / ↓ \	5611-24D-21	1229	1321	1229	24 [Dia	21	49	7
, / J	5611-30D-16	1308	1405	1308		Dia	16	59	11
¥	5611-30D-21	1344	1443	1344	30 E	Dia	21	63	12
	5611-36D-16	1540	1657	1540	36 E	Dia	16	74	12
	5611-36D-21	1588	1708	1588	36 [Dia	21	79	15
	ORDERING NOTES								
	A Style (1 or 2) must be s	elected and r	noted clearly	on Purchase Or	der.				
	PRADO OVAL								
	5612-18-24-16	1523	1634	1523	18	24	16	47	5
	5612-18-24-21	1605	1724	1605	18	24	21	49	6
	5612-42-24-16	1842	1984	1842	42	24	16	102	9
	5612-42-24-21	1936	2083	1936	42	24	21	104	14
					-		•	-	
V									

ORDERING NOTES

Prado comes with silver metallic legs. Legs with special finishes a e available at 10% list upcharge and minimum order quanity of 25 units. Extra lead time is required. Please contact Customer Service for more information.

ORDERING PROCEDURE

To order please specify the following:

- 1. Select model number
- 2. Select Style 1 or Style 2
- 3. Select a finish for the tabl

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

CODE DESCRIPTION

STYLE 1 - Book matched veneer top

STYLE 2 - Reverse diamond patterned veneer top (recommended in a clear or light finish only

STANDARD FINISHES

For a complete list of standard wood finishes please see page 4.

PRADO

Prado comes with silver metallic legs. Legs with special finishes are available at 10% list upcharge and minimum order quanity of 25 units. Extra lead time is required. Please contact Customer Service for more information.


WOOD SPECIES

Actual wood species available: Cherry, Maple.

CARLYLE | LEED CI CREDIT SUMMARY

CARLYLE





PRE-CONSUMER RECYCLED CONTENT = 50%

POST-CONSUMER RECYCLED CONTENT = 15%

Up to 49.33% of this Carlyle product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Carlyle products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.




The mark of responsible forestry

AIR EMISSIONS

All Carlyle products are supplied air-emissions certified. Contact customer service for information.

FSC®



In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Carlyle and other Krug products can be specified with one of two types of FS ® Certification:

(a) FSC®-certified (which includes FS ®-certified lumbe, veneer and substrate material)

(b) FSC®-mix certified (which includes substrate material onl, and is a lower cost option certification Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

		FINISHES					
		CHERRY, MAPLE				SHIPPING	CUBIC
DESCRIPTION/MOI	DEL	WALNUT, ANIGRE	W	D	Н	WEIGHT	FEET
	CAR-18-18-24	907	18	18	24	30	5.5
	CAR-24-24-22	977	24	24	22	32	9
	CAR-42-21-16	1218	42	21	16	65	9.9

ORDERING PROCEDURE

To order please specify the following:

- 1. Select model number
- 2. Select a finish for the wood fram

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

STANDARD FINISHES

For a complete list of standard wood finishes please see page 4

CARLYLE

The legs on the Carlyle series feature a silver metallic finish

WOOD SPECIES

Actual wood species available: Cherry, Maple.















All products are air emissions certified and are available as FSC® certified

